

AZzardo[®]

TECHNOline



collection 2023

AZZARDO



BULGARIA

VISTA_G LTD

tel.: +359 32 655 877
mobile: +359 888 579 030
e-mail: sales@iml.bg
• www.vista-g.com



CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



HUNGARY

ELTER LTD.
tel.: +36 20 203 4751
e-mail: info@elter.hu
• www.elter.hu



ICELAND

PFAFF
tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.is



NIGERIA

Lights & Finishings EnVogu
Silverado Mall, No. 1A Chief Collins Street,
Off Emma Abimbola Street
Lekki Phase 1, Lagos.
tel.: 08033458196
e-mail: lightingandfittingsev@gmail.com



POLAND

AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com



PORTUGAL

DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt



ROMANIA

JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



SLOVAKIA

AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



UKRAINE

ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax: +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua

PROFORMA

KYIV, EKSKAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.com.ua



UNITED KINGDOM AND IRELAND

IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk

AZzardo[®]

TRACKLINE

www.azzardolighting.com

ALPHABETICAL pictorial list

TRACK Line	1
TECHNO line	171
OUTDOOR line	425



TRACK SYSTEM FOR ALFA 48



TRACK SYSTEM FOR BETA 94



TRACK SYSTEM FOR NEO 154



TRACK SYSTEM FOR 1 LINE 2



TRACK SYSTEM FOR 3 LINE 12



TRACK SYSTEM FOR GAMMA 130



ADAMO DIAMOND 304




ADAMO MIDST 302



ADAMO RING 303



ADAPTERS FOR GAMMA 150



AFI IP54 482



AGAPE IP54 500




AIDA R 320



AIDA S 321



ALEX 243



ALF IP65 484



ALFA ALDO 86



ALFA CYRUS 82



ALFA CYRUS CCT BLUETOOTH 68



ALFA ELIN 88



ALFA ELSA 89



ALFA KERRY 80



ALFA KERRY CCT BLUETOOTH 66




ALFA KIRA 77



ALFA KIRA CCT BLUETOOTH 64



ALFA KIRA II 78



ALFA KIRA II CCT BLUETOOTH 65



ALFA KORI 91



ALFA MAKITA CCT BLUETOOTH 58



ALFA MAKITA II 72



ALFA MAKITA II CCT BLUETOOTH 60



ALFA MAYA 90



ALFA NIKKI 84



ALFA NIKO 85



ALFA SAGA 73



ALFA SAGA CCT BLUETOOTH 61



ALFA SAGA CORNER 75



ALFA SAGA II 74



ALFA SAGA II CCT BLUETOOTH 62



ALFA SAGA II CORNER 76



ALFA SARI 81



ALFA SARI CCT BLUETOOTH 70



ALFA SKYE PENDANT 87



ALFA SONYA CCT BLUETOOTH 71



ALIX 242



ALIX 230V 245



ALIX IP65 440



ANCONA LED IP54 408



ANGUS LED SWITCH 415



APULIA IP54 437



ARBAX IP54 464



ARCHO 412



ARIDA IP54 465



ARO IP54 174



AVON LED 402



BETA BECKER 230V GU10 107



BETA GARY 230V GU10 106



BETA KERRY 230V 104



BETA KERRY 230V CCT BLUETOOTH 119



BETA KIRA 230V 102



BETA KIRA 230V CCT BLUETOOTH 118



BETA MAKITA 230V 100



BETA MAKITA 230V CCT BLUETOOTH 112



BETA MAKITA 230V RGB-CW CCT BLUETOOTH 114



BETA OPTICA 230V 108



BETA OPTICA 230V CCT BLUETOOTH 121



BETA SAGA 230V 101



BETA SAGA 230V CCT BLUETOOTH 116



BETA SAGA 230V RGB-CW BLUETOOTH 115



BETA SANDERS 230V 105



BETA SANDERS 230V CCT BLUETOOTH 120



BIAGIO 307



BILL 205



BLAS 392



BOOMBOX IP44 509



BORIS 194



BOSTON 10W R 339



BOSTON 10W TUBE 204



BRANT 184



BRANT IP44 185



BRANT S 186



BRANT S IP44 187



BROSS 178



BROSS ARM 180



BROSS ARM TRACK 3-LINE 40



CARLO 356



CARO R 362



CARO S 363



CASOLA IP54 462



CASORIA IP54 480



CASPER R IP54 436



CASPER S IP54 435



CESAR 352



CIVITA IP54 472



CLETO 301



CLOE 297



CLOVER LED 403



COLLODI 48 CCT 278



CORTONA 282



COSEL IP54 463



COSTA 182



COSTA ARM 183



COSTA ARM TRACK 3-LINE 30



COSTA SPOT 340



COSTA TRACK 3-LINE 31



CREMONA IP54 468



DARIO 195



DIADO 224



DURANTE IP54 473



ECO ALEX 230V 247



ECO ALIX 246



ECO ALIX NEW 230V 244



EDITTA 357



EDVIN / EDVARD IP65 502



EIGER IP54 175



EIGER TRACK 3-LINE 20



ELOY 188



EMILIO IP54 348



ENOK IP54 478



EREBUS 216



EREBUS TRACK 38



ERIKA 373



ESTER R 310



ESTER S 312



EVA 298



EXO 218



EXO TRACK 1-LINE 6



EXO TRACK 3-LINE 41



EZIO IP54 349



FALCO 12 274



FANO IP54 432



FANO SMART IP54 434



FARO LED SWITCH 419



FELIX LED 394



FILL R 332



FILL S 333



FLAVIO 220



FLOKI IP65 503



FRAME IP54 504



FREDO IP54 492



FRIDA 336



GAGARIN IP44 476



GALATA IP44 322



GALENA 222



GALILEO 1 PENDANT 288



GALILEO TRACK 3-LINE 27



GAMBINO 1 IP54 466



GAMBINO LED IP54 398



GAMMA DANIEL 141



GAMMA DANKA 140



GAMMA KIRA 134



GAMMA KIRA CCT BLUETOOTH 144



GAMMA NIKO 135



GAMMA NIKO CCT BLUETOOTH 145



GAMMA SAGA 139



GAMMA SAGA CCT BLUETOOTH 149



GAMMA SANGRIA MILKY 136



GAMMA SANGRIA MILKY CCT BLUETOOTH 146



GAMMA SANGRIA POINT 137



GAMMA SANGRIA POINT CCT BLUETOOTH 147



GAMMA SANGRIA UGR 138



GAMMA SANGRIA UGR CCT BLUETOOTH 148



GELO 371



GILBERTO IP54 505



GINNA IP54 474



GINNO LED 414



GORAN IP44 457



GUIDO IP54 493



GULIA TRACK 23



HAVANA IP44 506



HERA GIPS R 383




HERA GIPS S 382



HUGO 190



HUGO 1 DOWNLIGHT 354



HUGO 2 DOWNLIGHT 355



HYDE IP54 430



IBIZA 364



IKA IP65 351



IKA IP65 431



ITAKA 369



IVO 358



IVO S 359



JAKE WALL 2 IP54 455



JANE TRACK 3-LINE 33



JASON S WALL IP65 445



JASON WALL IP65 444



JERRY 12V 248



JERRY 230V 249



JERRY TRACK 1-LINE 9



JERRY TRACK 3-LINE 32



JOE IP 54 442



JUNONA 276



KASTORIA IP44 323



KIRKE TRACK 10W CCT SWITCH 8



KIRKE TRACK CCT SWITCH 26



LAMBDA 393



LAMIR 17 DIMM IP44 + REMOTE CONTROL 325



LAMIR R IP44 324



LARS IP54 470



LATONA LED 405



LENS 2 S 209



LENS R 207



LENS S 208



LENS TRACK 3-LINE 42



LEON TRACK 3-LINE 45



LEON 223



LETICIA 399



LETICIA 2 400



LETICIA 2 LED IP54 401




LETICIA 2 LED IP54 467



LINA 341



LINDA 330

LINNEA PENDANT
CCT SWITCH 290LINNEA TRACK
CCT SWITCH 36

LINO 214



LINZ IP44 344



LIVIO 2 IP54 475

LOLO
TRACK 1-LINE 7LOLO
TRACK 3-LINE 22LORENZA
LORENZO 308
309

LUCIANO 306



LUMI FLEX LED 421



LUMI LED 420



LUMI TRACK 28



LUNA 15W 342



LUNA 7W 343



MAKALU 210



MALTA R 258



MANE 10W 201



MANE 20W 202



MANE 30W 203



MARIKA 316



MARS 396



MATEO 252



MATERA IP54 501



MAX 250

MEGARA
TRACK 3-LINE 21MIKKA
TRACK 3-LINE 34

MIKKEL IP54 488



MILET 368



MINI BROSS 176



MINI ELOY 177



MINI R 196



MINI S 197



MINORKA 366



MIRA 296



MOMO 253



MONA 12W 228



MONA 18W 229



MONA SPOT 12W 334



MONA SPOT 18W 335

MONA
TRACK 3-LINE 35



MONZA II R 264



MONZA II S 268



MONZA R CCT 270



MONZA R PENDANT 263



MONZA S CCT 272



MONZA S 266



MONZA R TOP 262



NANO 200



NEMO 372

NEO SERIE 100
CCT BLUETOOTH 160NEO SERIE 120
CCT BLUETOOTH 162NEO SERIE 140
CCT BLUETOOTH 164NEO SERIE 160
CCT BLUETOOTH 166NEO SERIE 180
CCT BLUETOOTH 167NEO SERIE 200
CCT BLUETOOTH 168NEO SERIE 220
CCT BLUETOOTH 169

NEOS 198



NIKEA ES111 237



NIKEA GU10 236



NIKLAS IP44 486



NILS IP44 498



NINO 199



NOGAT LED SWITCH 423



NOVA 380



NOVA GIPS 381



OJOS 232



OKA 331



OSCAR IP44 346



OSVALD IP44 491



OVE WALL IP54 483





OZ 387



PABLO IP54 350



PACO 360

PANKA
CCT SWITCH DIMM 256PANKA
CCT SWITCH SENSOR 254PANKA SQ
CCT SWITCH DIMM 257PANKA SQ
CCT SWITCH SENSOR 255

PAOLA 230V 238



PAPIKO IP65 438

PAULO 12V
BULBS QR111 SYSTEM 241PAULO 230V
BULBS GU10 SYSTEM 240

PEDER IP54 456



PIENZA DIMM 275



PIO 361



PIRAMIDE 300



QUADRO 50 CCT 280



RAFFAEL 235



RAGGIO IP54 389



RAMONA LED SWITCH 416



RASMUS IP65 490



RAUL 406



REMI 365



REMO 192



REMO 1 DOWNLIGHT 353



REZIA IP54 450



RIMINI IP54 454



RIMINI S IP54 452



ROLAND SQ WALL IP65 447



ROLAND WALL IP65 446



ROLF IP44 494



ROMOLO R IP65 428



ROMOLO S IP65 429



ROTONDO 206



SANE 388



SANTOS 212



SANTOS EXPOSED 226



SANTOS S 213



SANTOS S TRACK 3-LINE 43



SANTOS TRACK 3-LINE 24



SARONA LED IP54 477



SAVIO 370



SCORPIO 225



SIENA 227



SIMON 294



SIRO 374



SISTO 375



SKYE 230



SKYE PENDANT 231



SKYE TRACK 3-LINE 44



SLIM R IP44 328



SLIM S IP44 326



SONA CCT 281



SORANO IP54 496



SOVANA PENDANT CCT 286



SOVANA TOP CCT 284



STAN 376



TAZ 386



TITO IP54 347



TIVOLI TRACK 3-LINE 39



TONIO IP54 439



TORCH LED IP54 410



TORONTO 234



TORONTO 15W SPOT 338



TORRES 377



SETS (TRACK) 123



ULF IP44 458



UNA IP44 345



VASKO 215



VEGA 411



VEKTOR R 314



VEKTOR S 315



VELIA R 390



VELIA S 391



VENETO IP54 461



VENTA IP54 460



VENUS 397



VERONICA LED SWITCH IP44 422



VERA LED SWITCH 418



VERDI 378



VIDAL 407



VIGO LED IP54 404



VISION 221



ZARIA IP 65 CCT SWITCH 448



ZITA XL IP54 471

OLD & NEW
codes list

A Adamo Midst (black chrome)	AZ1480 . . . NC1825-M-BK . . .	302
Adamo Midst (black matt)	AZ2562	302
Adamo Midst (chrome)	AZ1481 . . . NC1825-M-CH . . .	302
Adamo Midst Diamond (black chrome)	AZ2731	304
Adamo Midst Diamond (chrome)	AZ2734	304
Adamo Midst Diamond (gold)	AZ2740	304
Adamo Midst Diamond (white)	AZ2738	304
Adamo Midst (gold)	AZ1482 . . . NC1825-M-GO . . .	302
Adamo Midst (white matt)	AZ1483 . . . NC1825-M-W . . .	302
Adamo Ring (black chrome)	AZ1484 . . . NC1827-BK-CH . . .	303
Adamo Ring (black matt)	AZ2567	303
Adamo Ring (chrome)	AZ1485 . . . NC1827-CH R . . .	303
Adamo Ring (gold)	AZ1486 . . . NC1827-GO R . . .	303
Adamo Ring (white)	AZ1487 . . . NC1827-WH R . . .	303
Afi 3000K (black)	AZ4512	482
Afi 3000K (dark grey)	AZ4510	482
Afi 4000K (black)	AZ4513	482
Afi 4000K (dark grey)	AZ4511	482
Agape 60 (dark grey)	AZ3482	500
Agape 80 (dark grey)	AZ3483	500
Aida Round 10W 3000K (black)	AZ4220	320
Aida Round 10W 3000K (white)	AZ4218	320
Aida Round 16W 3000K (black)	AZ4224	320
Aida Round 16W 3000K (white)	AZ4222	320
Aida Square 10W 3000K (black)	AZ4227	321
Aida Square 10W 3000K (white)	AZ4226	321
Aida Square 16W 3000K (black)	AZ4229	321
Aida Square 16W 3000K (white)	AZ4228	321
Alex (black)	AZ1358 . . . GM4112-BK . . .	243
Alex (white)	AZ1359 . . . GM4112-WH . . .	243
Alfa Aldo Tr. Magn. 12W Milky120 3000K (black)	AZ4625	86
Alfa Aldo Tr. Magn. 12W Milky120 3000K (white)	AZ4626	86
Alfa Aldo Tr. Magn. 12W Points60 3000K (black)	AZ4621	86
Alfa Aldo Tr. Magn. 12W Points60 3000K (white)	AZ4622	86
Alfa Aldo Tr. Magn. 12W Points60 4000K (black)	AZ4623	86
Alfa Aldo Tr. Magn. 12W Points60 4000K (white)	AZ4624	86
Alfa Cyrus Tr. Magn. 6W 3000k (Black)	Az5482	82
Alfa Cyrus Tr. Magn. 6W 4000k (Black)	Az5481	82
Alfa Cyrus Tr. Magn. 6W CCT (Black)	Az5507	68
Alfa Cyrus Tr. Magn. 12W 3000k (Black)	Az5484	82
Alfa Cyrus Tr. Magn. 12W 4000K (Black)	Az5483	82
Alfa Cyrus Tr. Magn. 12W CCT (Black)	Az5508	68
Alfa Cyrus Tr. Magn. 18W 3000k (Black)	Az5486	82
Alfa Cyrus Tr. Magn. 18W 4000k (Black)	Az5485	82
Alfa Cyrus Tr. Magn. 18W CCT (Black)	Az5509	68
Alfa Elin Tr. Magn. 7W 3000k (Black)	Az4630	88
Alfa Elin Tr. Magn. 7W 3000k (Gold)	Az4632	88
Alfa Elin Tr. Magn. 7W 4000k (Black)	Az4631	88
Alfa Elsa Tr. Magn. 7W 3000k (Black)	Az4633	89
Alfa Elsa Tr. Magn. 7W 3000k (Gold)	Az4635	89
Alfa Elsa Tr. Magn. 7W 4000k (Black)	Az4634	89
Alfa Kerry Tr. Magn. 5W Cct (Sand Black)	Az4852	66
Alfa Kerry Tr. Magn. 5W Cct (White)	Az4853	66
Alfa Kerry Tr. Magn. 7W 3000k (Black)	Az5500	80
Alfa Kerry Tr. Magn. 7W 4000k (Black)	Az5501	80
Alfa Kerry Tr. Magn. 7W Cct (Black)	Az5516	67
Alfa Kerry Tr. Magn. 15W Cct (Sand Black)	Az4854	66
Alfa Kerry Tr. Magn. 15W CCT (white)	AZ4855	66

Alfa Kira II Tr. Magn. 6W 3000K (black)	AZ5469	78
Alfa Kira II Tr. Magn. 6W 4000K (black)	AZ5470	78
Alfa Kira II Tr. Magn. 6W (black)	AZ5502	65
Alfa Kira II Tr. Magn. 12W 3000K (black)	AZ5471	78
Alfa Kira II Tr. Magn. 12W 4000K (black)	AZ5472	78
Alfa Kira II Tr. Magn. 12W (black)	AZ5503	65
Alfa Kira II Tr. Magn. 18W 3000K (black)	AZ5473	78
Alfa Kira II Tr. Magn. 18W 4000K (black)	AZ5474	78
Alfa Kira II Tr. Magn. 24W (black)	AZ5504	65
Alfa Kira Tr. Magn. 12W (black)	AZ4901	64
Alfa Kira Tr. Magn. 12W Points60 3000K (black)	AZ4595	77
Alfa Kira Tr. Magn. 12W Points60 3000K (white)	AZ4596	77
Alfa Kira Tr. Magn. 12W Points60 4000K (black)	AZ4597	77
Alfa Kira Tr. Magn. 12W Points60 4000K (white)	AZ4598	77
Alfa Kira Tr. Magn. 20W (black)	AZ4902	64
Alfa Kira Tr. Magn. 24W Points60 3000K (black)	AZ4599	77
Alfa Kira Tr. Magn. 24W Points60 3000K (white)	AZ4600	77
Alfa Kira Tr. Magn. 24W Points60 4000K (black)	AZ4601	77
Alfa Kira Tr. Magn. 24W Points60 4000K (white)	AZ4602	77
Alfa Kira Tr. Magn. 30W (black)	AZ4903	64
Alfa Kori Tr. Magn. 5W 3000K (black)	AZ4627	91
Alfa Kori Tr. Magn. 5W 3000K (gold)	AZ4628	91
Alfa Makita II Tr. Magn. 12W 3000K (black)	AZ5491	72
Alfa Makita II Tr. Magn. 12W 4000K (black)	AZ5492	72
Alfa Makita II Tr. Magn. 12W CCT (black)	AZ5512	60
Alfa Makita II Tr. Magn. 24W 3000K (black)	AZ5493	72
Alfa Makita II Tr. Magn. 24W 4000K (black)	AZ5494	72
Alfa Makita II Tr. Magn. 24W CCT (black)	AZ5513	60
Alfa Makita Tr. Magn. 2x 7W CCT (sand black)	AZ4838	58
Alfa Makita Tr. Magn. 2x 7W CCT (white)	AZ4839	58
Alfa Makita Tr. Magn. 7W CCT (sand black)	AZ4836	58
Alfa Makita Tr. Magn. 7W CCT (white)	AZ4837	58
Alfa Makita Tr. Magn. 20W CCT (sand black)	AZ4840	59
Alfa Makita Tr. Magn. 20W CCT (white)	AZ4841	59
Alfa Makita Tr. Magn. 30W CCT (sand black)	AZ4842	59
Alfa Makita Tr. Magn. 30W CCT (white)	AZ4843	59
Alfa Maya Tr. Magn. 3W (black)	AZ4629	90
Alfa Nikki Tr. Magn. 2 (black/black)	AZ4592	84
Alfa Nikki Tr. Magn. 2 (black/gold)	AZ4594	84
Alfa Nikki Tr. Magn. 2 (white/black)	AZ4593	84
Alfa Nikki Tr. Magn. (black/black)	AZ4589	84
Alfa Nikki Tr. Magn. (black/gold)	AZ4591	84
Alfa Nikki Tr. Magn. (white/black)	AZ4590	84
Alfa Niko Track 2 Magn.etic 3000K (black/black)	AZ4584	85
Alfa Niko Track 2 Magn.etic 3000K (black/gold)	AZ4588	85
Alfa Niko Track 2 Magn.etic 3000K (white/black)	AZ4585	85
Alfa Niko Track 2 Magn.etic 4000K (black/black)	AZ4586	85
Alfa Niko Track 2 Magn.etic 4000K (white/black)	AZ4587	85
Alfa Niko Tr. Magn. 3000K (black/black)	AZ4579	85
Alfa Niko Tr. Magn. 3000K (black/gold)	AZ4583	85
Alfa Niko Tr. Magn. 3000K (white/black)	AZ4580	85
Alfa Niko Tr. Magn. 4000K (black/black)	AZ4581	85
Alfa Niko Tr. Magn. 4000K (white/black)	AZ4582	85
Alfa Saga II Tr. Magn. 12W 3000K (black)	AZ5475	74
Alfa Saga II Tr. Magn. 12W 4000K (black)	AZ5476	74
Alfa Saga II Tr. Magn. 12W CCT (black)	AZ5505	62
Alfa Saga II Tr. Magn. 20W 3000K (black)	AZ5477	74
Alfa Saga II Tr. Magn. 20W 4000K (black)	AZ5478	74

OLD&NEW CODES LIST

Introduction

Alfa Saga II Tr. Magn. 20W CCT (black)	AZ5506	62	Alfa Tr. Magn. 27 Cover (white)	AZ4861	53
Alfa Saga II Tr. Magn. 30W 3000K (black) AZ5479		74	Alfa Tr. Magn. 52 1,5m (black)	AZ4640	48
Alfa Saga II Tr. Magn. 30W 4000K (black) AZ5480		74	Alfa Tr. Magn. 52 1,5m (white)	AZ4641	48
Alfa Saga II Tr. Magn. Corn. A 25W 3000K (black)	AZ5496	76	Alfa Tr. Magn. 52 1m (black)	AZ4638	48
Alfa Saga II Tr. Magn. Corn. A 25W 4000K (black)	AZ5497	76	Alfa Tr. Magn. 52 1m (white)	AZ4639	48
Alfa Saga II Tr. Magn. Corn. A 25W CCT (black)	AZ5514	62	Alfa Tr. Magn. 52 2m (black)	AZ4642	48
Alfa Saga II Tr. Magn. Corn. B 25W 3000K (black)	AZ5498	76	Alfa Tr. Magn. 52 2m (white)	AZ4643	48
Alfa Saga II Tr. Magn. Corn. B 25W 4000K (black)	AZ5499	76	Alfa Tr. Magn. 52 3m (black)	AZ4644	48
Alfa Saga II Tr. Magn. Corn. B 25W CCT (black)	AZ5515	62	Alfa Tr. Magn. 52 3m (white)	AZ4645	48
Alfa Saga Tr. Magn. 12W Milky120 3000K (black)	AZ4603	73	Alfa Tr. Magn. 52 Corn.90 A (black)	AZ4679	50
Alfa Saga Tr. Magn. 12W Milky120 3000K (white)	AZ4604	73	Alfa Tr. Magn. 52 Corn.90 A (white)	AZ4680	50
Alfa Saga Tr. Magn. 12W Milky120 4000K (black)	AZ4605	73	Alfa Tr. Magn. 52 Corn.90 B (black)	AZ4683	50
Alfa Saga Tr. Magn. 12W Milky120 4000K (white)	AZ4606	73	Alfa Tr. Magn. 52 Corn.90 B (white)	AZ4684	50
Alfa Saga Tr. Magn. 12W Milky 120 CCT (sand black) AZ4846		61	Alfa Tr. Magn. 52 Cover 1m (black)	AZ4652	54
Alfa Saga Tr. Magn. 12W Milky 120 CCT (white)	AZ4847	61	Alfa Tr. Magn. 52 Cover 1m (white)	AZ4653	54
Alfa Saga Tr. Magn. 20W Milky 120 CCT (sand black) AZ4848		61	Alfa Tr. Magn. 52 Gips1 1,5m (black)	AZ4864	49
Alfa Saga Tr. Magn. 20W Milky 120 CCT (white)	AZ4849	61	Alfa Tr. Magn. 52 Gips1 1,5m (white)	AZ5458	49
Alfa Saga Tr. Magn. 24W Milky120 3000K (black)	AZ4607	73	Alfa Tr. Magn. 52 Gips1 1m (black)	AZ4863	49
Alfa Saga Tr. Magn. 24W Milky120 3000K (white)	AZ4608	73	Alfa Tr. Magn. 52 Gips1 1m (white)	AZ5457	49
Alfa Saga Tr. Magn. 24W Milky120 4000K (black)	AZ4609	73	Alfa Tr. Magn. 52 Gips1 2m (black)	AZ4865	49
Alfa Saga Tr. Magn. 24W Milky120 4000K (white)	AZ4610	73	Alfa Tr. Magn. 52 Gips1 2m (white)	AZ5453	49
Alfa Saga Tr. Magn. 36W Milky120 3000K (black)	AZ4611	73	Alfa Tr. Magn. 52 Gips1 3m (black)	AZ5455	49
Alfa Saga Tr. Magn. 36W Milky120 3000K (white)	AZ4612	73	Alfa Tr. Magn. 52 Gips1 3m (white)	AZ5454	49
Alfa Saga Tr. Magn. 36W Milky 120 CCT (sand black) AZ4850		61	Alfa Tr. Magn. 52 Gips1 Corn.90 A (black)	AZ4862	51
Alfa Saga Tr. Magn. 36W Milky 120 CCT (white)	AZ4851	61	Alfa Tr. Magn. 52 Gips1 Corn.90 A (white)	AZ5461	51
Alfa Saga Tr. Magn. Corn. A 24W Milky 120 3000K (BK) AZ4613		75	Alfa Tr. Magn. 52 Gips1 Corn.90 B (black)	AZ5463	51
Alfa Saga Tr. Magn. Corn. A 24W Milky120 3000K (WH)AZ4614		75	Alfa Tr. Magn. 52 Gips1 Corn.90 B (white)	AZ5462	51
Alfa Saga Tr. Magn. Corn. A 24W Milky120 4000K (BK) AZ4615		75	Alfa Tr. Magn. 52 Gips2 1,5m (black)	AZ4648	49
Alfa Saga Tr. Magn. Corn. A 24W Milky120 4000K (WH)AZ4616		75	Alfa Tr. Magn. 52 Gips2 1,5m (white)	AZ4649	49
Alfa Saga Tr. Magn. Corn. B 24W Milky120 3000K (BK) AZ4617		75	Alfa Tr. Magn. 52 Gips2 1m (black)	AZ4646	49
Alfa Saga Tr. Magn. Corn. B 24W Milky120 3000K (BK) AZ4618		75	Alfa Tr. Magn. 52 Gips2 1m (white)	AZ4647	49
Alfa Saga Tr. Magn. Corn. B 24W Milky120 4000K (BK) AZ4619		75	Alfa Tr. Magn. 52 Gips2 2m (black)	AZ4650	49
Alfa Saga Tr. Magn. Corn. B 24W Milky120 4000K (WH)AZ4620		75	Alfa Tr. Magn. 52 Gips2 2m (white)	AZ4651	49
Alfa SARI Tr. Magn. 6W 3000K (black)	AZ5487	81	Alfa Tr. Magn. 52 Gips2 Corn.90 A (black)	AZ4681	51
Alfa SARI Tr. Magn. 6W 4000K (black)	AZ5488	81	Alfa Tr. Magn. 52 Gips2 Corn.90 A (white)	AZ4682	51
Alfa SARI Tr. Magn. 6W CCT (black)	AZ5510	70	Alfa Tr. Magn. 52 Gips2 Corn.90 B (black)	AZ4685	51
Alfa SARI Tr. Magn. 12W 3000K (black)	AZ5489	81	Alfa Tr. Magn. 52 Gips2 Corn.90 B (white)	AZ4686	51
Alfa SARI Tr. Magn. 12W 4000K (black)	AZ5490	81	Alfa Tr. Magn. Driver Electric Conn. (black)	AZ4675	53
Alfa SARI Tr. Magn. 12W CCT (black)	AZ5511	70	Alfa Tr. Magn. Driver Electric Conn. (white)	AZ4676	53
Alfa Skye Tr. Magn. Pendant 12W (black)	AZ4636	87	Alfa Tr. Magn. Driver Inside 60W (black)	AZ4669	52
Alfa Skye Tr. Magn. Pendant 12W (white)	AZ4637	87	Alfa Tr. Magn. Driver Inside 60W (white)	AZ4670	52
Alfa Sonya Tr. Magn. 20W Points60 (sand black)	AZ4844	71	Alfa Tr. Magn. Driver Inside 100W (black)	AZ4671	52
Alfa Sonya Tr. Magn. 20W Points60 (white)	AZ4845	71	Alfa Tr. Magn. Driver Inside 100W (white)	AZ4672	52
Alfa Tr. Magn. 27 1,5m (black)	AZ4715	48	Alfa Tr. Magn. Driver Inside 200W (black)	AZ4673	52
Alfa Tr. Magn. 27 1,5m (white)	AZ4714	48	Alfa Tr. Magn. Driver Inside 200W (white)	AZ4674	52
Alfa Tr. Magn. 27 1m (black)	AZ4713	48	Alfa Tr. Magn. Flex Conn. Electric (black) . AZ4687		52
Alfa Tr. Magn. 27 1m (white)	AZ4712	48	Alfa Tr. Magn. Flex Conn. Electric (white) AZ4688		52
Alfa Tr. Magn. 27 2m (black)	AZ4717	48	Alfa Tr. Magn. Mechanical Conn. (black) . AZ4689		52
Alfa Tr. Magn. 27 2m (white)	AZ4716	48	Alfa Tr. Magn. Mechanical Conn. (white) . AZ4690		52
Alfa Tr. Magn. 27 3m (black)	AZ4719	48	Alfa Tr. Magn. Straight Conn. (black)	AZ4677	52
Alfa Tr. Magn. 27 3m (white)	AZ4718	48	Alfa Tr. Magn. Straight Conn. (white)	AZ4678	52
Alfa Tr. Magn. 27 Corn.90 A (black)	AZ5003	50	Alfa Tr. Magn. Suspension Kit 2m (black)	AZ4693	54
Alfa Tr. Magn. 27 Corn.90 A (white)	AZ5004	50	Alfa Tr. Magn. Suspension Kit 2m (white)	AZ4694	54
Alfa Tr. Magn. 27 Corn.90 B (black)	AZ5001	50	Alf Round 3000K (black)	AZ4663	484
Alfa Tr. Magn. 27 Corn.90 B (white)	AZ5002	50	Alf Round 3000K (dark grey)	AZ4664	484
Alfa Tr. Magn. 27 Cover 1m (black)	AZ5444	54	Alf Square 3000K (black)	AZ4665	484
Alfa Tr. Magn. 27 Cover 1m (white)	AZ5443	54	Alf Square 3000K (black)	AZ4666	484
Alfa Tr. Magn. 27 Cover (black)	AZ4860	53	Alix 230V (black)	AZ3540	245

Alix 230V (white)	AZ3541	245
Alix (black)	AZ1357 . . GM4110-BK	242
Alix IP65 (black)	AZ4056	440
Alix IP65 (grey)	AZ4057	440
Alix IP65 (white)	AZ4055	440
Alix (white)	AZ1356 . . GM4110-WH	242
Ancona L (black)	AZ2852	408
Ancona L (white)	AZ2853	408
Ancona M (black)	AZ2194 . . GW-8663M-BK	408
Ancona M (white)	AZ2193 . . GW-8664M-WH	408
Ancona S (black)	AZ2191 . . GW-8663S-BK	408
Ancona S (white)	AZ2192 . . GW-8664S-WH	408
Angus (chrome)	AZ2445 . . SN-6409-CH	415
Angus (white)	AZ2446 . . SN-6408-WH	415
Apulia R (black)	AZ4333	437
Apulia R (dark grey)	AZ4335	437
Apulia R (white)	AZ4334	437
Apulia S (black)	AZ4336	437
Apulia S (dark grey)	AZ4338	437
Apulia S (white)	AZ4337	437
Arbax 1 (dark grey)	AZ4341	464
Arbax 2 (dark grey)	AZ4342	464
Archo 2A (chrome)	AZ0326 . . AX6068-18W-CH	412
Archo 2B (chrome)	AZ0327 . . AX6068-36W-CH	412
Archo 2C (chrome)	AZ0328 . . AX6068-55W-CH	413
Archo A (aluminium)	AZ0199 . . AX6068-18W-ALU	412
Archo C (aluminium)	AZ0201 . . AX6068-55W-ALU	413
Arida (dark grey)	AZ4347	465
Aro IP54 (black)	AZ2558	174
Aro IP54 (chrome)	AZ1360	174
Aro IP54 (gold)	AZ5240	174
Aro IP54 (white)	AZ2559	174
Avon (black)	AZ2196 . . GW-6100-BK	402
Avon (gold)	AZ2197 . . GW-6100-GO	402
Avon (white)	AZ2195 . . GW-6100-WH	402
B Beta Becker 230V Tr. Magn. GU10 (black)	AZ5465	107
Beta Becker 230V Tr. Magn. GU10 (white)	AZ5466	107
Beta Gary 230V Tr. Magn. GU10 (black)	AZ5207	106
Beta Gary 230V Tr. Magn. GU10 (white)	AZ5208	106
Beta Kerry 230V Tr. Magn. 10W 3000K (black)	AZ5203	104
Beta Kerry 230V Tr. Magn. 10W 4000K (black)	AZ5204	104
Beta Kerry 230V Tr. Magn. 10W CCT (black)	AZ5186	119
Beta Kira 230V Tr. Magn. 9W Points60 3000K (BK)	AZ5187	103
Beta Kira 230V Tr. Magn. 9W Points60 4000K (BK)	AZ5211	103
Beta Kira 230V Tr. Magn. 9W Points60 CCT (black)	AZ5175	118
Beta Kira 230V Tr. Magn. 18W Points60 3000K (BK)	AZ5188	103
Beta Kira 230V Tr. Magn. 18W Points60 4000K (BK)	AZ5212	103
Beta Kira 230V Tr. Magn. 18W Points60 CCT (black)	AZ5176	118
Beta Kira 230V Tr. Magn. 27W Points60 3000K (BK)	AZ5189	103
Beta Kira 230V Tr. Magn. 27W Points60 4000K (BK)	AZ5213	103
Beta Kira 230V Tr. Magn. 27W Points60 CCT (black)	AZ5177	118
Beta Makita 230V Tr. Magn. 10W 3000K (black)	AZ5199	100
Beta Makita 230V Tr. Magn. 10W 4000K (black)	AZ5200	100
Beta Makita 230V Tr. Magn. 10W CCT (black)	AZ5184	112
Beta Makita 230V Tr. Magn. 10W RGB-CW CCT (BK)	AZ5206	114
Beta Makita 230V Tr. Magn. 20W 3000K (black)	AZ5201	100
Beta Makita 230V Tr. Magn. 20W 4000K (black)	AZ5202	100
Beta Makita 230V Tr. Magn. 20W CCT (black)	AZ5185	112

Beta Optica 230V Tr. Magn. 7W 3000K (black)	AZ5195	108
Beta Optica 230V Tr. Magn. 7W 4000K (black)	AZ5196	108
Beta Optica 230V Tr. Magn. 7W CCT (black)	AZ5182	121
Beta Optica 230V Tr. Magn. 10W 3000K (black)	AZ5198	108
Beta Optica 230V Tr. Magn. 10W 4000K (black)	AZ5197	108
Beta Optica 230V Tr. Magn. 10W CCT (black)	AZ5183	121
Beta Saga 230V Tr. Magn. 9W Milky 120 3000K (BK)	AZ5190	101
Beta Saga 230V Tr. Magn. 9W Milky 120 4000K (BK)	AZ5214	101
Beta Saga 230V Tr. Magn. 9W Milky120 CCT (black)	AZ5178	116
Beta Saga 230V Tr. Magn. 18W Milky 120 3000K (BK)	AZ5191	101
Beta Saga 230V Tr. Magn. 18W Milky 120 4000K (BK)	AZ5215	101
Beta Saga 230V Tr. Magn. 18W Milky120 CCT (BK)	AZ5179	116
Beta Saga 230V Tr. Magn. 18W RGB-CW (black)	AZ5205	115
Beta Saga 230V Tr. Magn. 27W Milky 120 3000K (BK)	AZ5192	101
Beta Saga 230V Tr. Magn. 27W Milky 120 4000K (BK)	AZ5216	101
Beta Saga 230V Tr. Magn. 27W Milky120 CCT (BK)	AZ5180	116
Beta Sanders 230V Tr. Magn. 9W 3000K (black)	AZ5193	105
Beta Sanders 230V Tr. Magn. 9W 4000K (black)	AZ5194	105
Beta Sanders 230V Tr. Magn. 9W CCT (black)	AZ5181	120
Beta Tr. Magn.57 230V 1m (black)	AZ5139	94
Beta Tr. Magn.57 230V 1m (white)	AZ5140	94
Beta Tr. Magn.57 230V 2m (black)	AZ5241	94
Beta Tr. Magn.57 230V 2m (white)	AZ5242	94
Beta Tr. Magn.57 230V 3m (black)	AZ5143	94
Beta Tr. Magn.57 230V 3m (white)	AZ5144	94
Beta Tr. Magn.57 230V Conn. (black)	AZ5154	95
Beta Tr. Magn.57 230V Corn.90 A (black)	AZ5158	96
Beta Tr. Magn.57 230V Corn.90 A Gips1 (black)	AZ5162	96
Beta Tr. Magn.57 230V Corn.90 A Gips1 (white)	AZ5163	96
Beta Tr. Magn.57 230V Corn.90 A Gips2 (black)	AZ5173	97
Beta Tr. Magn.57 230V Corn.90 A (white)	AZ5159	96
Beta Tr. Magn.57 230V Corn.90 B Gips1 (black)	AZ5164	96
Beta Tr. Magn.57 230V Corn.90 B Gips1 (white)	AZ5165	96
Beta Tr. Magn.57 230V Corn.90 B Gips2 (black)	AZ5174	97
Beta Tr. Magn.57 230V Cover (black)	AZ5168	99
Beta Tr. Magn.57 230V Cover (white)	AZ5169	99
Beta Tr. Magn.57 230V End Cap (black)	AZ5166	98
Beta Tr. Magn.57 230V End Cap (white)	AZ5167	98
Beta Tr. Magn.57 230V Flex Conn. Electric (BK)	AZ5153	97
Beta Tr. Magn.57 230V Gips1 1m (black)	AZ5145	94
Beta Tr. Magn.57 230V Gips1 1m (white)	AZ5146	94
Beta Tr. Magn.57 230V Gips1 2m (black)	AZ5147	94
Beta Tr. Magn.57 230V Gips1 2m (white)	AZ5148	94
Beta Tr. Magn.57 230V Gips1 3m (black)	AZ5149	94
Beta Tr. Magn.57 230V Gips1 3m (white)	AZ5150	94
Beta Tr. Magn.57 230V Gips2 1m (black)	AZ5170	95
Beta Tr. Magn.57 230V Gips2 2m (black)	AZ5171	95
Beta Tr. Magn.57 230V Gips2 2m (black)	AZ5172	95
Beta Tr. Magn.57 230V Inner Corn.90 B (black)	AZ5160	96
Beta Tr. Magn.57 230V Inner Corn.90 B (white)	AZ5161	96
Beta Tr. Magn.57 230V Straight Conn. Electric (BK)	AZ5152	97
Beta Tr. Magn.57 230V Straight Conn. Mechanical (BK)	AZ5151	98
Beta Tr. Magn.57 230V Suspension Kit (black)	AZ5155	98
Biagio (chrome)	AZ1492 . . NC571-CH	307
Biagio (gold)	AZ1493 . . NC571-GO	307
Bill 10W (black)	AZ337	205
Bill 10W (white)	AZ3375	205
Boston (black)	AZ3468	204

OLD&NEW CODES LIST

XVI

Introduction

Boston (white)	AZ3469	204	Caro 3 Square (black)	AZ2440	SN-6813S-BK	363
Blas (black)	AZ3069	392	Caro 3 Square (white)	AZ2439	SN-6813S-WH	363
Boombox Bucket RGBW (white)	AZ4665	509	Caro 4 Square (white)	AZ2442	SN-6814S-WH	363
Boombox Medium RGBW (white)	AZ4664	509	Caro Round (aluminium)	AZ2432	SN-6810R-ALU	362
Boris (aluminium)	AZ1053	GM4108-ALU	Caro Round (black)	AZ2431	SN-6810R-BK	362
Boris (black)	AZ1110	GM4108-BK	Caro Round (gold)	AZ5424		362
Boris (white)	AZ1054	GM4108-WH	Caro Round (white)	AZ2430	SN-6810R-WH	362
Boston 1 Round (black)	AZ3471		Caro Square (aluminium)	AZ2435	SN-6811S-ALU	363
Boston 1 Round (white)	AZ3470		Caro Square (black)	AZ2434	SN-6811S-BK	363
Brant 2 (black)	AZ2821	184	Caro Square (gold)	AZ5425		363
Brant 2 (black/chrome)	AZ2930	184	Caro Square (white)	AZ2433	SN-6811S-WH	363
Brant 2 IP44 (chrome)	AZ2817	185	Casola (black)	AZ4355		462
Brant 2 IP44 (white)	AZ2816	185	Casola (dark grey)	AZ4356		462
Brant 2 Square (black)	AZ2827	186	Casoria Round (black)	AZ4366		480
Brant 2 Square IP44 (black)	AZ2879	187	Casoria Round (dark grey)	AZ4365		480
Brant 2 Square IP44 (white)	AZ2823	187	Casoria Slim (dark grey)	AZ4368		480
Brant 2 Square (white)	AZ2826	186	Casoria Square (dark grey)	AZ4367		480
Brant 2 (white)	AZ2820	184	Casper Round 3000K (black)	AZ4490		436
Brant (black)	AZ2819	184	Casper Round 3000K (dark grey)	AZ4492		436
Brant (black/chrome)	AZ2929	184	Casper Round 3000K (white)	AZ4494		436
Brant IP44 (chrome)	AZ2691	185	Casper Round 4000K (black)	AZ4491		436
Brant IP44 (white)	AZ2690	185	Casper Round 4000K (dark grey)	AZ4493		436
Brant Square (black)	AZ2825	186	Casper Round 4000K (white)	AZ4495		436
Brant Square IP44 (black)	AZ2878	187	Casper Square 3000K (black)	AZ4496		435
Brant Square IP44 (white)	AZ2822	187	Casper Square 3000K (dark grey)	AZ4498		435
Brant Square (white)	AZ2824	186	Casper Square 3000K (white)	AZ4500		435
Brant (white)	AZ2818	184	Casper Square 4000K (black)	AZ4497		435
Bross 1 (aluminium)	AZ0780	GM4100-ALU	Casper Square 4000K (dark grey)	AZ4499		435
Bross 1 (black/aluminium)	AZ0779	GM4100-BK	Casper Square 4000K (white)	AZ4501		435
Bross 1 (black/black)	AZ2135	GM4100-BK-BK	Ceiling plate + wire (black)	AZ4780		5
Bross 1 (black/gold)	AZ2955	178	Ceiling plate + wire (white)	AZ4782		5
Bross 1 (chrome)	AZ0857	GM4100-CH	Ceiling Plate 3-Line + Wire (black)	AZ480		16
Bross 1 (white/aluminium)	AZ0781	GM4100-WH-ALU	Ceiling Plate 3-Line + Wire (white)	AZ4782		16
Bross 1 (white)	AZ0858	GM4100-WH	Cesar (chrome)	AZ1152	GM2113-CH	352
Bross 1 (white/black)	AZ1436	GM4100-WH-BK	Civita (dark grey)	AZ4361		472
Bross 2 (aluminium)	AZ0783	GM4200-ALU	Civita Sensor (dark grey)	AZ4360		472
Bross 2 (black/aluminium)	AZ0782	GM4200-BK-ALU	Cleto (chrome)	AZ1621	NC2004R-B-CH	301
Bross 2 (black/black)	AZ2136	GM4200-BK-BK	Cleto (gold)	AZ1622	NC2004R-B-GO	301
Bross 2 (black/gold)	AZ2956	178	Cloe (chrome)	AZ1466	NC1738-M-CH	297
Bross 2 (bright grey)	AZ1787	GM4200-BGR	Clover Oval (black)	AZ2997		403
Bross 2 (chrome)	AZ0941	GM4200-CH	Clover Oval (white)	AZ2998		403
Bross 2 (white/aluminium)	AZ0784	GM4200-WH-ALU	Clover Square (black)	AZ2198	GW-6809-BK	403
Bross 2 (white)	AZ0859	GM4200-WH	Clover Square (white)	AZ2199	GW-6809-WH	403
Bross 2 (white/black)	AZ1753	GM4200-WH-BK	Collodi 48 CCT (beige)	AZ2716		278
Bross Arm 2 (black)	AZ3503	180	Collodi 48 CCT (grey)	AZ2717		278
Bross Arm 2 (white)	AZ3502	180	Cortona 41 3000K (black)	AZ2737		282
Bross Arm (black)	AZ3499	180	Cortona 41 3000K (grey)	AZ2735		282
Bross Arm Track (black)	AZ3501	40	Cortona 41 3000K (white)	AZ2732		282
Bross Arm Track (white)	AZ3500	40	Cortona 41 4000K (black)	AZ2736		282
Bross Arm (white)	AZ3498	180	Cortona 41 4000K (grey)	AZ2733		282
C Carlo (aluminium)	AZ0804	356	Cortona 41 4000K (white)	AZ2730		282
Carlo (black)	AZ4141	356	Cortona 55 3000K (black)	AZ2745		282
Carlo (white)	AZ0805	356	Cortona 55 3000K (grey)	AZ2743		282
Caro 2 Square (aluminium)	AZ2438	SN-6812S-ALU	Cortona 55 3000K (white)	AZ2741		282
Caro 2 Square (black)	AZ2437	SN-6812S-BK	Cortona 55 4000K (black)	AZ2744		282
Caro 2 Square (gold)	AZ5426	363	Cortona 55 4000K (grey)	AZ2742		282
Caro 2 Square (white)	AZ2436	SN-6812S-WH	Cortona 55 4000K (white)	AZ2739		282
Caro 3 Square (aluminium)	AZ2441	SN-6813S-ALU	Cosel (black)	AZ4353		463

Cosel (dark grey)	AZ4354	463	Eloy 1 (black/aluminium)	AZ0930	GM4106-BK-ALU	188
Costa 3000K (black)	AZ2857	182	Eloy 1 (black/black)	AZ2137	GM4106-BK-BK	188
Costa 3000K (white)	AZ2856	182	Eloy 1 (chrome)	AZ0873	GM4106-CH	188
Costa 4000K (black)	AZ4553	182	Eloy 1 (white/aluminium)	AZ0872	GM4106-WH-ALU	188
Costa 4000K (white)	AZ4554	182	Eloy 1 (white)	AZ0929	GM4106-WH	188
Costa Arm (black/black)	AZ2702	183	Eloy 1 (white/black)	AZ1439	GM4106-WH-BK	188
Costa Arm Track 3 Line (black/black)	AZ3486	30	Eloy 2 (aluminium)	AZ1352	GM4204-ALU	188
Costa Arm Track 3 Line (white/white)	AZ3487	30	Eloy 2 (black/aluminium)	AZ1355	GM4204-BK-ALU	188
Costa Arm (white/white)	AZ2703	183	Eloy 2 (black/black)	AZ2138	GM4204-BK-BK	188
Costa Spot (black/black)	AZ2706	182	Eloy 2 (white/aluminium)	AZ1354	GM4204-WH-ALU	188
Costa Spot (black/black)	AZ2706	340	Eloy 2 (white)	AZ1353	GM4204-WH	188
Costa Spot (white/white)	AZ2705	182	Emilio (aluminium)	AZ0810	GM2104-ALU	348
Costa Spot (white/white)	AZ2705	340	Emilio (black)	AZ0809	GM2104-BK	348
Costa Track 3 Line 12W 3000K (black)	AZ4549	31	Emilio (chrome)	AZ0808	GM2104-CH	348
Costa Track 3 Line 12W 3000K (white)	AZ4550	31	Emilio (white)	AZ0871	GM2104-WH	348
Costa Track 3 Line 12W 4000K (black)	AZ4551	31	End Cap 1-Line (black)	AZ4745		4
Costa Track 3 Line 12W 4000K (white)	AZ4552	31	End Cap 1-Line (white)	AZ4744		4
Cremona M (black)	AZ4340	469	End Cap 3-Line (black)	AZ4288		17
Cremona M (dark grey)	AZ2182	469	End Cap 3-Line (white)	AZ4287		17
Cremona M (white)	AZ2181	469	End Power 1-Line (black)	AZ4743		3
Cremona S (black)	AZ4339	469	End Power 1-Line (white)	AZ4742		3
Cremona S (dark grey)	AZ2180	469	End Power Gips Left 3-Line (black)	AZ4310		15
Cremona S (white)	AZ2179	469	End Power Gips Left 3-Line (white)	AZ4309		15
D Dario (aluminium)	AZ1055	GM4109-ALU	End Power Gips Right 3-Line (black)	AZ4304		15
Dario (black)	AZ1111	GM4109-BK	End Power Gips Right 3-Line (white)	AZ4303		15
Dario (white)	AZ1056	GM4109-WH	End Power Left 3-Line (black)	AZ4284		14
Diado (chrome)	AZ1453	LC1329-CH	End Power Left 3-Line (white)	AZ4283		14
Driver Meanwell (100W)	AZ4691	155	End Power Right 3-Line (black)	AZ4116		14
Driver Meanwell (200W)	AZ4692	155	End Power Right 3-Line (white)	AZ4117		14
Driver Meanwell (350W)	AZ4866	155	Enok Round Wall 3000K (dark grey)	AZ4460		479
Durante IP54 Sensor 4000K (black)	AZ5340	473	Enok Square Wall 3000K (black)	AZ4461		479
E Eco Alex v.2 (black)	AZ4317	247	Enok Square Wall 4000K (black)	AZ4462		479
Eco Alex v.2 (white)	AZ4318	247	Erebus Angle (black)	AZ3395		216
Eco Alix New 230V (antique gold)	AZ3496	244	Erebus Angle (white)	AZ3394		216
Eco Alix New 230V (black)	AZ3493	244	Erebus Bases (aluminium)	AZ3389		216
Eco Alix New 230V (black chrome)	AZ3494	244	Erebus Pendant (black)	AZ3393		216
Eco Alix New 230V (chrome)	AZ3495	244	Erebus Pendant (white)	AZ3392		216
Eco Alix New 230V (white)	AZ3492	244	Erebus Track (black)	AZ3391		216
Eco Alix v2. (black)	AZ4319	246	Erebus Track (black)	AZ3391		38
Eco Alix v2. (white)	AZ4320	246	Erebus Track (white)	AZ3390		216
Editta (aluminium)	AZ0806	357	Erebus Track (white)	AZ3390		38
Editta (black)	AZ4144	357	Erebus Tube 14 (black)	AZ3384		216
Editta (white)	AZ0807	357	Erebus Tube 14 (black)	AZ3384		38
Edvard (Dark Grey)	AZ4503	502	Erebus Tube 14 (gold)	AZ3385		216
Edvin (black)	AZ4502	502	Erebus Tube 14 (gold)	AZ3385		38
Eiger IP54 (black)	AZ4260	175	Erebus Tube 14 (white)	AZ3383		216
Eiger IP54 (black/gold)	AZ4261	175	Erebus Tube 14 (white)	AZ3383		38
Eiger IP54 (gold)	AZ5239	175	Erebus Tube 21 (black)	AZ3387		216
Eiger IP54 (white)	AZ4259	175	Erebus Tube 21 (black)	AZ3387		38
Eiger Track 3 Line GU10 (black)	AZ4205	20	Erebus Tube 21 (gold)	AZ3388		216
Eiger Track 3 Line GU10 (black/gold)	AZ4206	20	Erebus Tube 21 (gold)	AZ3388		38
Eiger Track 3 Line GU10 (gold)	AZ5238	20	Erebus Tube 21 (white)	AZ3386		216
Eiger Track 3 Line GU10 (white)	AZ4204	20	Erebus Tube 21 (white)	AZ3386		38
Electric 1-Line (black)	AZ4749	5	Erika (chrome)	AZ2777		373
Electric 1-Line (white)	AZ4748	5	Ester Round 1 (black)	AZ4175		310
Electric 3-Line (black)	AZ3003	17	Ester Round 1 (chrome)	AZ1449		310
Electric 3-Line (white)	AZ3012	17	Ester Round 1 (gold)	AZ1450		310
Eloy 1 (aluminium)	AZ0991	GM4106-ALU	Ester Round 2 (black)	AZ4176		310

OLD&NEW CODES LIST

XVIII

Introduction

Ester Round 2 (chrome) AZ1451 **310**
 Ester Round 2 (gold) AZ2467 **310**
 Ester square 1 (black) AZ4411 **312**
 Ester square 1 (chrome) AZ4410 **312**
 Ester square 1 (gold) AZ4412 **312**
 Ester square 2 (black) AZ4414 **312**
 Ester square 2 (chrome) AZ4413 **312**
 Ester square 2 (gold) AZ4415 **312**
 Eva Round (chrome) AZ1458 NC1519R-CH **298**
 Eva Round (gold) AZ1459 NC1519R-GO **298**
 Eva Square (chrome) AZ1460 NC1519SQ-CH **298**
 Exo 1 (black) AZ3193 **218**
 Exo 1 (white) AZ3194 **218**
 Exo 2 (black) AZ3195 **218**
 Exo 2 (white) AZ3196 **218**
 Exo 3 (black) AZ3197 **219**
 Exo 3 (white) AZ3198 **219**
 Exo Track (black) AZ3199 **41**
 Exo Track (black) AZ4660 **6**
 Exo Track (white) AZ3200 **41**
 Exo Track (white) AZ4661 **6**
 Ezio (aluminium) AZ0811 GM2105-ALU **349**
 Ezio (black) AZ0812 GM2105-BK **349**
 Ezio (chrome) AZ1051 GM2105-CH **349**
 Ezio (white) AZ0813 GM2105-WH **349**

F Falco 12 3000K (black) AZ2782 **274**
 Falco 12 3000K (white) AZ2780 **274**
 Falco 12 4000K (black) AZ2783 **274**
 Falco 12 4000K (white) AZ2781 **274**
 Fano R 30 LED RGB (black) AZ4783 **434**
 Fano R 30 LED RGB (dark grey) AZ4784 **434**
 Fano R 30 LED RGB (white) AZ4785 **434**
 Fano R (black) AZ4371 **432**
 Fano R (dark grey) AZ2187 MAX-1316R-DGR **433**
 Fano R (dark grey) AZ4369 **432**
 Fano R (white) AZ4373 **432**
 Fano S 30 LED RGB (black) AZ4786 **434**
 Fano S 30 LED RGB (dark grey) AZ4787 **434**
 Fano S 30 LED RGB (white) AZ4788 **434**
 Fano Square (black) AZ4372 **432**
 Fano Square (dark grey) AZ2186 MAX-1316S-DGR **433**
 Fano Square (dark grey) AZ4370 **432**
 Fano Square (white) AZ4374 **432**
 Faro (black) AZ3204 **419**
 Faro (chrome) AZ2424 SN-6326-CH **419**
 Faro (satin nickel) AZ2552 SN-6409-SN **419**
 Felix L (white) AZ2427 SN-1036L-WH **395**
 Felix M (white) AZ2426 SN-1036M-WH **395**
 Felix S (gold) AZ2425 SN-1036S-GO **395**
 Felix S (white) AZ2456 SN-1036S-WH **395**
 Fill R 5W 3000K (black) AZ3381 **332**
 Fill R 5W 4000K (black) AZ3382 **332**
 Fill Square 5W 3000K (black) AZ3379 **333**
 Fill Square 5W 3000K (white) AZ3377 **333**
 Fill Square 5W 4000K (black) AZ3380 **333**
 Fill Square 5W 4000K (white) AZ3378 **333**
 Flavio 2 (white/black) AZ0792 GM4202-WH-BK **220**
 Flavio (white/black) AZ0791 GM4102-WH-BK **220**

Flexible Conn. 3-Line (black) AZ4282 **17**
 Flexible Conn. 3-Line (white) AZ4281 **17**
 Floki 3000K (black) AZ4468 **503**
 Floki 4000K (black) AZ4467 **503**
 Frame 70 (black) AZ4305 **504**
 Frame 70 (dark grey) AZ2130 A-700-DGR **504**
 Frame spike (black) AZ4307 **504**
 Frame spike (dark grey) AZ2128 A-414-DGR **504**
 Frame wall (black) AZ4308 **504**
 Frame wall (bright grey) AZ2132 **504**
 Fredo 58 IP54 4000K (black) AZ5337 **492**
 Fredo 98 IP54 4000K (black) AZ5338 **492**
 Frida 7W 3000K (black) AZ4523 **336**
 Frida 7W 3000K (white) AZ4525 **336**
 Frida 7W 4000K (black) AZ4524 **336**
 Frida 7W 4000K (white) AZ4526 **336**
 Frida 12W 3000K (black) AZ4527 **336**
 Frida 12W 3000K (white) AZ4529 **336**
 Frida 12W 4000K (black) AZ4528 **336**
 Frida 12W 4000K (white) AZ4530 **336**

G Gagarin (dark grey) AZ4352 **476**
 Galata R IP44 3000K (black) AZ4379 **322**
 Galata R IP44 3000K (white) AZ4380 **322**
 Galata R IP44 4000K (black) AZ4381 **322**
 Galata R IP44 4000K (white) AZ4382 **322**
 Galena (white matt) AZ1457 LC1486-11W-W-WH **222**
 Galileo 1 pendant 3000K (black) AZ4069 **288**
 Galileo 1 pendant 3000K (white) AZ4068 **288**
 Galileo Track 3 Line 15W (black) AZ4067 **27**
 Galileo Track 3 Line 15W (white) AZ4066 **27**
 Gamma Kira Tr. Magn. 12W 3000K (black) AZ5290 **134**
 Gamma Kira Tr. Magn. 12W 4000K (black) AZ5291 **134**
 Gamma Kira Tr. Magn. 18W 3000K (black) AZ5293 **134**
 Gamma Kira Tr. Magn. 18W 4000K (black) AZ5294 **134**
 Gamma Kira Tr. Magn. 24W 3000K (black) AZ5296 **134**
 Gamma Kira Tr. Magn. 24W 4000K (black) AZ5297 **134**
 Gambino 1 3000K (black) AZ4148 **466**
 Gambino 1 3000K (bright grey) AZ0958 **466**
 Gambino 1 3000K (dark grey) AZ0957 **466**
 Gambino 1 3000K (white) AZ0950 **466**
 Gambino 1 4000K (black) AZ4470 **466**
 Gambino 1 4000K (dark grey) AZ4471 **466**
 Gambino 1 4000K (white) AZ4472 **466**
 Gambino 1 (bright grey) AZ0958 LC8005-BGR **398**
 Gambino 1 (dark grey) AZ0957 LC8005-DGR **398**
 Gambino 1 (white) AZ0950 LC8005-WH **398**
 Gamma Daniel Tr. Magn. 8W 3000K (black) AZ5308 **141**
 Gamma Daniel Tr. Magn. 8W 4000K (black) AZ5309 **141**
 Gamma Danka Tr. Magn. 8W 3000K (black) AZ5306 **140**
 Gamma Danka Tr. Magn. 8W 4000K (black) AZ5307 **140**
 Gamma Kira Tr. Magn. 12W CCT (black) AZ5292 **144**
 Gamma Kira Tr. Magn. 18W CCT (black) AZ5295 **144**
 Gamma Niko Tr. Magn. 7W 3000K (black) AZ5284 **135**
 Gamma Niko Tr. Magn. 7W 4000K (black) AZ5285 **135**
 Gamma Niko Tr. Magn. 7W CCT (black) AZ5286 **145**
 Gamma Niko Tr. Magn. 12W 3000K (black) AZ5287 **135**
 Gamma Niko Tr. Magn. 12W 4000K (black) AZ5288 **135**
 Gamma Niko Tr. Magn. 12W CCT (black) AZ5289 **145**

Gamma Saga Tr. Magn. 10W 3000K (black)	AZ5298.	139	Gulia Track (black)	AZ4710	23
Gamma Saga Tr. Magn. 10W 4000K (black)	AZ5299.	139	Gulia Track (gold)	AZ4711	23
Gamma Saga Tr. Magn. 10W CCT (black)	AZ5300	149	Gulia Track (white)	AZ4709	23
Gamma Saga Tr. Magn. 20W 3000K (black)	AZ5301.	139	H Havana (black)	AZ4662	506
Gamma Saga Tr. Magn. 20W 4000K (black)	AZ5302.	139	Havana (white)	AZ4663	506
Gamma Saga Tr. Magn. 20W CCT (black)	AZ5303	149	Hera Gips Round M (white)	AZ3465	383
Gamma Saga Tr. Magn. 30W 3000K (black)	AZ5304	139	Hera Gips Round S (white)	AZ3464	383
Gamma Saga Tr. Magn. 30W 4000K (black)	AZ5305.	139	Hera Gips Square M (white)	AZ3467	382
Gamma Sangría Milky Tr. Magn. 6W 3000K (black)	AZ5266.	136	Hera Gips Square S (white)	AZ3466	382
Gamma Sangría Milky Tr. Magn. 6W 4000K (black)	AZ5267.	136	Hugo 1 downlight (aluminium)	AZ1733 . GM2118S-ALU	354
Gamma Sangría Milky Tr. Magn. 6W CCT (black)	AZ5268.	146	Hugo 1 downlight (black)	AZ1736 . GM2118S-BK	354
Gamma Sangría Milky Tr. Magn. 12W 3000K (black)	AZ5269.	136	Hugo 1 downlight (chrome)	AZ1734 . GM2118S-CH	354
Gamma Sangría Milky Tr. Magn. 12W 4000K (black)	AZ5270.	136	Hugo 1 downlight (white) AZ1735	GM2118S-WH	354
Gamma Sangría Milky Tr. Magn. 12W CCT (black)	AZ5271.	146	Hugo 2 downlight (aluminium)	AZ1737 . GM2203-ALU	355
Gamma Sangría Point Tr. Magn. 6W 3000K (black)	AZ5272.	137	Hugo 2 downlight (black)	AZ1740 . GM2203-BK	355
Gamma Sangría Point Tr. Magn. 6W 4000K (black)	AZ5273.	137	Hugo 2 downlight (chrome)	AZ1738 . GM2203-CH	355
Gamma Sangría Point Tr. Magn. 6W CCT (black)	AZ5274.	147	Hugo 2 downlight (white)	AZ1739 . GM2203-WH	355
Gamma Sangría Point Tr. Magn. 12W 3000K (black)	AZ5275.	137	Hugo (aluminium)	AZ0828 . GM4104-ALU	190
Gamma Sangría Point Tr. Magn. 12W 4000K (black)	AZ5276.	137	Hugo (black)	AZ0826 . GM4104-BK	190
Gamma Sangría Point Tr. Magn. 12W CCT (black)	AZ5277.	147	Hugo R (aluminium)	AZ0829 . GM4104-ALU	190
Gamma Sangría UGR Tr. Magn. 6W 3000K (black)	AZ5278.	138	Hugo R (black)	AZ0832 . GM4104-BK	190
Gamma Sangría UGR Tr. Magn. 6W 4000K (black)	AZ5279.	138	Hugo R (champagne)	AZ0833 . GM4104-CM	190
Gamma Sangría UGR Tr. Magn. 6W CCT (black)	AZ5280.	148	Hugo R (chrome)	AZ0856 . GM4104-CH	190
Gamma Sangría UGR Tr. Magn. 12W 3000K (black)	AZ5281.	138	Hugo R (gold)	AZ0831 . GM4104-GO	190
Gamma Sangría UGR Tr. Magn. 12W 4000K (black)	AZ5282.	138	Hugo R (white)	AZ0830 . GM4104-WH	190
Gamma Sangría UGR Tr. Magn. 12W CCT (black)	AZ5283.	148	Hugo (white)	AZ0827 . GM4104-WH	190
Gamma Tr. Magn. 1m (black)	AZ5312.	130	Hyde Oval (chrome)	AZ3325	430
Gamma Tr. Magn. 2m (black)	AZ5313.	130	Hyde Square (chrome)	AZ3326	430
Gamma Tr. Magn. Adapter Big (black)	AZ5311.	132	I Ibiza (black/black)	AZ3532	364
Gamma Tr. Magn. Adapter Small (black)	AZ5310.	132	Ibiza (black/gold)	AZ2804	364
Gamma Tr. Magn. Driver Conn. (black)	AZ5328.	130	Ibiza (white/black)	AZ1361 . GM2114-WH-BK	364
Gamma Tr. Magn. Driver Inside 100W (black)	AZ5330.	131	Ibiza (white/white)	AZ2803	364
Gamma Tr. Magn. Driver Inside 200W (black)	AZ5332.	131	Ika round IP65 (black)	AZ3017	431
Gamma Tr. Magn. Driver Rounded Inside 100W (BK)	AZ5578	131	Ika round IP65 (dark grey)	AZ4232	431
Gamma Tr. Magn. Driver Rounded Inside 100W (BK)	AZ5579	131	Ika round IP65 (white)	AZ2865	431
Gamma Tr. Magn. Inner Corn.90 (black)	AZ5322.	133	Ika square IP65 (black)	AZ4230	431
Gamma Tr. Magn. L Conn. (black)	AZ5324.	133	Ika square IP65 (dark grey)	AZ4231	431
Gamma Tr. Magn. Round Corn.90 (black)	AZ5326.	133	Ika square IP65 (white)	AZ2864	431
Gamma Tr. Magn. Straight Conn. (black)	AZ5320.	133	Ika Round (dark grey)	AZ4232	351
Gamma Tr. Magn. T Conn. (black)	AZ5316.	132	Itaka (black)	AZ4074	369
Gamma Tr. Magn. X Conn. (black)	AZ5318.	132	Itaka (white)	AZ4073	369
Gateway	AZ4856.	55	Ivo 2 Square (chrome)	AZ1789 . GM22002S-CH	359
Gelo (white frost)	AZ3539.	371	Ivo 2 Square (white)	AZ1826 . GM2202S-WH	359
Gilberto Table IP54 (black)	AZ5335.	505	Ivo (aluminium)	AZ0758 . GM2100-ALU	358
Gilberto Table IP54 (corten)	AZ5336.	505	Ivo (black)	AZ1716 . GM2100-BK	358
Gilberto Table IP54 (white)	AZ5334.	505	Ivo (chrome)	AZ1717 . GM2100-CH	358
Ginna 3 (black)	AZ3484.	474	Ivo Square (chrome)	AZ1788 . GM21001S-CH	359
Ginna 3 (dark grey)	AZ4194	474	Ivo Square (white)	AZ1825 . GM21001S-WH	359
Ginna 3 (gold)	AZ3485.	474	Ivo (white)	AZ0759 . GM2100-WH	358
Ginna 3 (white)	AZ4195	474	J Jake Wall 2 (black)	AZ4269	455
Ginno 1 (aluminium)	AZ0764 . GM1100-ALU	414	Jake Wall 2 (dark grey)	AZ3321	455
Ginno 2 (aluminium)	AZ0765 . GM1200-ALU	414	Jake Wall 2 (white)	AZ3322	455
Ginno 2 (white/aluminium)	AZ0762 . GM1200-WH-ALU	414	Jane Track 3 Line GU10 (black)	AZ2457 . GM3116-BK	33
Ginno 3 (aluminium)	AZ0766 . GM1300-ALU	414	Jane Track 3 Line GU10 (white)	AZ2460 . GM3116-WH	33
Goran Sensor (black)	AZ4695	457	Jason 2 Square Wall IP65 (black)	AZ5223	445
Goran Sensor (dark grey)	AZ4696	457	Jason 2 Square Wall IP65 (dark grey)	AZ5224	445
Goran Sensor (white)	AZ4697	457	Jason 2 Wall IP65 (black)	AZ5219	444
Guido Wall IP54 3000K (black)	AZ5339	493	Jason 2 Wall IP65 (dark grey)	AZ5220	444

OLD&NEW CODES LIST

XX

Introduction

Jason Square Wall IP65 (black)	AZ5221	445	Lamir S 17 IP44 4000K DIMM (white)	AZ4393	325
Jason Square Wall IP65 (dark grey)	AZ5222	445	Lars Round 3000K (black)	AZ4504	470
Jason Wall IP65 (black)	AZ5217	444	Lars Round 4000K (black)	AZ4505	470
Jason Wall IP65 (dark grey)	AZ5218	444	Lars Square 3000K (black)	AZ4506	470
Jerry 1 12V (black)	AZ1365 . . . GM4113-12V-BK	248	Lars Square 4000K (black)	AZ4507	470
Jerry 1 12V (chrome)	AZ1752 . . . GM4113-12V-CH	248	Latona (black)	AZ2204 . . . GW-681-BK	405
Jerry 1 12V (white)	AZ1364 . . . GM4113-12V-WH	248	Latona (white)	AZ2205 . . . GW-681-WH	405
Jerry 1 230V (black)	AZ1367 . . . GM4113-BK	249	L Conn. 1-Line (black)	AZ4739	4
Jerry 1 230v (white)	AZ1366 . . . GM4113-WH	249	L Conn. 1-Line (white)	AZ4738	4
Jerry 2 12V (black)	AZ1368 . . . GM4205-12V-BK	248	L Conn. Gips only Right (black)	AZ4298	15
Jerry 2 12V (chrome)	AZ1751 . . . GM4205-12V-CH	248	L Conn. Gips only Right (white)	AZ4297	15
Jerry 2 12V (white)	AZ1369 . . . GM4205-12V-WH	248	L Conn. Left (black)	AZ2985	14
Jerry 2 230V (black)	AZ1370 . . . GM4205-BK	249	L Conn. Left (white)	AZ2986	14
Jerry 2 230V (white)	AZ1371 . . . GM4205-WH	249	L Conn. Right (black)	AZ2983	14
Jerry 3 12V (black)	AZ1724 . . . GM4302-12V-BK	248	L Conn. Right (white)	AZ2984	14
Jerry 3 12V (white)	AZ1723 . . . GM4302-12V-WH	248	Lens 2 Square (black/black)	AZ3520	209
Jerry 3 230V (black)	AZ1886 . . . GM4302-BK	249	Lens 2 Square (black/gold)	AZ3521	209
Jerry 3 230V (white)	AZ1885 . . . GM4302-WH	249	Lens 2 Square (white/white)	AZ3519	209
Jerry Track 1 Line (black)	AZ4666	9	Lens Round (black/black)	AZ3517	207
Jerry Track 1 Line (white)	AZ4667	9	Lens Round (black/gold)	AZ3518	207
Jerry Track 3 Line ES111 (black)	AZ2458 . . . GM4114-BK	32	Lens Round (white/white)	AZ3516	207
Jerry Track 3 Line ES111 (gold)	AZ5237	32	Lens Square (black/black)	AZ3514	208
Jerry Track 3 Line ES111 (white)	AZ2459 . . . GM4114-WH	32	Lens Square (black/gold)	AZ3515	208
Joe Square (black)	AZ4270	443	Lens Square (white/white)	AZ3513	208
Joe Square (dark grey)	AZ3323	443	Lens Track (black/black)	AZ3511	42
Joe Square (white)	AZ3324	443	Lens Track (black/gold)	AZ3512	42
Joe Tube (black)	AZ3314	442	Lens Track (white/white)	AZ3510	42
Joe Tube (bright grey)	AZ3316	442	Leon 5 (black)	AZ3489	223
Joe Tube (dark grey)	AZ3313	442	Leon 5 Track (black)	AZ3491	45
Joe Tube (white)	AZ3315	442	Leon 5 Track (white)	AZ3490	45
Joe Wall 1 (black)	AZ3318	442	Leon 5 (white)	AZ3488	223
Joe Wall 1 (dark grey)	AZ3317	442	Leticia 2 (aluminium)	AZ1059 . . . GM1112-ALU	400
Joe Wall 1 (white)	AZ4315	442	Leticia 2 (black/black)	AZ2933	400
Joe Wall 2 (black)	AZ3320	443	Leticia 2 (black/gold)	AZ2815	400
Joe Wall 2 (dark grey)	AZ3319	443	Leticia 2 LED (black)	AZ4469	401
Joe Wall 2 (white)	AZ4316	443	Leticia 2 LED (black)	AZ4469	467
Junona 28 3000K (chrome)	AZ2747	276	Leticia 2 LED (dark grey)	AZ2189	467
Junona 28 4000K (chrome)	AZ2746	276	Leticia 2 LED (dark grey)	AZ2189 . . . GW-A310-DGR	401
Junona 33 3000K (chrome)	AZ2749	276	Leticia 2 LED (white)	AZ2190	467
Junona 33 4000K (chrome)	AZ2748	276	Leticia 2 LED (white)	AZ2190 . . . GW-A310-WH	401
Junona 38 3000K (chrome)	AZ2751	276	Leticia 2 (white)	AZ1058 . . . GM1112-WH	400
Junona 38 4000K (chrome)	AZ2750	276	Leticia (anodised gold)	AZ0952 . . . GM1111-AGO	399
K Kastoria IP44 (black)	AZ4389	323	Leticia (black/black)	AZ2932	399
Kastoria IP44 (chrome)	AZ4391	323	Leticia (black/gold)	AZ2814	399
Kastoria IP44 (gold)	AZ4390	323	Leticia (white)	AZ0951 . . . GM1111-WH	399
Kirke Track 1 Line (black)	AZ4656	8	Lina (black)	AZ2708	341
Kirke Track 1 Line (white)	AZ4657	8	Linda 23 3000K (chrome)	AZ2246 . . . SH723000-18-CH	330
Kirke Track 3 Line 10W CCT (black)	AZ4658	26	Linda 30 3000K (chrome)	AZ2250 . . . SH743000-24-CH	330
Kirke Track 3 Line 10W CCT (white)	AZ4659	26	Linda 30 4000K (chrome)	AZ2251 . . . SH744000-24-CH	330
L Lambda (black)	AZ3346	393	Linnea 29 Track 3 Line 12W CCT (white)	AZ4564	36
Lambda (white)	AZ3345	393	Linnea 112 Pendant (black)	AZ4569	290
Lamir R 9 IP44 3000K (white)	AZ4384	324	Linnea 112 Pendant (white)	AZ4570	290
Lamir R 9 IP44 4000K (white)	AZ4383	324	Linnea 140 Pendant (black)	AZ4571	290
Lamir R 12 IP44 3000K (white)	AZ4385	324	Linnea 140 Pendant (white)	AZ4572	290
Lamir R 12 IP44 4000K (white)	AZ4386	324	Lino (black)	AZ1477 . . . NC1802-YLD-BK	214
Lamir R 17 IP44 3000K (white)	AZ4387	325	Lino (chrome)	AZ1478 . . . NC1802-YLD-CH	214
Lamir R 17 IP44 4000K (white)	AZ4392	325	Lino (white matt)	AZ1479 . . . NC1802-YLD-WH	214
Lamir S 17 IP44 3000K DIMM (WH)	AZ4388	325	Linz 3000K (acryl)	AZ2774	344

Linz 4000K (acryl)	AZ2775	344
Livio 2 (bright grey)	AZ0888 . . . GM1101-2-BGR	475
Lolo Track 1 Line GU10 (black)	AZ4654	7
Lolo Track 1 Line GU10 (white)	AZ4655	7
Lolo Track 3 Line GU10 (black)	AZ4577	22
Lolo Track 3 Line GU10 (white)	AZ4578	22
Lorenza (black)	AZ4174	308
Lorenza (chrome)	AZ1475	308
Lorenza (white matt)	AZ1476	308
Lorenzo (black)	AZ4173	309
Lorenzo (chrome)	AZ1617	309
Lorenzo (white matt)	AZ1496	309
Luciano Round (chrome)	AZ1470 . . . NC1760R-CH	306
Luciano Round (white)	AZ1549 . . . NC1760R-WH	306
Luciano Square (chrome)	AZ1471 . . . NC1760SQ-CH	306
Luciano Square (white)	AZ1472 . . . NC1760SQ-WH	306
Lumi (black)	AZ4555	420
Lumi Flex (black)	AZ4561	421
Lumi Flex Track 3 Line (black)	AZ4559	28
Lumi Flex Track 3 Line (white)	AZ4560	28
Lumi Flex (white)	AZ4562	421
Lumi Track (black)	AZ4557	28
Lumi Track (white)	AZ4558	28
Lumi (white)	AZ4556	420
Luna 7W Dim (black/black)	AZ3397	343
Luna 7W Dim (white/black)	AZ3396	343
Luna 15W Dim (black)	AZ2829	342
Luna 15W Dim (white/black)	AZ2828	342
M Makalu 1 (black)	AZ4210	210
Makalu 1 (white)	AZ4211	210
Makalu 2 (black)	AZ4212	210
Makalu 2 (white)	AZ4213	210
Makalu 3 (black)	AZ4214	210
Makalu 3 (white)	AZ4215	210
Malta R 18 3000K (black)	AZ4235	258
Malta R 18 3000K (white)	AZ4233	258
Malta R 18 4000K (black)	AZ4236	258
Malta R 18 4000K (white)	AZ4234	258
Malta R 23 3000K (black)	AZ4239	258
Malta R 23 3000K (white)	AZ4237	258
Malta R 23 4000K (black)	AZ4240	258
Malta R 23 4000K (white)	AZ4238	258
Malta R 30 3000K (black)	AZ4243	258
Malta R 30 3000K (white)	AZ4241	258
Malta R 30 4000K (black)	AZ4244	258
Malta R 30 4000K (white)	AZ4242	258
Malta R 40 3000K (black)	AZ4247	260
Malta R 40 3000K (white)	AZ4245	260
Malta R 40 4000K (black)	AZ4248	260
Malta R 40 4000K (white)	AZ4246	260
Malta R 50 3000K (black)	AZ4251	260
Malta R 50 3000K (white)	AZ4249	260
Malta R 50 4000K (black)	AZ4252	260
Malta R 50 4000K (white)	AZ4250	260
Malta R 60 3000K (black)	AZ4255	260
Malta R 60 3000K (white)	AZ4253	260
Malta R 60 4000K (black)	AZ4256	260
Malta R 60 4000K (white)	AZ4254	260

Mane 20W (black)	AZ4153	202
Mane 20W DIMM (black)	AZ4325	202
Mane 20W DIMM (gold)	AZ4326	202
Mane 20W DIMM (white)	AZ4327	202
Mane 20W (gold)	AZ4154	202
Mane 20W (white)	AZ4152	202
Mane 30W (black)	AZ4156	203
Mane 30W DIMM (black)	AZ4328	203
Mane 30W DIMM (gold)	AZ4329	203
Mane 30W DIMM (white)	AZ4330	203
Mane 30W (gold)	AZ4157	203
Mane 30W (white)	AZ4155	203
Mane 3000K (black)	AZ2844	201
Mane 3000K (gold)	AZ2846	201
Mane 3000K (white)	AZ2845	201
Mane 4000K (black)	AZ4322	201
Mane 4000K (gold)	AZ4323	201
Mane 4000K (white)	AZ4324	201
Marika (rose gold)	AZ2208 . . . SH-008-RGO	316
Mars (aluminium)	AZ0895 . . . GM1109-ALU	396
Mars (black/black)	AZ2931	396
Mars (black / gold)	AZ1052 . . . GM1109-BK-GO	396
Mars (white)	AZ0896 . . . GM1109-WH	396
Mars (white / gold)	AZ1090 . . . GM1109-WH-GO	396
Mateo M (white matt)	AZ1456 . . . LC1465-FW-WH	252
Mateo S (white matt)	AZ1455 . . . LC1464-FW-WH	252
Matera 600 (dark grey)	AZ2185 . . . MAX-1382-DGR	501
Matera wall (dark grey)	AZ2184 . . . MAX-1381-DGR	501
Max 1 12V (white/black)	AZ1372 . . . GM4114-12V-WH-BK	250
Max 1 230V (white/black)	AZ1373 . . . GM4114-WH-BK	250
Megara Track 3 Line GU10 (black)	AZ4443	21
Megara Track 3 Line GU10 (white)	AZ4442	21
Mikka Track 3 Line (black)	AZ4516	34
Mikkel (black)	AZ4485	488
Mikkel Wall (black)	AZ4484	488
Milet (black)	AZ4076	368
Milet (white)	AZ4075	368
Mini Bross (aluminium)	AZ1756 . . . GM4000-ALU	176
Mini Bross (black)	AZ1710 . . . GM4000-BK	176
Mini Bross (chrome)	AZ1757 . . . GM4000-CH	176
Mini Bross (white)	AZ1711 . . . GM4000-WH	176
Mini Eloy (aluminium)	AZ1754 . . . GM4006-ALU	177
Mini Eloy (black)	AZ1712 . . . GM4006-BK	177
Mini Eloy (chrome)	AZ1755 . . . GM4006-CH	177
Mini Eloy (white)	AZ1713 . . . GM4006-WH	177
Mini Round (black)	AZ1781 . . . GM4115-BK	196
Mini Round (chrome)	AZ1707 . . . GM4115-CH	196
Mini Round (white)	AZ1706 . . . GM4115-WH	196
Mini Simple Connection 3-Line (black)	AZ2981	17
Mini Simple Connection 3-Line (white)	AZ2982	17
Mini Square (black)	AZ1382 . . . GM4209-BK	197
Mini Square (white)	AZ1381 . . . GM4209-WH	197
Minorka (black/black)	AZ4142	366
Minorka (black/gold)	AZ2802	366
Minorka (white/black)	AZ1362 . . . GM2115-WH-BK	366
Minorka (white/white)	AZ2801	366
Mira (chrome)	AZ1619 . . . NC1695-CH	296
Mira (gold)	AZ1464 . . . NC1695-GO	296

OLD&NEW CODES LIST

XXII

Introduction

Momo 8 (black)	AZ2279 . . . SH2606-BK	253	Monza R 12 4000K (white)	AZ2256 . . . SHR624000-10-WH	262
Momo 8 (white)	AZ2278 . . . SH2606-WH	253	Monza R 22 3000K (black)	AZ2263 . . . SHR653000-20-BK	262
Momo 12 (black)	AZ2281 . . . SH2612-BK	253	Monza R 22 3000K (white)	AZ2261 . . . SHR643000-20-WH	262
Momo 12 (white)	AZ2280 . . . SH2612-WH	253	Monza R 22 4000K (black)	AZ2262 . . . SHR654000-20-BK	262
Momo 14 (black)	AZ2283 . . . SH2618-BK	253	Monza R 22 4000K (white)	AZ2260 . . . SHR644000-20-WH	262
Momo 14 (white)	AZ2282 . . . SH2618-WH	253	Monza R 22 CCT (black)	AZ4758	270
Mona 18W 3000K (black)	AZ4545	229	Monza R 22 CCT (champaigne)	AZ4756	270
Mona 18W 3000K (white)	AZ4546	229	Monza R 22 CCT (white)	AZ4757	270
Mona Spot 12W 3000K (black)	AZ4531	334	Monza R 30 CCT (black)	AZ4761	270
Mona Spot 12W 3000K (black)	AZ4537	228	Monza R 30 CCT (champaigne)	AZ4759	270
Mona Spot 12W 3000K (white)	AZ4532	334	Monza R 30 CCT (white)	AZ4760	270
Mona Spot 12W 3000K (white)	AZ4538	228	Monza R 40 3000K (black)	AZ2267 . . . SHR673000-50-BK	262
Mona Spot 12W 4000K (black)	AZ4533	334	Monza R 40 3000K (white)	AZ2265 . . . SHR663000-50-WH	262
Mona Spot 12W 4000K (black)	AZ4539	228	Monza R 40 4000K (black)	AZ2266 . . . SHR674000-50-BK	262
Mona Spot 12W 4000K (white)	AZ4534	334	Monza R 40 4000K (white)	AZ2264 . . . SHR664000-50-WH	262
Mona Spot 12W 4000K (white)	AZ4540	228	Monza R 40 CCT (black)	AZ4764	270
Mona Spot 18W 3000K (black)	AZ4535	335	Monza R 40 CCT (champaigne)	AZ4762	270
Mona Spot 18W 3000K (white)	AZ4536	335	Monza R 40 CCT (white)	AZ4763	270
Mona Track 3 Line 12W 3000K (black)	AZ4542	35	Monza R 50 CCT (black)	AZ4767	270
Mona Track 3 Line 12W 3000K (white)	AZ4541	35	Monza R 50 CCT (champaigne)	AZ4765	270
Mona Track 3 Line 12W 4000K (black)	AZ4543	35	Monza R 50 CCT (white)	AZ4766	270
Mona Track 3 Line 12W 4000K (white)	AZ4544	35	Monza R pendant 40 3000K (black)	AZ2277 . . . SHPEN3000-50-BK	263
Mona Track 3 Line 18W 3000K (black)	AZ4547	35	Monza R pendant 40 4000K (black)	AZ2496 . . . SHPEN4000-50-BK	263
Mona Track 3 Line 18W 3000K (white)	AZ4548	35	Monza R pendant 40 4000K (white)	AZ2570 . . . SHPEN4000-50-WH	263
Monza II R 17 3000K (black)	AZ3790	264	Monza S 22 CCT (black)	AZ4770	272
Monza II R 17 4000K (black)	AZ3792	264	Monza S 22 CCT (champaigne)	AZ4768	272
Monza II R 17 4000K (white)	AZ3793	264	Monza S 22 CCT (white)	AZ4769	272
Monza II R 30 3000K (black)	AZ3794	264	Monza S 30 CCT (black)	AZ4773	272
Monza II R 30 3000K (white)	AZ3795	264	Monza S 30 CCT (champaigne)	AZ4771	272
Monza II R 30 4000K (black)	AZ3796	264	Monza S 30 CCT (white)	AZ4772	272
Monza II R 50 3000K (white)	AZ3675	264	Monza S 40 CCT (black)	AZ4776	272
Monza II R 50 4000K (black)	AZ3676	264	Monza S 40 CCT (champaigne)	AZ4774	272
Monza II R 50 4000K (white)	AZ3677	264	Monza S 40 CCT (white)AZ4775		272
Monza II R 60 3000K (black)	AZ3678	265	Monza Square 22 3000K (black)	AZ2271 . . . SHS553000-20-BK	266
Monza II R 60 3000K (white)	AZ3679	265	Monza Square 22 3000K (white)	AZ2269 . . . SHS543000-20-WH	266
Monza II R 60 4000K (black)	AZ3680	265	Monza Square 22 4000K (black)	AZ2270 . . . SHS554000-20-BK	266
Monza II R 60 4000K (white)	AZ3681	265	Monza Square 22 4000K (white)	AZ2268 . . . SHS544000-20-WH	266
Monza II S 17 3000K (black)	AZ3682	268	Monza Square 40 3000K (black)	AZ2275 . . . SHS573000-50-BK	266
Monza II S 17 4000K (black)	AZ3684	268	Monza Square 40 3000K (white)	AZ2273 . . . SHS563000-50-WH	266
Monza II S 17 4000K (white)	AZ3685	268	Monza Square 40 4000K (black)	AZ2274 . . . SHS574000-50-BK	266
Monza II S 30 3000K (black)	AZ3686	268	Monza Square 40 4000K (white)	AZ2272 . . . SHS564000-50-WH	266
Monza II S 30 3000K (white)	AZ3687	268	N Nano Round (black)	AZ2785	200
Monza II S 40 3000K DIMM (black)	AZ3690	268	Nano Round (white)	AZ2784	200
Monza II S 40 3000K DIMM (white)	AZ3691	268	Nano Square (black)	AZ2787	200
Monza II S 50 3000K (white)	AZ3695	269	Nano Square (white)	AZ2786	200
Monza II S 50 4000K (white)	AZ3698	269	Nemo (black)	AZ3399	372
Monza Pendant accessory (black)	AZ3454	265	Nemo (chrome)	AZ3400	372
Monza Pendant accessory (black)	AZ3454	271	Nemo (gold)	AZ3401	372
Monza Pendant accessory (champaigne)	AZ4830	271	Nemo (white)	AZ3398	372
Monza Pendant accessory (white)	AZ3453	265	Neos 1 (black/aluminium)	AZ0607 . . . FH31431B-BK-ALU	198
Monza Pendant accessory (white)	AZ3453	271	Neos 1 (black/chrome)	AZ0708 . . . FH31431B-BK-CH	198
Monza R 8 3000K (black)	AZ2255 . . . SHR613000-5-BK	262	Neos 1 (white/aluminium)	AZ0606 . . . FH31431B-WH-ALU	198
Monza R 8 3000K (white)	AZ2253 . . . SHR603000-5-WH	262	Neos 1 (white/chrome)	AZ0707 . . . FH31431B-WH-CH	198
Monza R 8 4000K (black)	AZ2254 . . . SHR614000-5-BK	262	Neos 3 (black/chrome)	AZ0742 . . . FH31433B-BK-CH	198
Monza R 8 4000K (white)	AZ2252 . . . SHR604000-5-WH	262	Neo Serie 100 6W CCT (black)	AZ5118	160
Monza R 12 3000K (black)	AZ2259 . . . SHR633000-10-BK	262	Neo Serie 100 12W CCT (black)	AZ5119	160
Monza R 12 3000K (white)	AZ2257 . . . SHR623000-10-WH	262	Neo Serie 100 21W CCT (black)	AZ5120	160
Monza R 12 4000K (black)	AZ2258 . . . SHR634000-10-BK	262	Neo Serie 120 8W CCT (black)	AZ5121	163

Neo Serie 140 9W CCT (black)	AZ5126	164
Neo Serie 140 12W CCT (black)	AZ5122	164
Neo Serie 140 18W CCT (black)	AZ5123	164
Neo Serie 160 12W CCT (black)	AZ5124	166
Neo Serie 180 6W CCT (black)	AZ5125	167
Neo Serie 200 12W CCT (black)	AZ5127	168
Neo Serie 220 9W CCT (black)	AZ5128	169
Nikea 1 ES111 (black)	AZ4438	237
Nikea 1 ES111 (white)	AZ4437	237
Nikea 1 ES111 (white/black)	AZ4436	237
Nikea 1 GU10 (black)	AZ4432	236
Nikea 1 GU10 (white)	AZ4431	236
Nikea 1 GU10 (white/black)	AZ4430	236
Nikea 2 ES111 (black)	AZ4441	237
Nikea 2 ES111 (white)	AZ4440	237
Nikea 2 ES111 (white/black)	AZ4439	237
Nikea 2 GU10 (black)	AZ4435	236
Nikea 2 GU10 (white)	AZ4434	236
Nikea 2 GU10 (white/black)	AZ4433	236
Niklas 2 Wall BK (black)	AZ4488	487
Niklas Wall (black)	AZ4486	487
Niklas Wall Sensor (black)	AZ4487	486
Nils 500 (black)	AZ4480	499
Nils 800 (black)	AZ4481	499
Nils Wall (black)	AZ4478	498
Nils Wall Sensor (black)	AZ4479	498
Nino 1 (black/aluminium)	AZ1383 FH31431S-BK-ALU	199
Nino 1 (black/chrome)	AZ0736 FH31431S-BK-CH	199
Nino 1 (white/aluminium)	AZ0598 FH31431S-WH-ALU	199
Nino 1 (white/chrome)	AZ0735 FH31431S-WH-CH	199
Nino 2 (black/aluminium)	AZ1385 FH31432S-BK-ALU	199
Nino 2 (white/aluminium)	AZ1386 FH31432S-WH-ALU	199
Nino 2 (white/chrome)	AZ0737 FH31432S-WH-CH	199
Nogat (black)	AZ2943	423
Nogat (white)	AZ2944	423
Nova 2 (black/black)	AZ2875	380
Nova 2 GIPS (black/black)	AZ2935	381
Nova 2 GIPS (white/white)	AZ2934	381
Nova 2 (white/black)	AZ2877	380
Nova 2 (white/white)	AZ2876	380
Nova (black/black)	AZ2869	380
Nova GIPS (black/black)	AZ2872	381
Nova GIPS (white/white)	AZ2873	381
Nova (white/black)	AZ2871	380
Nova (white/white)	AZ2870	380
O Ojos 1 (black)	AZ4197	232
Ojos 1 (white)	AZ4196	232
Ojos 2 (black)	AZ4199	232
Ojos 2 (white)	AZ4198	232
Oka AC 3000K (acrylic)	AZ2234 SHAC-3W3000-WH	331
Oka AC 4000K (acrylic)	AZ2235 SHAC-3W4000-WH	331
Oka AL 3000K (black)	AZ4171	331
Oka AL 3000K (white)	AZ2232 SHAL-3W3000-WH	331
Oka AL 4000K (black)	AZ4172	331
Oka AL 4000K (white)	AZ2233 SHAL-3W4000-WH	331
Oscar IP44 (black)	AZ2692	346
Oscar IP44 (chrome)	AZ1715 GM2117-CH	346
Oscar IP44 (gold)	AZ2800	346

Oscar IP44 (white)	AZ1714 GM2117-WH	346
Osvald Wall (black)	AZ4489	491
Ove Wall 3000K (dark grey)	AZ4508	483
Ove Wall 4000K (dark grey)	AZ4509	483
Oz (black)	AZ3372	387
Oz (satin nikel)	AZ3374	387
Oz (white)	AZ3373	387
P Pablo (aluminium)	AZ1015 GM2107-ALU	350
Pablo (black)	AZ4140	350
Pablo (white)	AZ0817 GM2107-WH	350
Paco 1 (aluminium)	AZ0795 GM2103-ALU	360
Paco 1 (black)	AZ0797 GM2103-BK	360
Paco 1 (white)	AZ0796 GM2103-WH	360
Paco 2 (aluminium)	AZ0798 GM2201-ALU	360
Paco 2 (black)	AZ0800 GM2201-BK	360
Paco 2 (white)	AZ0799 GM2201-WH	360
Paco 3 (aluminium)	AZ0801 GM2301-ALU	360
Paco 3 (black)	AZ0803 GM2301-BK	360
Paco 3 (white)	AZ0802 GM2301-WH	360
Panka 18 CCT Switch Sensor (black)	AZ5354	254
Panka 18 CCT Switch Sensor (white)	AZ5353	254
Panka 23 CCT Switch Dimm (black)	AZ5364	256
Panka 23 CCT Switch Dimm (white)	AZ5363	256
Panka 23 CCT Switch Sensor (black)	AZ5356	254
Panka 23 CCT Switch Sensor (white)	AZ5355	254
Panka 23 SQ CCT Switch Sensor (black)	AZ5360	255
Panka 23 SQ CCT Switch Sensor (white)	AZ5359	255
Panka 30 CCT Switch Dimm (black)	AZ5366	256
Panka 30 CCT Switch Dimm (black)	AZ5372	257
Panka 30 CCT Switch Dimm (white)	AZ5365	256
Panka 30 CCT Switch Dimm (white)	AZ5371	257
Panka 30 CCT Switch Sensor (black)	AZ5358	254
Panka 30 CCT Switch Sensor (white)	AZ5357	254
Panka 30 SQ CCT Switch Sensor (black)	AZ5362	255
Panka 30 SQ CCT Switch Sensor (white)	AZ5361	255
Panka 40 CCT Switch Dimm (black)	AZ5368	256
Panka 40 CCT Switch Dimm (white)	AZ5367	256
Panka 60 CCT Switch Dimm (black)	AZ5370	256
Panka 60 CCT Switch Dimm (white)	AZ5369	256
Panka SQ 45 CCT Switch Dimm (black)	AZ5374	257
Panka SQ 45 CCT Switch Dimm (white)	AZ5373	257
Paola 1 230V (black)	AZ4130	238
Paola 1 230V (white)	AZ4128	238
Paola 2 230V (black)	AZ4134	238
Paola 2 230V (white)	AZ4132	238
Papiko IP65 (black)	AZ4216	438
Papiko IP65 (white)	AZ4217	438
Peder (black)	AZ4514	456
Peder (dark grey)	AZ4515	456
Pienza DIMM 3000K (grey)	AZ2721	275
Pienza DIMM 3000K (white)	AZ2719	275
Pienza DIMM 4000K (black)	AZ2722	275
Pienza DIMM 4000K (grey)	AZ2720	275
Pienza DIMM 4000K (white)	AZ2718	275
Pio 2 (black)	AZ1720 GM2208-BK	361
Pio 2 (chrome)	AZ1749 GM2208-CH	361
Pio 2 (white)	AZ1719 GM2208-WH	361
Pio (black)	AZ1278 GM2108-BK	361

OLD&NEW CODES LIST

XXIV

Introduction

Pio (chrome)	AZ1718 . GM2108-CH	361	Rezia 1 (black)	AZ4343	450
Pio (white)	AZ0760 . GM2108-WH	361	Rezia 1 (dark grey)	AZ4344	450
Piramide L (chrome)	AZ1463 . NC1674SQ-CH	300	Rezia 2 (black)	AZ4345	450
Piramide XL (chrome)	AZ1612 . NC1673SQ-CH	300	Rezia 2 (dark grey)	AZ4346	450
Power 3-Line (black)	AZ4274	14	Rimini 1 (black)	AZ4265	454
Power 3-Line (white)	AZ4273	14	Rimini 1 (dark grey)	AZ2176	454
Power Adjustable Conn. 3-Line (black)	AZ4286	16	Rimini 1 Square (black)	AZ4267	452
Power Adjustable Conn. 3-Line (white)	AZ4285	16	Rimini 1 Square (dark grey)	AZ4311	452
Power Gips 3-Line (black)	AZ4296	15	Rimini 1 Square (white)	AZ4313	452
Power Gips 3-Line (white)	AZ4295	15	Rimini 1 (white)	AZ2175	454
Quadro 50 LED CCT (black)	AZ2759	280	Rimini 2 (black)	AZ4266	454
Quadro 50 LED CCT (silver)	AZ2758	280	Rimini 2 (dark grey)	AZ2178	454
Quadro 50 LED CCT (gold)	AZ2760	280	Rimini 2 Square (black)	AZ4268	452
R Raffael (black)	AZ3497	235	Rimini 2 Square (dark grey)	AZ4312	452
Raffael (brushed copper)	AZ1626 . NC2055-BCO	235	Rimini 2 Square (white)	AZ4314	452
Raffael (chrome)	AZ1624 . NC2055-CH	235	Rimini 2 (white)	AZ2177	454
Raffael (gold)	AZ1625 . NC2055-GO	235	Roland 2 SQ Wall IP65 (dark grey)	AZ5231	447
Raffael (white)	AZ1623 . NC2055-WH	235	Roland 2 SQ Wall IP65 (white)	AZ5232	447
Raggio (black)	AZ2964	389	Roland 2 Wall IP65 (dark grey)	AZ5227	446
Raggio (satin nickel)	AZ2965	389	Roland 2 Wall IP65 (white)	AZ5228	446
Raggio (white)	AZ2963	389	Roland SQ Wall IP65 (dark grey)	AZ5229	447
Ramona 1 Switch (black)	AZ2565	416	Roland SQ Wall IP65 (white)	AZ5230	447
Ramona 1 Switch (white)	AZ2566	416	Roland Wall IP65 (dark grey)	AZ5225	446
Ramona 2 Switch (white)	AZ2564	416	Roland Wall IP65 (white)	AZ5226	446
Rasmus (black)	AZ4483	490	Rolf 1 Wall (black)	AZ4475	494
Rasmus Wall (black)	AZ4482	490	Rolf 1 Wall (dark grey)	AZ4476	494
Raul (aluminium)	AZ0892 . GM1107-ALU	406	Rolf 1 Wall (white)	AZ4477	494
Raul (chrome)	AZ0868 . GM1107-CH	406	Rolf 2 500 (black)	AZ4456	494
Raul (white)	AZ0891 . GM1107-WH	406	Rolf 2 500 (dark grey)	AZ4457	494
Remi (black)	AZ4143	365	Rolf 2 900 (black)	AZ4458	494
Remi (white)	AZ1363	365	Rolf 2 900 (dark grey)	AZ4459	494
Remo 1 downlight (aluminium)	AZ1729 . GM2118R-ALU	353	Romolo R IP65 (black)	AZ5390	428
Remo 1 downlight (black)	AZ1732 . GM2118R-BK	353	Romolo R IP65 (white)	AZ5389	428
Remo 1 downlight (chrome)	AZ1730 . GM2118R-CH	353	Romolo S IP65 (black)	AZ5391	429
Remo 1 downlight (white)	AZ1731 . GM2118R-WH	353	Romolo S IP65 (white)	AZ5392	429
Remo (aluminium)	AZ0820 . GM4103-ALU	192	Rotondo (black)	AZ4208	206
Remo (black)	AZ0818 . GM4103-BK	192	Rotondo (bronze)	AZ4209	206
Remo R (aluminium)	AZ0821	353	Rotondo (white)	AZ4207	206
Remo R (aluminium)	AZ0821 . GM4103-ALU	354	S Sane FI 40 (black)	AZ2765	388
Remo R (aluminium)	AZ0821 . GM4103-ALU	192	Sane FI 40 (nickel)	AZ2767	388
Remo R (black)	AZ0823	353	Sane FI 40 (white)	AZ2766	388
Remo R (black)	AZ0823	354	Sane FI 60 (antique)	AZ2770	388
Remo R (black)	AZ0823 . GM4103-BK	192	Sane FI 60 (black)	AZ2768	388
Remo R (champagne)	AZ0825	353	Sane FI 60 (nickel)	AZ2771	388
Remo R (champagne)	AZ0825	354	Sane FI 60 (white)	AZ2769	388
Remo R (champagne)	AZ0825 . GM4103-CM	192	Santos 3000K (black/black)	AZ4181 . LM-9013-BK	212
Remo R (chrome)	AZ0855	353	Santos 3000K (black/gold)	AZ2416 . LM-9013-BK	212
Remo R (chrome)	AZ0855	354	Santos 3000K (white/gold)	AZ2417 . LM-9013-WH	212
Remo R (chrome)	AZ0855 . GM4103-CH	192	Santos 3000K (white/white)	AZ4182 . LM-9013-WH	212
Remo R (gold)	AZ0824	353	Santos Exposed Round (black)	AZ3509	226
Remo R (gold)	AZ0824	354	Santos Exposed Round (white)	AZ3508	226
Remo R (gold)	AZ0824 . GM4103-GO	192	Santos GU10 (black/black)	AZ4201	212
Remo R (white)	AZ0822	353	Santos GU10 (white/white)	AZ4200	212
Remo R (white)	AZ0822	354	Santos Square (black)	AZ3523	213
Remo R (white)	AZ0822 . GM4103-WH	192	Santos Square Track (black)	AZ3525	43
Remote Control 3 Group	AZ4857	56	Santos Square Track (white)	AZ3524	43
Remote Control 4-Group	AZ5265	56	Santos Square (white)	AZ3522	213
Remo (white)	AZ0819 . GM4103-WH	192	Santos Track 3 Line 12W 3000K (black/black)	AZ4183	25

Santos Track 3 Line 12W 3000K (white/white)	AZ4184	25	Sona 55 CCT (white)	AZ2763	281
Santos Track 3 Line GU10 (black)	AZ4203	24	Sorano 500 (black)	AZ4444	496
Santos Track 3 Line GU10 (white)	AZ4202	24	Sorano 500 (dark grey)	AZ4358	496
Santos Track (black/gold)	AZ2924	25	Sorano 700 (black)	AZ4445	496
Santos Track (white/gold)	AZ2925	25	Sorano 700 (dark grey)	AZ4359	496
Sarona (dark grey)	AZ2183	477	Sorano Wall (black)	AZ4446	497
Savio Round (acryl)	AZ2779	370	Sorano Wall (dark grey)	AZ4357	497
Savio Square (acryl)	AZ2778	370	Sovana Pendant 45 CCT (black)	AZ3437	286
Scorpio (black chrome)	AZ2952	225	Sovana Pendant 45 CCT (grey)	AZ3438	286
Scorpio (chrome)	AZ1452	LC1295-M-CH	Sovana Pendant 45 CCT (white)	AZ3436	286
Scorpio (white)	AZ1618	LC1295-M-WH	Sovana Pendant 55 CCT (black)	AZ2728	286
Siena 10 3000K (chrome)	AZ2214	SH623000-10-CH	Sovana Pendant 55 CCT (grey)	AZ2729	286
Siena 10 4000K (chrome)	AZ2215	SH624000-10-CH	Sovana Pendant 55 CCT (white)	AZ2727	286
Siena 20 3000K (chrome)	AZ2220	SH623000-20-CH	Sovana Pendant 80 CCT (black)	AZ3449	286
Siena 20 4000K (chrome)	AZ2221	SH624000-20-CH	Sovana Pendant 80 CCT (grey)	AZ3450	286
Simon Round (black chrome)	AZ1613	NC1767R-BK	Sovana Pendant 80 CCT (white)	AZ3448	286
Simon Round (chrome)	AZ1614	NC1767R-CH	Sovana Top 45 CCT (black)	AZ3434	284
Simon Round (white matt)	AZ1473	NC1767R-WH	Sovana Top 45 CCT (grey)	AZ3435	284
Simon Square (black chrome)	AZ1615	NC1767SQ-BK	Sovana Top 45 CCT (white)	AZ3433	284
Simon Square (white matt)	AZ1474	NC1767SQ-WH	Sovana Top 55 CCT (black)	AZ2726	284
Siro 1 (aluminium)	AZ0767	GM2101-ALU	Sovana Top 55 CCT (grey)	AZ2725	284
Siro 1 (black/aluminium)	AZ0769	GM2101-BK-ALU	Sovana Top 55 CCT (white)	AZ2724	284
Siro 1 (black/ black)	AZ2805		Sovana Top 80 CCT (black)	AZ3446	284
Siro 1 (white)	AZ0768	GM2101-WH	Sovana Top 80 CCT (grey)	AZ3447	284
Siro 2 (aluminium)	AZ0770	GM2200-ALU	Sovana Top 80 CCT (white)	AZ3445	284
Siro 2 (black/aluminium)	AZ0772	GM2200-BK-ALU	Stan (aluminium)	AZ0860	GM2111-ALU
Siro 2 (black/ black)	AZ2806		Stan (black/black)	AZ2811	
Siro 2 (white)	AZ0771	GM2200-WH	Stan (chrome)	AZ2957	
Siro 3 (aluminium)	AZ0773	GM2300-ALU	Stan (white)	AZ0861	GM2111-WH
Sisto 1 (aluminium)	AZ0793	GM2109-ALU	Straight Conn. 1-Line (black)	AZ4737	
Sisto 1 (black/black)	AZ2810		Straight Conn. 1-Line (white)	AZ4736	
Sisto 1 (white/black)	AZ1446	GM2109-WH	Switch Panel Remote Control 2-Group	AZ5209	
Sisto 2 (aluminium)	AZ0794	GM2202-ALU	Switch Panel Remote Control 2-Group	AZ5210	
Sisto 2 (black/black)	AZ2809		T Taz (black)	AZ3369	386
Sisto 2 (white/black)	AZ1447	GM2202-WH	Taz (satin nikiel)	AZ3371	386
Skye 3000K (black)	AZ4518		Taz (white)	AZ3370	386
Skye 3000K (white)	AZ4517		T Conn. 1-Line (black)	AZ4741	4
Skye pendant 3000K (black)	AZ4521		T Conn. 1-Line (white)	AZ4740	4
Skye pendant 3000K (white)	AZ4522		T Conn. Gips only Right (black)	AZ4300	15
Skye Track 3 Line (black)	AZ4520		T Conn. Gips only Right (white)	AZ4299	15
Skye Track 3 Line (white)	AZ4519		T Conn. Left (black)	AZ4276	14
Slim 9 Round 3000K (black)	AZ2834		T Conn. Left (white)	AZ4275	14
Slim 9 Round 3000K (chrome)	AZ2861		T Conn. Right (black)	AZ4278	14
Slim 9 Round 3000K (white)	AZ2831		T Conn. Right (white)	AZ4277	14
Slim 9 Round 4000K (black)	AZ2835		Tito (aluminium)	AZ0814	347
Slim 9 Round 4000K (chrome)	AZ2862		Tito (black)	AZ4139	347
Slim 9 Round 4000K (white)	AZ2832		Tito (white)	AZ0815	347
Slim 9 Square (black)	AZ2833		Tivoli 3000K (black)	AZ2224	SH643000-10-BK
Slim 9 Square (white)	AZ2830		Tivoli 3000K (white)	AZ2222	SH633000-10-WH
Slim 15 Round 3000K (black)	AZ2840		Tivoli 4000K (black)	AZ2225	SH644000-10-BK
Slim 15 Round 3000K (chrome)	AZ2838		Tivoli 4000K (white)	AZ2223	SH634000-10-WH
Slim 15 Round 3000K (white)	AZ2839		Tonio (white)	AZ0870	GM4103-WH
Slim 15 Round 4000K (black)	AZ2843		Torch (black)	AZ2206	GW-609-BK
Slim 15 Round 4000K (chrome)	AZ2841		Torch (white)	AZ2207	GW-609-WH
Slim 15 Round 4000K (white)	AZ2442		Toronto 1 3000K (black)	AZ4064	
Slim 15 Square (black)	AZ2836		Toronto 1 3000K (white)	AZ4070	
Slim 15 Square (white)	AZ2837		Toronto 1 Spot 3000K (black)	AZ4063	
Sona 47 CCT (white)	AZ2761		Toronto 1 Spot 3000K (white)	AZ4071	



OLD&NEW CODES LIST

XXVI

Introduction


Toronto 2 3000K (black)	AZ4065	234	Tr. Magn. Neo Driver 200W (black)	AZ5138	154
Toronto 2 3000K (white)	AZ4072	234	Tr. Magn. Neo Micro Cover 3x (black)	AZ5456	156
Torres ES111 (black)	AZ2685	377	Tr. Magn. Neo MultiCon X (black)	AZ5135	157
Torres ES111 (white)	AZ2684	377	Tr. Magn. Set 1 M 4 000K (white) 52M1041WH.	AZ4801	124
Torres GU10 (black)	AZ2683	377	Tr. Magn. Set 1 M 4 h 000K (white) 52M1042WH	AZ4805	125
Torres GU10 (white)	AZ2682	377	Tr. Magn. Set 1 M 3000K (black) 52M1031BK.	AZ4798	124
Track 1-Line 1,5m (black)	AZ4730	2	Tr. Magn. Set 1 M 3000K (black) 52M1032BK.	AZ4802	125
Track 1-Line 1,5m (white)	AZ4731	2	Tr. Magn. Set 1 M 3000K (white) 52M1031WH.	AZ4799	124
Track 1-Line 1m (black)	AZ4729	2	Tr. Magn. Set 1 M 3000K (white) 52M1032WH.	AZ4803	125
Track 1-Line 1m (white)	AZ4728	2	Tr. Magn. Set 1 M 4000K (black) 52M1041BK.	AZ4800	124
Track 1-Line 2m (black)	AZ4733	2	Tr. Magn. Set 1 M 4000K (black) 52M1042BK.	AZ4804	125
Track 1-Line 2m (white)	AZ4732	2	Tr. Magn. Set 2 M 3000K (black) 52M2032BK.	AZ4814	126
Track 1-Line 3m (black)	AZ4735	2	Tr. Magn. Set 2 M 3000K (black) 52M2034BK.	AZ4820	127
Track 1-Line 3m (white)	AZ4734	2	Tr. Magn. Set 2 M 3000K (white) 52M2032WH.	AZ4815	126
Track 1-Line Electric Adapter (black)	Az4749	3	Tr. Magn. Set 2 M 3000K (white) 52M2034WH.	AZ4821	127
Track 1-Line Electric Adapter (white)	AZ4748	3	Tr. Magn. Set 2 M 4000K (black) 52M2042BK.	AZ4816	126
Track 1-Line Pendant Accessory 1.5m (black)	AZ4747	5	Tr. Magn. Set 2 M 4000K (white) 52M2042WH.	AZ4817	126
Track 1-Line Pendant Accessory 1.5m (white)	AZ4746	5	Track Set 1-Line 1,5m (black)	AZ4725	2
Track 3-Line 1,5m (black)	AZ3000	12	Track Set 1-Line 1,5m (white)	AZ4724	2
Track 3-Line 1,5m (white)	AZ2999	12	Track Set 1-Line 1m (black)	AZ4723	2
Track 3-Line 1m (black)	AZ2973	12	Track Set 1-Line 1m (white)	AZ4722	2
Track 3-Line 1m cover (black)	AZ5522	13	Track Set 1-Line 2m (black)	AZ4727	2
Track 3-Line 1m cover (white)	AZ5521	13	Track Set 1-Line 2m (white)	AZ4726	2
Track 3-Line 1m (white)	AZ2974	12	Track Set 1-Line 3m (black)	AZ4795	2
Track 3-Line 2m (black)	AZ2975	12	Track Set 1-Line 3m (white)	AZ4794	2
Track 3-Line 2m (white)	AZ2976	12	Track Set 3-Line 1,5m (black)	AZ3001	12
Track 3-Line 3m (black)	AZ4272	12	Track Set 3-Line 1,5m (white)	AZ3002	12
Track 3-Line 3m (white)	AZ4271	12	Track Set 3-Line 1m (black)	AZ2987	12
Track 3-Line Pendant Accessory 1.5m (black)	AZ4797	16	Track Set 3-Line 1m (white)	AZ2991	12
Track 3-Line Pendant Accessory 1.5m (white)	AZ4796	16	Track Set 3-Line 2m (black)	AZ2992	12
Track Ceiling Plate + Wire (black)	AZ4780	54	Track Set 3-Line 2m (white)	AZ2988	12
Track Ceiling Plate + Wire (black)	AZ4780	98	U Ulf 1 Wall Sensor (black)	AZ4454	459
Track Ceiling Plate + Wire (white)	AZ4782	54	Ulf 1 Wall Sensor (dark grey)	AZ4455	459
Track Ceiling Plate + Wire (white)	AZ4782	98	Ulf 2 Wall (black)	AZ4473	459
Track Gips 3-Line 1m (black)	AZ4290	13	Ulf 2 Wall (dark grey)	AZ4474	459
Track Gips 3-Line 1m (white)	AZ4289	13	Una 3000K (chrome)	AZ2772	345
Track Gips 3-Line 2m (black)	AZ4292	13	Una 4000K (chrome)	AZ2773	345
Track Gips 3-Line 2m (white)	AZ4291	13	V Vasko (black)	AZ1489	215
Track Gips 3-Line 3m (black)	AZ4294	13	Vasko (chrome)	AZ1490	215
Track Gips 3-Line 3m (white)	AZ4293	13	Vasko (white matt)	AZ1491	215
Tr. Magn. Driver Meanwell 48V 100W	AZ4691	53	Vega (anodised gold)	AZ1746	411
Tr. Magn. Driver Meanwell 48V 100W	AZ4691	130	Vega (black / gold)	AZ1709	411
Tr. Magn. Driver Meanwell 48V 100W	AZ4691	155	Vega (chrome)	AZ1758	411
Tr. Magn. Driver Meanwell 48V 200W	AZ4692	53	Vega (white)	AZ1708	411
Tr. Magn. Driver Meanwell 48V 200W	AZ4692	130	Vektor Round (clear glass)	AZ1494	314
Tr. Magn. Driver Meanwell 48V 200W	AZ4692	155	Vektor Square (clear glass)	AZ1495	315
Tr. Magn. Driver Meanwell 48V 350W	AZ4866	53	Velia Round 2 (black)	AZ4399	390
Tr. Magn. Driver Meanwell 48V 350W	AZ4866	130	Velia Round 2 (brass)	AZ4397	390
Tr. Magn. Driver Meanwell 48V 350W	AZ4866	155	Velia Round 2 (white)	AZ4398	390
Tr. Magn. Magn.etic Neo Conn. For Driver (black)	AZ5134	155	Velia Square 2 (black)	AZ4401	391
Tr. Magn. Neo 0,3m (black)	AZ5129	154	Velia Square 2 (brass)	AZ4402	391
Tr. Magn. Neo 0,6m (black)	AZ5130	154	Velia Square 2 (white)	AZ4403	391
Tr. Magn. Neo 1,2m (black)	AZ5131	154	Veneto (black)	AZ4348	461
Tr. Magn. Neo 2,0m (black)	AZ5132	154	Veneto (dark grey)	AZ4349	461
Tr. Magn. Neo Con 1 (black)	AZ5136	156	Venta (black)	AZ4350	460
Tr. Magn. Neo Con 2 (black)	AZ5133	156	Venta (dark grey)	AZ4351	460
Tr. Magn. Neo Cover usb-c 3x (black)	AZ5464	156	Venus (aluminium)	AZ0893	397
Tr. Magn. Neo Driver 100W (black)	AZ5137	154	Venus (white)	AZ0894	397

Vera (black)	AZ3201	418
Vera (white)	AZ4417	418
Verdi 3 (black)	AZ3531	378
Verdi (black)	AZ3527	378
Verdi (white)	AZ3526	378
Veronica (black)	AZ1548 . . . MB459-Z-BK	422
Veronica (chrome)	AZ1546 . . . MB459-Z-CH	422
Veronica (white)	AZ1547 . . . MB459-Z-WH	422
Vidal (aluminium)	AZ0862 . . . GM1104-ALU	407
Vidal (white)	AZ0863 . . . GW-608-WH	407
Vigo (black)	AZ2203 . . . GW-608-BK	404
X X Conn. Gips 3-Line (black)	AZ4302	17
X Conn. Gips 3-Line (white)	AZ4301	17
X Conn. Track 3-Line (black)	AZ4280	16
X Conn. Track 3-Line (white)	AZ4279	16
Z Zaria A IP65 CCT Switch (white)	AZ5233	448
Zaria B IP65 CCT Switch (white)	AZ5234	448
Zaria C IP65 CCT Switch (white)	AZ5235	448
Zaria D IP65 CCT Switch (white)	AZ5236	448
Zita XL (black)	AZ4150	471
Zita XL (bright grey)	AZ2201	471
Zita XL (dark grey)	AZ2200	471
Zita XL (white)	AZ4151	471



READING INTRODUCTION

<p>A</p>	<p>B</p> <p>The electrical voltage between two points in the electrical circuit. The unit of voltage is the volt [V]. The most common voltage levels for our lamps are: 230V; 48V; 24V or 12V</p>	<p>C</p> <p>degree of protection for electrical devices against dust, moisture and water</p> <p>IP66 protection against ingress of dust, protection against powerful water jets or splashing of water from any direction</p> <p>IP54 protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle</p> <p>IP44 protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain)</p> <p>IP20 protection against accidental touch, lack of security moisture</p>	<p>D</p> <p>see detailed information on technical specification</p> 	<p>E</p> <ul style="list-style-type: none"> BK - BLACK BCH - BLACK CHROME BGR - BRIGHT GREY DGR - DARK GREY WH - WHITE CH - CHROME AL - ALUMINIUM GO - GOLD AG - ANTIQUE GOLD BR - BROWN CO - CONCRETE COO - COPPER ST - STEEL AM - AMBER OL - OLIVE CHA - CHAMPAGNE AST - ANODISED STEEL ABR - ANODISED BROWN AGO - ANODISED GOLD ACO - ANODISED COPPER
product name	voltage	protection class	technical specification	colour



NAME

LED integrated

voltage: 230V LED 18W 1300lm 3000K

IP20

technical specification installation place 6 inlet opening 9,5cm 7
beam angle: 120° 8

COLOUR / NEW INDEX NO.

3000K WHITE (WH) **AZ4444**

3000K BLACK (BK) **AZ5555**

F

Where to find

Product code are written after each color

G

see detailed information on page 521

Energy efficiency exist from A to G see detailed information on page 521

H 1 2 3 4 5

1 bulb type

- 2D bulb
- PL-L
- T5
- E14
- E27
- G24
- G9
- AR111
- ES111 230V
- MR16
- GU10
- LED

2 number of bulbs

3 maximum lamp watt (W)

not included in the price of the purchased lamp

4 luminosity in lumen

5 light temperature in Kelvin

I 5 6

6 installation place

- ceiling surface mounted
- wall surface mounted
- pendant
- floor

7 the shape and size of the inlet opening (dimensions are in centimeters)

- round hole (cm)
- square hole (cm)
- rectangular hole (cm)

8 beam angle

beam angle is given in degrees (from 1° to 360°)

J 7 8 9

technical drawing view (dimensions are in centimeters)


9 side view

10 top view

11 range of adjustment of the reflector

- reflector tilt
- reflector rotation


SYSTEM COMPONENTS NAMES FOR 1-LINE TRACK SYSTEM



1-LINE
TRACK

1 - LINE


track 1-Line



- 2 COMPONENTS FOR TRACK 1 LINE
- 6 EXO TRACK
- 7 LOLO TRACK
- 8 KIRKE TRACK
- 9 JERRY TRACK

TRACK 1-LINE

2 Components for Track 1 Line




1-Li



Tracks (1m, 1,5m, 2m, 3m)

- | | | | |
|-------------------------------------|--------------------|-------|---------------|
| <input checked="" type="checkbox"/> | TRACK 1m (BLACK) | | AZ4729 |
| <input type="checkbox"/> | TRACK 1m (WHITE) | | AZ4728 |
| <input checked="" type="checkbox"/> | TRACK 1,5m (BLACK) | | AZ4731 |
| <input type="checkbox"/> | TRACK 1,5m (WHITE) | | AZ4730 |
| <input checked="" type="checkbox"/> | TRACK 2m (BLACK) | | AZ4733 |
| <input type="checkbox"/> | TRACK 2m (WHITE) | | AZ4732 |
| <input checked="" type="checkbox"/> | TRACK 3m (BLACK) | | AZ4735 |
| <input type="checkbox"/> | TRACK 3m (WHITE) | | AZ4734 |



Track Set (1m, 1,5m, 2m, 3m)


with THE END POWER + END CAP (All included)

- | | | | |
|-------------------------------------|------------------|-------|---------------|
| <input checked="" type="checkbox"/> | SET 1m (BLACK) | | AZ4723 |
| <input type="checkbox"/> | SET 1m (WHITE) | | AZ4722 |
| <input checked="" type="checkbox"/> | SET 1,5m (BLACK) | | AZ4725 |
| <input type="checkbox"/> | SET 1,5m (WHITE) | | AZ4724 |
| <input checked="" type="checkbox"/> | SET 2m (BLACK) | | AZ4727 |
| <input type="checkbox"/> | SET 2m (WHITE) | | AZ4726 |
| <input checked="" type="checkbox"/> | SET 3m (BLACK) | | AZ4795 |
| <input type="checkbox"/> | SET 3m (WHITE) | | AZ4794 |




Available options for installation place (surface and pendant mounted)

neSERIES



Track 1-Line Electric Adapter

- TRACK 1-LINE ELECTRIC ADAPTER (BLACK) **AZ4749**
- TRACK 1-LINE ELECTRIC ADAPTER (WHITE) **AZ4748**



End Power

- END POWER (BLACK) **AZ4743**
- END POWER (WHITE) **AZ4742**



TRACK 1-LINE

4 Components for Track 1 Line




Straight Connector

- STRAIGHT CONNECTOR (BLACK) **AZ4737**
- STRAIGHT CONNECTOR (WHITE) **AZ4736**



L Connector

- L CONNECTOR (BLACK) **AZ4739**
- L CONNECTOR (WHITE) **AZ4738**



T Connector

- T CONNECTOR (BLACK) **AZ4741**
- T CONNECTOR (WHITE) **AZ4740**




End Cap

- END CAP (BLACK) **AZ4745**
- END CAP (WHITE) **AZ4744**



Track 1-Line Pendant Accessory 1.5m

- TRACK 1-LINE PENDANT ACCESSORY 1.5M (BLACK) **AZ4747**
- TRACK 1-LINE PENDANT ACCESSORY 1.5M (WHITE) **AZ4746**



Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**



TRACK 1 LINE ELECTRIC ADAPTER

- TRACK 1 LINE ELECTRIC ADAPTER (BLACK) **AZ4749**
- TRACK 1 LINE ELECTRIC ADAPTER (WHITE) **AZ4748**



EXO TRACK

6 Track 1 Line



BK



EXO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max 35W	<input type="checkbox"/>
IP20		<input type="checkbox"/>
	installation: Track 1 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4660**
- WHITE (WH) **AZ4661**



WH

BK



WH



WH

BK


LOLO TRACK 1 LINE GU10

bulb not included 

voltage: 230V	GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP20	installation: Track 1 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4654**
- WHITE (WH) **AZ4655**



KIRKE TRACK 10W CCT SWITCH

8 Track 1 Line



WH



WH

BK

KIRKE TRACK 1 LINE 10W CCT SWITCH



LED integrated

voltage: 230V	LED 10W 800lm	
IP20	3000K 4000K 6000K CCT	
technical	installation: Track 1 Line	
specification	beam angle: 40°	



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4656**
- WHITE (WH) **AZ4657**



SWITCH 3000/4000/5500K





JERRY TRACK 1 LINE

bulb not included


voltage: 230V	ES111 1x Max 16W	<input type="checkbox"/>
IP20		<input type="checkbox"/>
technical specification	installation place: Track 1 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4666**
- WHITE (WH) **AZ4667**




SYSTEM COMPONENTS NAMES FOR TRACK 3-LINE SYSTEM



3 - LINE


track 3-Line




- 12 ACCESORIES FOR TRACK 3 LINE
- 20 EIGER TRACK
- 21 MEGARA TRACK
- 22 LOLO TRACK
- 23 GULIA TRACK
- 24 SANTOS TRACK
- 26 KIRKE TRACK CCT SWITCH
- 27 GALILEO TRACK
- 28 LUMI TRACK
- 28 LUMI FLEX TRACK
- 30 COSTA ARM TRACK
- 31 COSTA TRACK
- 32 JERRY TRACK
- 33 JANE TRACK
- 34 MIKKA TRACK
- 35 MONA TRACK
- 36 LINNEA TRACK CCT SWITCH
- 38 EREBUS TRACK
- 38 EREBUS TUBE
- 39 TIVOLI TRACK
- 40 BROSS ARM TRACK
- 41 EXO TRACK
- 42 LENS TRACK
- 43 SANTOS SQUARE TRACK
- 44 SKYE TRACK
- 45 LEON TRACK

TRACK 3-LINE

3-Li



Example of the connection between track



MINI SIMPLE CONNECTION OR OTHER CONNECTOR
 There are several types: L connector – left & right; T connector – left & right; X connector; And Adjustable or Flexible connector.
 Possibly a lamp can be attached instead of the energy connector.



TRACKS (1m, 1,5m, 2m, 3m)

- TRACK 1M (BLACK) **AZ2973**
- TRACK 1M (WHITE) **AZ2974**
- TRACK 1,5M (BLACK) **AZ3000**
- TRACK 1,5M (WHITE) **AZ2999**
- TRACK 2M (BLACK) **AZ2975**
- TRACK 2M (WHITE) **AZ2976**
- TRACK 3M (BLACK) **AZ4272**
- TRACK 3M (WHITE) **AZ4271**





Track Set (1m, 1,5m, 2m)

with THE END POWER + END CAP (All included)

- TRACK SET 1M (BLACK) **AZ2987**
- TRACK SET 1M (WHITE) **AZ2991**
- TRACK SET 1,5M (BLACK) **AZ3001**
- TRACK SET 1,5M (WHITE) **AZ3002**
- TRACK SET 2M (BLACK) **AZ2992**
- TRACK SET 2M (WHITE) **AZ2988**




Available options for installation place – surface-mounted, flush-mounted and suspended




TRACKS GIPS (1m, 2m, 3m)

- TRACK GIPS 1m (BLACK) **AZ4290**
- TRACK GIPS 1m (WHITE) **AZ4289**
- TRACK GIPS 2m (BLACK) **AZ4292**
- TRACK GIPS 2m (WHITE) **AZ4291**
- TRACK GIPS 3m (BLACK) **AZ4294**
- TRACK GIPS 3m (WHITE) **AZ4293**




Track 3-Line 1m Cover

- TRACK 3-LINE 1M COVER (BLACK) **AZ5522**
- TRACK 3-LINE 1M COVER (WHITE) **AZ5521**



TRACK 3-LINE




RIGHT

End Power (Left, Right)

- END POWER RIGHT (BLACK) **AZ4116**
- END POWER RIGHT (WHITE) **AZ4117**
- END POWER LEFT (BLACK) **AZ4284**
- END POWER LEFT (WHITE) **AZ4283**




LEFT



Power

- POWER (BLACK) **AZ4274**
- POWER (WHITE) **AZ4273**




RIGHT

L Connector (Left, Right)

- L CONNECTOR RIGHT (BLACK) **AZ2983**
- L CONNECTOR RIGHT (WHITE) **AZ2984**
- L CONNECTOR LEFT (BLACK) **AZ2985**
- L CONNECTOR LEFT (WHITE) **AZ2986**



LEFT



RIGHT

T Connector (Left, Right)

- T CONNECTOR LEFT (BLACK) **AZ4276**
- T CONNECTOR LEFT (WHITE) **AZ4275**
- T CONNECTOR RIGHT (BLACK) **AZ4278**
- T CONNECTOR RIGHT (WHITE) **AZ4277**




LEFT




End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK) **AZ4304**
- END POWER GIPS RIGHT (WHITE) **AZ4303**
- END POWER GIPS LEFT (BLACK) **AZ4310**
- END POWER GIPS LEFT (WHITE) **AZ4309**




Power Gips

- POWER GIPS (BLACK) **AZ4296**
- POWER GIPS (WHITE) **AZ4295**



L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK) **AZ4298**
- L CONNECTOR GIPS RIGHT (WHITE) **AZ4297**




T Connector Gips (only Right)

- T CONNECTOR GIPS RIGHT (BLACK) **AZ4300**
- T CONNECTOR GIPS RIGHT (WHITE) **AZ4299**



TRACK 3-LINE



X Connector

- X CONNECTOR (BLACK) **AZ4280**
- X CONNECTOR (WHITE) **AZ4279**



Power Adjustable Connector

- POWER ADJUSTABLE CONNECTOR (BLACK) **AZ4286**
- POWER ADJUSTABLE CONNECTOR (WHITE) **AZ4285**




Track 3-Line Pendant Accessory 1.5m

- TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) **AZ4797**
- TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) **AZ4796**

Ceiling Plate + Wire


- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**



Flexible Connector


- FLEXIBLE CONNECTOR (BLACK) **AZ4282**
- FLEXIBLE CONNECTOR (WHITE) **AZ4281**






X Connector Gips

- X CONNECTOR GIPS (BLACK) **AZ4302**
- X CONNECTOR GIPS (WHITE) **AZ4301**




MINI SIMPLE CONNECTION

- MINI SIMPLE CONNECTION (BLACK) **AZ2981**
- MINI SIMPLE CONNECTION (WHITE) **AZ2982**



End Cap

- END CAP (BLACK) **AZ4288**
- END CAP (WHITE) **AZ4287**



TRACK 3 LINE ELECTRIC ADAPTER

- ELECTRIC (BLACK) **AZ3003**
- ELECTRIC (WHITE) **AZ3012**





DIAGRAM

18 Track 3 Line

DIAGRAM SHOWING THE CORRECT WAY TO CONNECT ACCESSORIES TO BUSBARS (TRACKLINE)

The orange line indicates polarity of the system (observe earth contact)





EIGER TRACK

20 Track 3 Line





EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4205**
- BLACK / GOLD (BK/GO) **AZ4206**
- WHITE (WH) **AZ4204**
- GOLD (GO) **AZ5238**







MEGARA TRACK 3 LINE GU10

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	GU10 2x Max. 50W <input type="checkbox"/>
IP20	installation: Track 3 Line <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4443**
- WHITE (WH) **AZ4442**



LOLO TRACK

22 Track 3 Line



BK



LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4577**
- WHITE (WH) **AZ4578**




WH

BK





GO *



BK

WH

GO



GULIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W <input checked="" type="checkbox"/>
IP20	installation place: Track 3 Line <input checked="" type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4710**
- WHITE (WH) **AZ4709**
- GOLD (GO) **AZ4711**



SANTOS TRACK

24 Track 3 Line



BK



SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP20		<input type="checkbox"/>
technical specification	installation: Track 3 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4203**
- WHITE (WH) **AZ4202**



BK / BK

WH / WH





BK / BK

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K



IP20



technical

installation place: Track 3 Line

specification

beam angle: 60°



BK / BK



WH / WH

BK / GO

WH / GO

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4183**
- WHITE / WHITE (WH / WH) **AZ4184**
- BLACK / GOLD (BK / GO) **AZ2924**
- WHITE / GOLD (WH / GO) **AZ2925**



KIRKE TRACK CCT SWITCH

26 Track 3 Line



KIRKE TRACK 3 LINE 10W CCT SWITCH

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 5500K CCT

LED

technical

installation: Track 3 Line



specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4658**
- WHITE (WH) **AZ4659**





WH

GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V

LED 15W 1200lm 3000K

IP20



technical

installation place: Track 3 Line


specification

beam angle: 12°÷ 35°





COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4066**
- BLACK (BK) **AZ4067**



12° 35°



WH

BK



LUMI TRACK

28 Track 3 Line





LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20		
technical specification	installation: Track 3 Line	
	adjustable beam angle: 19°÷ 70°	

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4558**
- BLACK FINISH SHINING (BK) **AZ4557**





LUMI FLEX TRACK 3 LINE 3000K


LED integrated

voltage: 230V	LED 5W 500lm 3000K	
IP20		
technical specification	installation: Track 3 Line	
	adjustable beam angle: 19°÷ 70°	

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4560**
- BLACK FINISH SHINING (BK) **AZ4559**





COSTA ARM TRACK

30 Track 3 Line



WH/WH



BK/BK

WH/WH

COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

IP20

LED

technical



installation place: Track Electric 3 Line

specification

beam angle: 25°

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH / WH) **AZ3487**
- BLACK / BLACK (BK / BK) **AZ3486**







COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1100lm 4000K	
technical	installation place: Track 3 Line	
specification	beam angle: 25°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4550**
- 3000K BLACK (BK) **AZ4549**
- 4000K WHITE (WH) **AZ4552**
- 4000K BLACK (BK) **AZ4551**



JERRY TRACK


32 Track 3 Line



GO



JERRY TRACK 3 LINE ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W 
IP20	installation place: track 3 x line <input type="checkbox"/>

COLOUR / NEW INDEX NO.


- GOLD (GO) **AZ5237**
- WHITE (WH) **AZ2459**
- BLACK (BK) **AZ2458**



GO



WH



BK



BK



WH

BK



JANE TRACK 3 LINE GU10

bulb not included

voltage: 230V	connect 1x GU10 MAX 50W <input type="checkbox"/>
IP20	installation place – track 3 x line <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2460**
- BLACK (BK) **AZ2457**



MIKKA TRACK

34 Track 3 Line



MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 24W 1700lm 3000K

IP20

LED

technical

installation: Track 3 Line


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4516**





BK

MONA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1000lm 3000K

LED 12W 1050lm 4000K



installation: Track 3 Line

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4541**
- 3000K BLACK (BK) **AZ4542**
- 4000K WHITE (WH) **AZ4544**
- 4000K BLACK (BK) **AZ4543**



WH

MONA TRACK 3 LINE 18W 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 18W 1500lm 3000K



installation: Track 3 Line

beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4548**
- BLACK (BK) **AZ4547**



WH

WH




BK

BK



LINNEA TRACK CCT SWITCH

36 Track 3 Line






LINNEA 29 TRACK 3 LINE 12W CCT SWITCH
LED integrated

voltage: 230V	LED 12W 700lm		LED
IP20	3000K 4000K 5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4564**
- BLACK (BK) **AZ4563**






LINNEA 57 TRACK 3 LINE 24W CCT SWITCH
LED integrated

voltage: 230V	LED 24W 1400lm		LED
IP20	3000K 4000K 5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4566**
- BLACK (BK) **AZ4565**






LINNEA 86 TRACK 3 LINE 36W CCT SWITCH
LED integrated

voltage: 230V	LED 36W 2000lm		LED
IP20	3000K 4000K 5000K CCT		
technical specification	installation: Track 3 Line		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4568**
- BLACK (BK) **AZ4567**



LINNEA TRACK CCT SWITCH



EREBUS TRACK

38 Track 3 Line




EREBUS TRACK

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED GU10 1xMax 35W
IP20	
installation place: Track Electric 3 Line <input checked="" type="checkbox"/>	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3390**
- BLACK (BK) **AZ3391**




WH / GO / BK*

EREBUS TUBE


TUBE 14

- WHITE (WH) **AZ3383**
- BLACK (BK) **AZ3384**
- GOLD (GO) **AZ3385**



TUBE 21

- WHITE (WH) **AZ3386**
- BLACK (BK) **AZ3387**
- GOLD (GO) **AZ3388**





WH

TIVOLI TRACK 10W 3000K/4000K

LED integrated

voltage: 230V

IP20

technical

specification


 LED 10W 3000K RA_≥90 840lm

 LED 10W 4000K RA_≥90 880lm



installation: Track 3 Line

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ2222**
- 3000K BLACK (BK) **AZ2224**
- 4000K WHITE (WH) **AZ2223**
- 4000K BLACK (BK) **AZ2225**



BK

WH



BROSS ARM TRACK

40 Track 3 Line



WH


BROSS ARM TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W	<input checked="" type="checkbox"/>
IP20		
	installation place: Track Electric 3 Line	<input checked="" type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3500**
- BLACK (BK) **AZ3501**



AZZARDO PATENT EU

TILT 90° ROTATION 360°



WH

BK






BK

EXO TRACK

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED GU10 1xMax 35W <input checked="" type="checkbox"/>
IP20	
installation place: Track Electric 3 Line <input checked="" type="checkbox"/>	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3199**
- WHITE (WH) **AZ3200**



WH

BK



LENS TRACK

42 Track 3 Line



BK/BK




LENS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W	<input checked="" type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place: Track Electric 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3510**
- BLACK / BLACK (BK/BK) **AZ3511**
- BLACK / GOLD (BK/GO) **AZ3512**




WH/WH

BK/BK

BK/GO



BK



WH

BK

SANTOS SQUARE TRACK



LED integrated

voltage: 230V	LED 12W 1020lm 3000K	
IP20		
technical	installation: Track 3 Line	<input type="checkbox"/>
specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3524**
- BLACK (BK) **AZ3525**



SKYE TRACK

44 Track 3 Line



WH


SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 12W 1300lm 3000K		LED
IP20	installation place: Track 3 Line		
technical specification	beam angle: 60°		

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ4519**
- BLACK (BK) **AZ4520**



WH

BK





LEON 5 TRACK

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

LED

IP20



technical



installation place: Track Electric 3 Line

specification


beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3490**
- BLACK (BK) **AZ3491**



NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM - ALFA




ALFA

TRACK MAGNETIC


ALFA

track Magnetic

- 
- 48 ACCESORIES FOR ALFA TRACK MAGNETIC
 - 55 BLUETOOTH GATEWAY/REMOTE SMART
 - 56 REMOTE CONTROL BLUETOOTH
 - 58 ALFA MAKITA CCT BLUETOOTH
 - 60 ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH
 - 61 ALFA SAGA TRACK MAGNETIC CCT BLUETOOTH
 - 62 ALFA SAGA II TRACK MAGNETIC CCT BLUETOOTH
 - 64 ALFA KIRA TRACK MAGNETIC CCT BLUETOOTH
 - 65 ALFA KIRA II TRACK MAGNETIC CCT BLUETOOTH
 - 66 ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH
 - 67 ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH
 - 68 ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH
 - 70 ALFA SARI TRACK MAGNETIC CCT BLUETOOTH
 - 71 ALFA SONYA TRACK MAGNETIC CCT BLUETOOTH
 - 72 ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH
 - 73 ALFA SAGA TRACK MAGNETIC
 - 74 ALFA SAGA II TRACK MAGNETIC
 - 75 ALFA SAGA TRACK MAGNETIC CORNER
 - 76 ALFA SAGA II TRACK MAGNETIC CORNER
 - 77 ALFA KIRA TRACK MAGNETIC
 - 78 ALFA KIRA II TRACK MAGNETIC
 - 80 ALFA KERRY TRACK MAGNETIC
 - 81 ALFA SARI TRACK MAGNETIC
 - 82 ALFA CYRUS TRACK MAGNETIC
 - 84 ALFA NIKKI TRACK MAGNETIC
 - 85 ALFA NIKO TRACK MAGNETIC
 - 86 ALFA ALDO TRACK MAGNETIC
 - 87 ALFA SKYE TRACK MAGNETIC PENDANT
 - 88 ALFA ELIN TRACK MAGNETIC
 - 89 ALFA ELSA TRACK MAGNETIC
 - 90 ALFA MAYA TRACK MAGNETIC
 - 91 ALFA KORI TRACK MAGNETIC

ALFA TRACK MAGNETIC

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).



ALFA Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2x (All included)



- ALFA TRACK MAGNETIC 27 1m (BLACK) **AZ4713**
- ALFA TRACK MAGNETIC 27 1m (WHITE) **AZ4712**
- ALFA TRACK MAGNETIC 27 1,5m (BLACK) **AZ4715**
- ALFA TRACK MAGNETIC 27 1,5m (WHITE) **AZ4714**
- ALFA TRACK MAGNETIC 27 2m (BLACK) **AZ4717**
- ALFA TRACK MAGNETIC 27 2m (WHITE) **AZ4716**
- ALFA TRACK MAGNETIC 27 3m (BLACK) **AZ4719**
- ALFA TRACK MAGNETIC 27 3m (WHITE) **AZ4718**



ALFA Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2x (All included)


- ALFA TRACK MAGNETIC 52 1m (BLACK) **AZ4638**
- ALFA TRACK MAGNETIC 52 1m (WHITE) **AZ4639**
- ALFA TRACK MAGNETIC 52 1,5m (BLACK) **AZ4640**
- ALFA TRACK MAGNETIC 52 1,5m (WHITE) **AZ4641**
- ALFA TRACK MAGNETIC 52 2m (BLACK) **AZ4642**
- ALFA TRACK MAGNETIC 52 2m (WHITE) **AZ4643**
- ALFA TRACK MAGNETIC 52 3m (BLACK) **AZ4644**
- ALFA TRACK MAGNETIC 52 3m (WHITE) **AZ4645**

Available options for installation place – surface-mounted, flush-mounted and suspended



ALFA Track Magnetic 52 Gips1 (1m, 1,5m, 2m, 3m) WITH END CAP 2x (All included)

- ALFA TRACK MAGNETIC 52 GIPS1 1m (BLACK) **AZ4863**
- ALFA TRACK MAGNETIC 52 GIPS1 1m (WHITE) **AZ5457**
- ALFA TRACK MAGNETIC 52 GIPS1 1,5m (BLACK) **AZ4864**
- ALFA TRACK MAGNETIC 52 GIPS1 1,5m (WHITE) **AZ5458**
- ALFA TRACK MAGNETIC 52 GIPS1 2m (BLACK) **AZ4865**
- ALFA TRACK MAGNETIC 52 GIPS1 2m (WHITE) **AZ5453**
- ALFA TRACK MAGNETIC 52 GIPS1 3m (BLACK) **AZ5455**
- ALFA TRACK MAGNETIC 52 GIPS1 3m (WHITE) **AZ5454**



ALFA Track Magnetic 52 Gips2 (1m, 1,5m, 2m) WITH END CAP 2x (All included)

- ALFA TRACK MAGNETIC 52 GIPS2 1m (BLACK) **AZ4646**
- ALFA TRACK MAGNETIC 52 GIPS2 1m (WHITE) **AZ4647**
- ALFA TRACK MAGNETIC 52 GIPS2 1,5m (BLACK) **AZ4648**
- ALFA TRACK MAGNETIC 52 GIPS2 1,5m (WHITE) **AZ4649**
- ALFA TRACK MAGNETIC 52 GIPS2 2m (BLACK) **AZ4650**
- ALFA TRACK MAGNETIC 52 GIPS2 2m (WHITE) **AZ4651**



ALFA TRACK MAGNETIC



ALFA Track Magnetic 52 Corner90 B
SURFACE CORNER 90° B

- ALFA TRACK MAGNETIC 52 CORNER 90 B (BLACK) **AZ4683**
- ALFA TRACK MAGNETIC 52 CORNER 90 B (WHITE) **AZ4684**



ALFA Track Magnetic 52 Corner90 A

- ALFA TRACK MAGNETIC 52 CORNER90 A (BLACK) **AZ4679**
- ALFA TRACK MAGNETIC 52 CORNER90 A (WHITE) **AZ4680**




ALFA Track Magnetic 27 Corner90 B

- ALFA TRACK MAGNETIC 27 CORNER 90 B (BLACK) **AZ5001**
- ALFA TRACK MAGNETIC 27 CORNER 90 B (WHITE) **AZ5002**



ALFA Track Magnetic 27 Corner90 A

- ALFA TRACK MAGNETIC 27 CORNER 90 A (BLACK) **AZ5003**
- ALFA TRACK MAGNETIC 27 CORNER 90 A (WHITE) **AZ5004**






ALFA Track Magnetic 52 Gips2 Corner90 B
SURFACE CORNER 90° B

- ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 B (BLACK) **AZ4685**
- ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 B (WHITE) **AZ4686**



ALFA Track Magnetic 52 Gips2 Corner90 A
SURFACE CORNER 90° A

- ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 A (BLACK) **AZ4681**
- ALFA TRACK MAGNETIC 52 GIPS2 CORNER90 A (WHITE) **AZ4682**



ALFA Track Magnetic 52 Gips1 Corner90 B
SURFACE CORNER 90° B


- ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 B (BLACK) **AZ5463**
- ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 B (WHITE) **AZ5462**



ALFA Track Magnetic 52 Gips1 Corner90 A
SURFACE CORNER 90° A

- ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 A (BLACK) **AZ4862**
- ALFA TRACK MAGNETIC 52 GIPS1 CORNER90 A (WHITE) **AZ5461**

ALFA TRACK MAGNETIC



ALFA Track Magnetic Flex Connector Electric

- ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC (BLACK) **AZ4687**
- ALFA TRACK MAGNETIC FLEX CONNECTOR ELECTRIC (WHITE) **AZ4688**




ALFA Track Magnetic Straight Connector

- ALFA TRACK MAGNETIC STRAIGHT CONNECTOR (BLACK) **AZ4677**
- ALFA TRACK MAGNETIC STRAIGHT CONNECTOR (WHITE) **AZ4678**



ALFA Track Magnetic Mechanical Connector

- ALFA TRACK MAGNETIC MECHANICAL CONNECTOR (BLACK) **AZ4689**
- ALFA TRACK MAGNETIC MECHANICAL CONNECTOR (WHITE) **AZ4690**



ALFA TRACK MAGNETIC DRIVER INSIDE (60W, 100W, 200W)


- ALFA TRACK MAGNETIC DRIVER INSIDE 60W (BLACK) **AZ4669**
- ALFA TRACK MAGNETIC DRIVER INSIDE 60W (WHITE) **AZ4670**
- ALFA TRACK MAGNETIC DRIVER INSIDE 100W (BLACK) **AZ4671**
- ALFA TRACK MAGNETIC DRIVER INSIDE 100W (WHITE) **AZ4672**
- ALFA TRACK MAGNETIC DRIVER INSIDE 200W (BLACK) **AZ4673**
- ALFA TRACK MAGNETIC DRIVER INSIDE 200W (WHITE) **AZ4674**





**TRACK MAGNETIC DRIVER MEANWELL 48V
100W / 200W / 350W**
THIS DRIVER IS UNIVERSAL FOR SYSTEMS:
ALFA, GAMMA, NEO

- TRACK MAGNETIC DRIVER MEANWELL (100W) **AZ4691**
- TRACK MAGNETIC DRIVER MEANWELL (200W) **AZ4692**
- TRACK MAGNETIC DRIVER MEANWELL (350W) **AZ4866**




ALFA Track Magnetic Driver Electric Connector

- ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNECTOR (BLACK) **AZ4675**
- ALFA TRACK MAGNETIC DRIVER ELECTRIC CONNECTOR (WHITE) **AZ4676**



ALFA Track Magnetic 27 Cover
Power Driver Inside

- ALFA TRACK MAGNETIC 27 COVER (BLACK) **AZ4860**
- ALFA TRACK MAGNETIC 27 COVER (WHITE) **AZ4861**




ALFA TRACK MAGNETIC

Accessories for ALFA Track Magnetic




ALFA Track Magnetic Suspension Kit 2m

- ALFA TRACK MAGNETIC SUSPENSION KIT 2m (BLACK) **AZ4693**
- ALFA TRACK MAGNETIC SUSPENSION KIT 2m (WHITE) **AZ4694**





Ceiling Plate + Wire

- TRACK CEILING PLATE + WIRE (BLACK) **AZ4780**
- TRACK CEILING PLATE + WIRE (WHITE) **AZ4782**




ALFA Track Magnetic 52 Cover 1m

- ALFA TRACK MAGNETIC 52 COVER 1m (BLACK) **AZ4652**
- ALFA TRACK MAGNETIC 52 COVER 1m (WHITE) **AZ4653**



ALFA Track Magnetic 27 Cover 1m



- ALFA TRACK MAGNETIC 27 COVER 1m (BLACK) **AZ5444**
- ALFA TRACK MAGNETIC 27 COVER 1m (WHITE) **AZ5443**



The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.

Bluetooth Gateway Smart


AZ4856



REMOTE CONTROL BLUETOOTH

Remote Control 4-Group & RGB & Bluetooth
Operating Schematic


AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group
Operating Schematic


AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209




Switch Panel Remote Control 2-Group Bluetooth

SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) AZ5210

DOWNLOAD THE APP



STANDARD



ALFA MAKITA TRACK MAGNETIC CCT BLUETOOTH

58 Track Magnetic System – ALFA





ALFA MAKITA TRACK MAGNETIC 7W CCT BLUETOOTH LED integrated

voltage: 48V	LED 7W 550lm CCT		
IP20	installation: ALFA Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4836**
- WHITE (WH) **AZ4837**




ALFA MAKITA 2 TRACK MAGNETIC 2X 7W CCT BLUETOOTH LED integrated

voltage: 48V	LED 2x 7W 550lm CCT		
IP20	installation: ALFA Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4838**
- WHITE (WH) **AZ4839**



ALFA MAKITA TRACK MAGNETIC CCT BLUETOOTH



WH

ALFA MAKITA TRACK MAGNETIC 20W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical

specification





LED 20W 1560lm CCT

installation: ALFA Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4840**
- WHITE (WH). **AZ4841**



BK

ALFA MAKITA TRACK MAGNETIC 30W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical

specification





LED 30W 2340lm CCT

installation: ALFA Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4842**
- WHITE (WH). **AZ4843**



ALFA MAKITA II TRACK MAGNETIC CCT BLUETOOTH

60 Track Magnetic System – ALFA





ALFA MAKITA II TRACK MAGNETIC 12W CCT BLUETOOTH LED integrated

voltage: 48 V	LED 12W 750lm 3000K - 6000K dimm	LED
IP20	installation place: Alfa Track Magnetic	<input type="checkbox"/>
technical specification		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5512**





ALFA MAKITA II TRACK MAGNETIC 24W CCT BLUETOOTH LED integrated

voltage: 48 V	LED 24W 1750lm 3000K - 6000K dimm	LED
IP20	installation place: Alfa Track Magnetic	<input type="checkbox"/>
technical specification		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5513**



ALFA SAGA TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System – ALFA



ALFA SAGA TRACK MAGNETIC 12W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

 technical
specification


LED 12W 600lm CCT




installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4846**
- WHITE (WH). **AZ4847**



ALFA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

 technical
specification


LED 20W 1100lm CCT




installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4848**
- WHITE (WH). **AZ4849**



ALFA SAGA TRACK MAGNETIC 36W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

 technical
specification


LED 36W 1900lm CCT




installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4850**
- WHITE (WH). **AZ4851**



ALFA SAGA II TRACK MAGNETIC CCT BLUETOOTH

62 Track Magnetic System – ALFA




BK

ALFA SAGA II TRACK MAGNETIC 12W		LED integrated	
CCT BLUETOOTH		LED	
voltage: 48 V		LED 12W 380lm 3000K - 6000K dimm	<input type="checkbox"/>
IP20		installation place: Alfa Track Magnetic	
technical		beam angle: 120°	<input type="checkbox"/>
specification			

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5505**




BK

ALFA SAGA II TRACK MAGNETIC 20W		LED integrated	
CCT BLUETOOTH		LED	
voltage: 48 V		LED 20W 750lm 3000K - 6000K dimm	<input type="checkbox"/>
IP20		installation place: Alfa Track Magnetic	
technical		beam angle: 120°	<input type="checkbox"/>
specification			

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5506**




BK

ALFA SAGA II TRACK MAGNETIC CORNER A 25W		LED integrated	
CCT BLUETOOTH		LED	
voltage: 48 V		LED 25W 1300lm	<input type="checkbox"/>
IP20		3000K - 6000K dimm	
technical		installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification		beam angle: 120°	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5514**




BK

ALFA SAGA II TRACK MAGNETIC CORNER B 25W		LED integrated	
CCT BLUETOOTH		LED	
voltage: 48 V		LED 25W 1300lm	<input type="checkbox"/>
IP20		3000K - 6000K dimm	
technical		installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification		beam angle: 120°	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5515**




ALFA SAGA II TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - ALFA



ALFA KIRA TRACK MAGNETIC CCT BLUETOOTH

64 Track Magnetic System – ALFA




ALFA KIRA TRACK MAGNETIC 12W
CCT BLUETOOTH LED integrated

voltage: 48V IP20		LED 12W 1150lm	
technical specification		installation: ALFA Track Magnetic – 52 or 27 <input type="checkbox"/> beam angle: 50°	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4901**




ALFA KIRA TRACK MAGNETIC 20W
CCT BLUETOOTH LED integrated

voltage: 48V IP20		LED 24W 1450lm	
technical specification		installation: ALFA Track Magnetic – 52 or 27 <input type="checkbox"/> beam angle: 50°	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4902**



ALFA KIRA TRACK MAGNETIC 30W
CCT BLUETOOTH LED integrated

voltage: 48V IP20		LED 30W 1750lm	
technical specification		installation: ALFA Track Magnetic – 52 or 27 <input type="checkbox"/> beam angle: 50°	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4903**

ALFA KIRA II TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System – ALFA



BK

ALFA KIRA II TRACK MAGNETIC 6W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 6W 640lm 3000K - 6000K dimm



IP20


 technical
specification



installation place: Alfa Track Magnetic



beam angle: 50°



COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5502**


BK

ALFA KIRA II TRACK MAGNETIC 12W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 12W 1080lm 3000K - 6000K dimm



IP20


 technical
specification



installation place: Alfa Track Magnetic



beam angle: 50°



COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5503**


BK

ALFA KIRA II TRACK MAGNETIC 24W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 24W 2060lm 3000K - 6000K dimm



IP20


 technical
specification


installation place: Alfa Track Magnetic



beam angle: 50°



COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5504**


ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH

66 Track Magnetic System – ALFA



WH

ALFA KERRY TRACK MAGNETIC 5W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical
specification



LED 5W 300lm CCT




installation: ALFA Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4852**
- WHITE (WH) **AZ4853**



BK

ALFA KERRY TRACK MAGNETIC 15W CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical
specification



LED 15W 1220lm CCT




installation: ALFA Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

- SAND BLACK (BK) **AZ4854**
- WHITE (WH) **AZ4855**



ALFA KERRY TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - ALFA 67



BK

ALFA KERRY TRACK MAGNETIC 7W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 7W 335lm 3000K - 6000K dimm



IP20



technical
specification

installation place: Alfa Track Magnetic




beam angle: 40°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5516**



ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH


68 Track Magnetic System – ALFA



ALFA CYRUS TRACK MAGNETIC 6W		LED integrated
CCT BLUETOOTH		
voltage: 48 V	LED 6W 620lm 3000K - 6000K dimm	LED
IP20	QR code	
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>
	beam angle: 28°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.



■ BLACK (BK) **AZ5507**



ALFA CYRUS TRACK MAGNETIC 12W		LED integrated
CCT BLUETOOTH		
voltage: 48 V	LED 12W 1060lm 3000K - 6000K dimm	LED
IP20	QR code	
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>
	beam angle: 28°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


■ BLACK (BK) **AZ5508**



ALFA CYRUS TRACK MAGNETIC 18W		LED integrated
CCT BLUETOOTH		
voltage: 48 V	LED 18W 1640lm 3000K - 6000K dimm	LED
IP20	QR code	
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>
	beam angle: 28°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5509**




ALFA CYRUS TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - ALFA



ALFA SARI TRACK MAGNETIC CCT BLUETOOTH

70 Track Magnetic System – ALFA




ALFA SARI TRACK MAGNETIC 6W
CCT BLUETOOTH LED integrated


voltage: 48 V	LED 6W 100lm 3000K - 6000K dimm		LED
IP20	installation place: Alfa Track Magnetic		
technical specification	beam angle: 35°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5510**



TILT 90°




ALFA SARI TRACK MAGNETIC 12W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 12W 290lm 3000K - 6000K dimm		LED
IP20	installation place: Alfa Track Magnetic		
technical specification	beam angle: 35°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5511**



TILT 90°



ALFA SONYA TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System – ALFA 71



ALFA SONYA TRACK MAGNETIC CCT BLUETOOTH

LED integrated

voltage: 48V

IP20

technical specification



LED 20W 2100lm CCT





installation: ALFA Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4844**

WHITE (WH) **AZ4845**



ALFA MAKITA II TRACK MAGNETIC

72 Track Magnetic System – ALFA



ALFA MAKITA II TRACK MAGNETIC 12W

3000K / 4000K

LED integrated

voltage: 48 V

LED 12W 750lm 3000K



IP20



LED 12W 750lm 4000K

technical

installation place: Alfa Track Magnetic



specification

beam angle: 40°

COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK) **AZ5491**

■ 4000K BLACK (BK) **AZ5492**



ALFA MAKITA II TRACK MAGNETIC 24W

3000K / 4000K

LED integrated

voltage: 48 V

LED 24W 1750lm 3000K



IP20



LED 24W 1750lm 4000K

technical

installation place: Alfa Track Magnetic


specification

beam angle: 40°

COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK) **AZ5493**

■ 4000K BLACK (BK) **AZ5494**



ALFA SAGA TRACK MAGNETIC

Track Magnetic System – ALFA



BK

ALFA SAGA TRACK MAGNETIC 12W

3000K/4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 550lm 3000K

LED 12W 600lm 4000K




installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4604**
- 3000K BLACK (BK) **AZ4603**
- 4000K WHITE (WH) **AZ4606**
- 4000K BLACK (BK) **AZ4605**



BK

ALFA SAGA TRACK MAGNETIC 24W

3000K/4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1100lm 3000K

LED 24W 1200lm 4000K




installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4608**
- 3000K BLACK (BK) **AZ4607**
- 4000K WHITE (WH) **AZ4610**
- 4000K BLACK (BK) **AZ4609**



BK

ALFA SAGA TRACK MAGNETIC 36W

3000K/4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 36W 1800lm 3000K





installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4612**
- BLACK (BK) **AZ4611**



WH

BK

ALFA SAGA II TRACK MAGNETIC

74 Track Magnetic System – ALFA



BK

ALFA SAGA II TRACK MAGNETIC 12W


3000K / 4000K

LED integrated

voltage: 48 V	LED 12W 380lm 3000K	LED
IP20	LED 12W 380lm 4000K	
technical	installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5475**
- 4000K BLACK (BK) **AZ5476**



BK

ALFA SAGA II TRACK MAGNETIC 20W



3000K / 4000K

LED integrated

voltage: 48 V	LED 20W 750lm 3000K	LED
IP20	LED 20W 750lm 4000K	
technical	installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5477**
- 4000K BLACK (BK) **AZ5478**



BK

ALFA SAGA II TRACK MAGNETIC 30W


3000K / 4000K

LED integrated


voltage: 48 V	LED 30W 910lm 3000K	LED
IP20	LED 30W 910lm 4000K	
technical	installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5479**
- 4000K BLACK (BK) **AZ5480**



ALFA SAGA TRACK MAGNETIC CORNER



ALFA SAGA TRACK MAGNETIC CORNER A 24W


3000K/4000K LED integrated

voltage: 48V	LED 24W 1200lm 3000K	LED
IP20	LED 24W 1300lm 4000K	
technical specification	installation: ALFA Track Magnetic – 52 or 27 <input type="checkbox"/>	beam angle: 120° <input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4614**
- 3000K BLACK (BK) **AZ4613**
- 4000K WHITE (WH) **AZ4616**
- 4000K BLACK (BK) **AZ4615**



ALFA SAGA TRACK MAGNETIC CORNER B 24W


3000K/4000K LED integrated

voltage: 48V	LED 24W 1200lm 3000K	LED
IP20	LED 24W 1300lm 4000K	
technical specification	installation: ALFA Track Magnetic – 52 or 27 <input type="checkbox"/>	beam angle: 120° <input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4618**
- 3000K BLACK (BK) **AZ4617**
- 4000K WHITE (WH) **AZ4620**
- 4000K BLACK (BK) **AZ4619**



ALFA SAGA II TRACK MAGNETIC CORNER

76 Track Magnetic System – ALFA




ALFA SAGA II TRACK MAGNETIC CORNER A 25W
3000K / 4000K LED integrated

voltage: 48 V	LED 25W 1850lm 3000K	LED
IP20	LED 25W 1850lm 4000K	
technical	installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification	beam angle: 120°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5496**
- 4000K BLACK (BK) **AZ5497**




ALFA SAGA II TRACK MAGNETIC CORNER B 25W
3000K / 4000K LED integrated

voltage: 48 V	LED 25W 1850lm 3000K	LED
IP20	LED 25W 1850lm 4000K	
technical	installation place: Alfa Track Magnetic	<input type="checkbox"/>
specification	beam angle: 120°	<input checked="" type="checkbox"/>


COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5498**
- 4000K BLACK (BK) **AZ5499**



ALFA KIRA TRACK MAGNETIC

Track Magnetic System – ALFA



ALFA KIRA TRACK MAGNETIC 12W

3000K/4000K

LED integrated

voltage: 48V

LED 12W 750lm 3000K



IP20

LED 12W 800lm 4000k

technical

installation: ALFA Track Magnetic – 52 or 27



specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4596**
- 3000K BLACK (BK) **AZ4595**
- 4000K WHITE (WH) **AZ4598**
- 4000K BLACK (BK) **AZ4597**



ALFA KIRA TRACK MAGNETIC 24W

3000K/4000K

LED integrated

voltage: 48V

LED 24W 1300lm 3000K



IP20

LED 24W 1400lm 4000K

technical

installation: ALFA Track Magnetic – 52 or 27


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4600**
- 3000K BLACK (BK) **AZ4599**
- 4000K WHITE (WH) **AZ4602**
- 4000K BLACK (BK) **AZ4601**



ALFA KIRA II TRACK MAGNETIC

78 Track Magnetic System – ALFA





ALFA KIRA II TRACK MAGNETIC 6W
3000K / 4000K LED integrated

voltage: 48V	LED 6W 640lm 3000K		LED
IP20	LED 6W 640lm 4000K		
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 50°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5469**
- 4000K BLACK (BK) **AZ5470**





ALFA KIRA II TRACK MAGNETIC 12W
3000K / 4000K LED integrated

voltage: 48V	LED 12W 1080lm 3000K		LED
IP20	LED 12W 1080lm 4000K		
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 50°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5471**
- 4000K BLACK (BK) **AZ5472**




ALFA KIRA II TRACK MAGNETIC 18W
3000K / 4000K LED integrated

voltage: 48V	LED 18W 2060lm 3000K		LED
IP20	LED 18W 2060lm 4000K		
technical specification	installation place: Alfa Track Magnetic	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 50°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5473**
- 4000K BLACK (BK) **AZ5474**



ALFA KIRA II TRACK MAGNETIC

Track Magnetic System - ALFA 79



ALFA KERRY TRACK MAGNETIC

80 Track Magnetic System – ALFA



BK

ALFA KERRY TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48 V

LED 7W 510lm 3000K

IP20

LED 7W 510lm 4000K



technical

installation place: Alfa Track Magnetic

specification


beam angle: 40°



COLOUR / NEW INDEX NO.


■ 3000K BLACK (BK) **AZ5500**

■ 4000K BLACK (BK) **AZ5501**



ALFA SARI TRACK MAGNETIC

Track Magnetic System – ALFA



ALFA SARI TRACK MAGNETIC 6W

3000K / 4000K

LED integrated

voltage: 48 V

LED 6W 250lm 3000K

IP20

LED 6W 250lm 4000K

technical

installation place: Alfa Track Magnetic





specification



beam angle: 100°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5487**
- 4000K BLACK (BK) **AZ5488**



ALFA SARI TRACK MAGNETIC 12W

3000K / 4000K

LED integrated

voltage: 48 V

LED 12W 470lm 3000K

IP20

LED 12W 470lm 4000K

technical

installation place: Alfa Track Magnetic




specification



beam angle: 100°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5489**
- 4000K BLACK (BK) **AZ5490**



ALFA CYRUS TRACK MAGNETIC

82 Track Magnetic System – ALFA




ALFA CYRUS TRACK MAGNETIC 6W
3000K / 4000K LED integrated

voltage: 48 V	LED 6W 620lm 3000K	
IP20	LED 6W 620lm 4000K	
technical specification	installation place: Alfa Track Magnetic <input type="checkbox"/>	
	beam angle: 28°	

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) **AZ5481**
- 3000K BLACK (BK) **AZ5482**




ALFA CYRUS TRACK MAGNETIC 12W
3000K / 4000K LED integrated

voltage: 48 V	LED 12W 1060lm 3000K	
IP20	LED 12W 1060lm 4000K	
technical specification	installation place: Alfa Track Magnetic <input type="checkbox"/>	
	beam angle: 28°	

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) **AZ5483**
- 3000K BLACK (BK) **AZ5484**




ALFA CYRUS TRACK MAGNETIC 18W
3000K / 4000K LED integrated

voltage: 48 V	LED 18W 1640lm 3000K	
IP20	LED 18W 1640lm 4000K	
technical specification	installation place: Alfa Track Magnetic <input type="checkbox"/>	
	beam angle: 28°	

COLOUR / NEW INDEX NO.

- 4000K BLACK (BK) **AZ5485**
- 3000K BLACK (BK) **AZ5486**



ALFA CYRUS TRACK MAGNETIC

Track Magnetic System - ALFA



ALFA NIKKI TRACK MAGNETIC

84 Track Magnetic System – ALFA




GO/BK

ALFA NIKKI TRACK MAGNETIC 3W 3000K
LED integrated

voltage: 48V	LED 3W 350lm 3000K		LED
IP20	installation: ALFA Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4589**
- GOLD / BLACK (GO/BK) **AZ4591**
- WHITE / BLACK (WH/BK) **AZ4590**




BK/BK

ALFA NIKKI 2 TRACK MAGNETIC 3W 3000K
LED integrated

voltage: 48V	LED 2x3W 350lm 3000K		LED
IP20	installation: ALFA Track Magnetic – 52 or 27		
technical specification	beam angle: 40°		

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4592**
- GOLD / BLACK (GO/BK) **AZ4594**
- WHITE / BLACK (WH/BK) **AZ4593**



ALFA NIKO TRACK MAGNETIC

Track Magnetic System – ALFA



WH/BK



GO/BK

ALFA NIKO TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V

LED 7W 550lm 3000K



IP20

LED 7W 600lm 4000K

technical

installation: ALFA Track Magnetic – 52 or 27



specification

beam angle: 30°



COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . **AZ4583**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4579**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4580**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4581**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



ALFA NIKO 2 TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V

LED 2x7W 550lm 3000K



IP20

LED 2x7W 600lm 4000K

technical

installation: ALFA Track Magnetic – 52 or 27


specification

beam angle: 30°



COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . **AZ4588**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4584**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4585**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4586**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4587**



ALFA ALDO TRACK MAGNETIC

86 Track Magnetic System – ALFA



BK

ALFA ALDO TRACK MAGNETIC 12W

3000K

LED integrated

voltage: 48V

LED 12W 900lm 3000K

IP20





technical specification

installation: ALFA Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4626**
- BLACK (BK) **AZ4625**



WH

BK

WH

BK



WH

ALDO TRACK MAGNETIC 12W

3000K/4000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20

LED 12W 1300lm 4000K

technical




specification

installation: ALFA Track Magnetic – 52 or 27


beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4622**
- 3000K BLACK (BK) **AZ4621**
- 4000K WHITE (WH) **AZ4624**
- 4000K BLACK (BK) **AZ4623**



ROTATION POSSIBLE WITH TRACK MAGNETIC27 ONLY



ALFA SKYE TRACK MAGNETIC PENDANT

Track Magnetic System – ALFA



WH



WH

BK

ALFA SKYE TRACK MAGNETIC PENDANT 12W 3000K LED integrated

voltage: 48V

LED 12W 1200lm 3000K

IP20

LED

technical

installation: ALFA Track Magnetic – 52 or 27


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4637**
- BLACK (BK) **AZ4636**



TILT 60°



ALFA ELIN TRACK MAGNETIC

88 Track Magnetic System – ALFA



ALFA ELIN TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V

LED 7W 850lm 3000K

LED

IP20

LED 7W 900lm 4000K

technical

installation: ALFA Track Magnetic – 52 or 27


specification

beam angle: 190°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4630**
- 3000K GOLD (GO) **AZ4632**
- 4000K BLACK (BK) **AZ4631**



ALFA ELSA TRACK MAGNETIC



GO *

ALFA ELSA TRACK MAGNETIC 7W

3000K/4000K

LED integrated

voltage: 48V

LED 7W 700lm 3000K

LED

IP20

LED 7W 750lm 4000K

technical

installation Track Magnetic – 52 or 27


specification

beam angle: 190°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4633**
- 3000K GOLD (GO) **AZ4635**
- 4000K BLACK (BK) **AZ4634**



GO

BK



ALFA MAYA TRACK MAGNETIC

90 Track Magnetic System – ALFA



ALFA MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 250lm 3000K

IP20

LED

technical

installation: ALFA Track Magnetic – 52 or 27


specification

beam angle: 190°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4629**



ALFA KORI TRACK MAGNETIC

Track Magnetic System – ALFA



GO *

ALFA KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V

LED 5W 500lm 3000K

LED

IP20



technical


installation ALFA Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4627**
- GOLD (GO) **AZ4628**




GO

BK




SYSTEM COMPONENTS NAMES FOR TRACK MAGNETIC SYSTEM - BETA



BETA
TRACK MAGNETIC

BETA


track Magnetic



- 94** ACCESORIES FOR BETA TRACK MAGNETIC
- 100** BETA MAKITA 230V TRACK MAGNETIC57
- 101** BETA SAGA 230V TRACK MAGNETIC57
- 102** BETA KIRA 230V TRACK MAGNETIC57
- 104** BETA KERRY 230V TRACK MAGNETIC57
- 105** BETA SANDERS 230V TRACK MAGNETIC57
- 106** BETA GARY 230V TRACK MAGNETIC57 GU10
- 107** BETA BACKER 230V TRACK MAGNETIC57 GU10
- 108** BETA OPTICA 230V TRACK MAGNETIC57
- 110** REMOTE CONTROL BLUETOOTH
- 112** BETA MAKITA 230V TRACK MAGNETIC57 CCT BLUETOOTH
- 114** BETA MAKITA 230V TRACK MAGNETIC57 RGB-CW CCT BLUETOOTH
- 115** BETA SAGA 230V TRACK MAGNETIC57 RGB-CW BLUETOOTH
- 116** BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH
- 118** BETA KIRA 230V TRACK MAGNETIC57 CCT BLUETOOTH
- 119** BETA KERRY 230V TRACK MAGNETIC57 CCT BLUETOOTH
- 120** BETA SANDERS 230V TRACK MAGNETIC57 CCT BLUETOOTH
- 121** BETA OPTICA 230V TRACK MAGNETIC57 CCT BLUETOOTH

BETA TRACK MAGNETIC57 230V

Components for BETA Track Magnetic





01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).


Example of the connection between track



BETA TRACK MAGNETIC57 230V (1M, 2M, 3M)

- BETA TRACK MAGNETIC57 230V 1M (BLACK) **AZ5139**
- BETA TRACK MAGNETIC57 230V 1M (WHITE) **AZ5140**
- BETA TRACK MAGNETIC57 230V 2M (BLACK) **AZ5241**
- BETA TRACK MAGNETIC57 230V 2M (WHITE) **AZ5242**
- BETA TRACK MAGNETIC57 230V 3M (BLACK) **AZ5143**
- TRACK MAGNETIC57 230V 3M (WHITE) **AZ5144**

DESIGN PATENTED BY AZZARDO





BETA TRACK MAGNETIC57 230V GIPS1 (1M, 2M, 3M)

- BETA TRACK MAGNETIC57 230V GIPS1 1M (BLACK) **AZ5145**
- BETA TRACK MAGNETIC57 230V GIPS1 1M (WHITE) **AZ5146**
- BETA TRACK MAGNETIC57 230V GIPS1 2M (BLACK) **AZ5147**
- BETA TRACK MAGNETIC57 230V GIPS1 2M (WHITE) **AZ5148**
- BETA TRACK MAGNETIC57 230V GIPS1 3M (BLACK) **AZ5149**
- BETA TRACK MAGNETIC57 230V GIPS1 3M (WHITE) **AZ5150**

DESIGN PATENTED BY AZZARDO


Available options for installation place – surface-mounted, flush-mounted and suspended



BETA TRACK MAGNETIC57 230V GIPS2
(1M, 2M, 3M)

- BETA TRACK MAGNETIC57 230V GIPS2 1M (BLACK) **AZ5170**
- BETA TRACK MAGNETIC57 230V GIPS2 2M (BLACK) **AZ5171**
- BETA TRACK MAGNETIC57 230V GIPS2 3M (BLACK) **AZ5172**

DESIGN PATENTED BY AZZARDO




BETA TRACK MAGNETIC57 230V
ELECTRICAL CONNECTOR

- BETA TRACK MAGNETIC57 230V CONNECTOR (BLACK) **AZ5154**


BETA TRACK MAGNETIC57 230V

Accessories for BETA Track Magnetic




BETA TRACK MAGNETIC57 230V CORNER90 A

- BETA TRACK MAGNETIC57 230V CORNER90 A (BLACK) **AZ5158**
- BETA TRACK MAGNETIC57 230V CORNER90 A (WHITE) **AZ5159**




BETA TRACK MAGNETIC57 230V CORNER90 B

- BETA TRACK MAGNETIC57 230V INNER CORNER90 B (BLACK) **AZ5160**
- BETA TRACK MAGNETIC57 230V INNER CORNER90 B (WHITE) **AZ5161**



BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1

- BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1 (BLACK) **AZ5164**
- BETA TRACK MAGNETIC57 230V CORNER90 B GIPS1 (WHITE) **AZ5165**




BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1

- BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1 (BLACK) **AZ5162**
- BETA TRACK MAGNETIC57 230V CORNER90 A GIPS1 (WHITE) **AZ5163**




**BETA TRACK MAGNETIC57 230V
CORNER90 B GIPS2**

■ BETA Track Magnetic57 230V Corner90 B Gips2 (black) **AZ5174**




**BETA TRACK MAGNETIC57 230V
CORNER90 A GIPS2**

■ BETA TRACK MAGNETIC57 230V CORNER90 A GIPS2 (BLACK) **AZ5173**



**BETA TRACK MAGNETIC57 230V
FLEX CONNECTOR ELECTRIC**

■ BETA TRACK MAGNETIC57 230V FLEX CONNECTOR ELECTRIC (BLACK) . . . **AZ5153**



**BETA TRACK MAGNETIC57 230V
STRAIGHT CONNECTOR ELECTRIC**

■ BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR ELECTRIC (BLACK) **AZ5152**

BETA TRACK MAGNETIC57 230V

Accessories for BETA Track Magnetic




BETA TRACK MAGNETIC57 230V STRAIGHT CONNECTOR MECHANICAL

- BETA TRACK MAGNETIC57 230V
STRAIGHT CONNECTOR MECHANICAL (BLACK) **AZ5151**




BETA TRACK MAGNETIC57 230V SUSPENSION KIT

- BETA TRACK MAGNETIC57 230V SUSPENSION KIT (BLACK) **AZ5155**



Ceiling Plate + Wire

- TRACK CEILING PLATE + WIRE (BLACK) **AZ4780**
- TRACK CEILING PLATE + WIRE (WHITE) **AZ4782**




BETA TRACK MAGNETIC57 230V END CAP

- BETA TRACK MAGNETIC57 230V END CAP (BLACK) **AZ5166**
- BETA TRACK MAGNETIC57 230V END CAP (WHITE) **AZ5167**


BETA TRACK MAGNETIC57 230V

Accessories for BETA Track Magnetic



BETA TRACK MAGNETIC57 230V COVER

- BETA TRACK MAGNETIC57 230V COVER (BLACK) **AZ5168**
- BETA TRACK MAGNETIC57 230V COVER (WHITE) **AZ5169**



BETA MAKITA 230V TRACK MAGNETIC57

100 Track Magnetic System – BETA





BK

BETA MAKITA 230V TRACK MAGNETIC 10W
3000K/4000K LED integrated

voltage: 230V	LED 10W 728lm 3000K dimmable	
IP20	LED 10W 816lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5199**
- 4000K BLACK (BK) **AZ5200**




BK

BETA MAKITA 230V TRACK MAGNETIC 20W
3000K/4000K LED integrated

voltage: 230V	LED 20W 1396lm 3000K dimmable	
IP20	LED 20W 1557lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5201**
- 4000K BLACK (BK) **AZ5202**



BETA SAGA 230V TRACK MAGNETIC57

Track Magnetic System - BETA



BK


BETA SAGA 230V TRACK MAGNETIC 9W

3000K/4000K LED integrated

voltage: 230V	LED 9W 495lm 3000K dimmable	LED
IP20	LED 9W 524lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5190** ↔
- 4000K BLACK (BK) **AZ5214** ↔



BK


BETA SAGA 230V TRACK MAGNETIC 18W

3000K/4000K LED integrated

voltage: 230V	LED 18W 603lm 3000K dimmable	LED
IP20	LED 18W 1097lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5191** ↔
- 4000K BLACK (BK) **AZ5215** ↔



BK

BETA SAGA 230V TRACK MAGNETIC 27W

3000K/4000K LED integrated

voltage: 230V	LED 27W 947lm 3000K dimmable	LED
IP20	LED 27W 1215lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5192** ↔
- 4000K BLACK (BK) **AZ5216** ↔



BETA KIRA 230V TRACK MAGNETIC57

102 Track Magnetic System – BETA







BETA KIRA 230V TRACK MAGNETIC 9W
3000K/4000K LED integrated

voltage: 230V	LED 9W 685lm 3000K dimmable	LED
IP20	LED 9W 726lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5187**
- 4000K BLACK (BK) **AZ5211**





BETA KIRA 230V TRACK MAGNETIC 18W
3000K/4000K LED integrated

voltage: 230V	LED 18W 1300lm 3000K dimmable	LED
IP20	LED 18W 1346lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5188**
- 4000K BLACK (BK) **AZ5212**




BETA KIRA 230V TRACK MAGNETIC 27W
3000K/4000K LED integrated

voltage: 230V	LED 27W 1357lm 3000K dimmable	LED
IP20	LED 27W 1416lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5189**
- 4000K BLACK (BK) **AZ5213**



BETA KERRY 230V TRACK MAGNETIC57

104 Track Magnetic System – BETA




BETA KERRY 230V TRACK MAGNETIC 10W 3000K

LED integrated

voltage: 230V	LED 10W 635lm 3000K	
IP20	installation: BETA Track Magnetic 230V	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK) **AZ5203**




BETA KERRY 230V TRACK MAGNETIC 10W 4000K

LED integrated

voltage: 230V	LED 10W 654lm 4000K	
IP20	installation: BETA Track Magnetic 230V	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

■ 4000K BLACK (BK) **AZ5204**



BETA SANDERS 230V TRACK MAGNETIC57

Track Magnetic System - BETA



BETA SANDERS 230V TRACK MAGNETIC 9W
3000K/4000K


LED integrated

voltage: 230V	LED 9W 666lm 3000K dimmable	LED
IP20	LED 9W 700lm 4000K dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input checked="" type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5193**
- 4000K BLACK (BK) **AZ5194**





BETA GARY 230V TRACK MAGNETIC57 GU10

106 Track Magnetic System – BETA





BETA GARY 230V TRACK MAGNETIC GU10

bulb not included

voltage: 230V	GU10 1x MAX 50W	
IP20	installation: BETA Track Magnetic 230V	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5207**
- WHITE (WH) **AZ5208**





BETA BECKER 230V TRACK MAGNETIC57 GU10

Track Magnetic System - BETA





BETA BECKER 230V TRACK MAGNETIC GU10

bulb not included

voltage: 230V	GU10 1x MAX 40W	
IP20		
	installation: BETA Track Magnetic 230V	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5465**
- WHITE (WH) **AZ5466**



BETA OPTICA 230V TRACK MAGNETIC57

108 Track Magnetic System – BETA





BETA OPTICA 230V TRACK MAGNETIC 7W 3000K/4000K LED integrated

voltage: 230V	LED 7W 336lm 3000K dimmable		
IP20	LED 7W 395lm 4000K dimmable		
technical specification	installation: BETA Track Magnetic 230V		
	beam angle: 15°-38°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5195**
- 4000K BLACK (BK) **AZ5196**




BETA OPTICA 230V TRACK MAGNETIC 10W 3000K/4000K LED integrated

voltage: 230V	LED 10W 805lm 3000K dimmable		
IP20	LED 10W 847lm 4000K dimmable		
technical specification	installation: BETA Track Magnetic 230V		
	beam angle: 15°-38°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5198**
- 4000K BLACK (BK) **AZ5197**



BETA OPTICA 230V TRACK MAGNETIC57


Track Magnetic System - BETA



REMOTE CONTROL BLUETOOTH

Remote Control 4-Group & RGB & Bluetooth Operating Schematic


AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group Operating Schematic


AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209




Switch Panel Remote Control 2-Group Bluetooth

SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) AZ5210

DOWNLOAD THE APP



STANDARD



AZ5210

AZ5209

AZ5265

AZ4857

BETA MAKITA 230V TRACK MAGNETIC57 CCT BLUETOOTH

112 Track Magnetic System – BETA



BK



BETA MAKITA 230V TRACK MAGNETIC 10W CCT BLUETOOTH LED integrated

voltage: 230V	LED 10W 1234lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5184**



BK



BETA MAKITA 230V TRACK MAGNETIC 20W CCT BLUETOOTH LED integrated

voltage: 230V	LED 20W 2388lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5185**



BETA MAKITA 230V TRACK MAGNETIC57 CCT BLUETOOTH

Track Magnetic System - BETA

113



BETA MAKITA 230V TRACK MAGN.57 RGB-CW CCT BLUETOOTH

114 Track Magnetic System – BETA



BK


BETA MAKITA 230V TRACK MAGNETIC 10W RGB-CW CCT BLUETOOTH

LED integrated

voltage: 230V	LED 10W 1234lm RGB-CW CCT	
IP20	3000K-6000K dimmable	
technical	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
specification	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5206**



TILT 90°

ROTATION 360°



BETA SAGA 230V TRACK MAGNETIC57 RGB-CW BLUETOOTH

Track Magnetic System - BETA



BETA SAGA 230V TRACK MAGNETIC 18W RGB-CW BLUETOOTH

LED integrated

voltage: 230V

LED 18W 1503lm 3000K-6000K



IP20

dimmable

technical

installation: BETA Track Magnetic 230V

specification

beam angle: 120°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5205**



BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH

116 Track Magnetic System – BETA



BETA SAGA 230V TRACK MAGNETIC 9W CCT BLUETOOTH LED integrated

voltage: 230V	LED 9W 1503lm CCT 3000K-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5178**
-




BETA SAGA 230V TRACK MAGNETIC 18W CCT BLUETOOTH LED integrated

voltage: 230V	LED 18W 1503lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5179**
-



BETA SAGA 230V TRACK MAGNETIC 27W CCT BLUETOOTH LED integrated

voltage: 230V	LED 27W 2695lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5180**
-

BETA SAGA 230V TRACK MAGNETIC57 CCT BLUETOOTH

Track Magnetic System - BETA

117



BETA KIRA 230V TRACK MAGNETIC57 CCT BLUETOOTH

118 Track Magnetic System – BETA



BK


BETA KIRA 230V TRACK MAGNETIC 9W CCT BLUETOOTH LED integrated

voltage: 230V	LED 9W 1033lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO. 2.5

■ BLACK (BK) **AZ5175** ◀ 1 ————— ▣

—————
22



BK


BETA KIRA 230V TRACK MAGNETIC 18W CCT BLUETOOTH LED integrated

voltage: 230V	LED 18W 1962lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO. 2.5

■ BLACK (BK) **AZ5176** ◀ 1 ————— ▣

—————
41



BK

BETA KIRA 230V TRACK MAGNETIC 27W CCT BLUETOOTH LED integrated

voltage: 230V	LED 27W 3420lm CCT 3000-6000K	LED
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO. 2.5

■ BLACK (BK) **AZ5177** ◀ 1 ————— ▣

—————
60



BETA KERRY 230V TRACK MAGNETIC57 CCT BLUETOOTH

Track Magnetic System - BETA



BK

BETA KERRY 230V TRACK MAGNETIC 10W CCT BLUETOOTH

LED integrated

voltage: 230V

LED 10W 1046lm CCT 3000-6000K

IP20

dimmable



technical specification




installation: BETA Track Magnetic 230V

beam angle: 24°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5186**



BETA SANDERS 230V TRACK MAGNETIC 57 CCT BLUETOOTH

120 Track Magnetic System – BETA



BK


BETA SANDERS 230V TRACK MAGNETIC 9W CCT BLUETOOTH

LED integrated

voltage: 230V	LED 9W 1010lm CCT 3000-6000K	
IP20	dimmable	
technical specification	installation: BETA Track Magnetic 230V	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ5181**



TILT 90°

ROTATION 350°

BETA OPTICA 230V TRACK MAGNETIC57 CCT BLUETOOTH

Track Magnetic System - BETA



BK

BETA OPTICA 230V TRACK MAGNETIC 7W CCT BLUETOOTH

LED integrated

voltage: 230V

LED 7W 467lm CCT 3000-6000K



IP20

dimmable

technical


installation: BETA Track Magnetic 230V

specification

beam angle: 15°±38°



COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5182**


4



BK

BETA OPTICA 230V TRACK MAGNETIC 10W CCT BLUETOOTH

LED integrated

voltage: 230V

LED 10W 1143lm CCT 3000-6000K



IP20

dimmable

technical


installation: BETA Track Magnetic 230V

specification

beam angle: 15°±38°



COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5183**


5

TILT 90°

ROTATION 350°

TILT 90°

ROTATION 350°





SETS FOR TRACK MAGNETIC

SETS FOR


Track Magnetic



BETA TRACK MAGNETIC57 KIRA SET

124

Sets for Track Magnetic



BK (1,5 M - AZ5570)

BETA TRACK MAGNETIC57 230V

1,5M / 2M **KIRA** 3000K BK SET LED integrated


voltage: 230V	LED 2x 27W 1357lm 3000K	
IP20	installation: BETA Track Magnetic <input type="checkbox"/>	
technical specification		

COLOUR / NEW INDEX NO.

- 1,5M 3000K BLACK (BK) **AZ5570**
- 2M 3000K BLACK (BK) **AZ5572**

Set specification:

- AZ5570** =
1/2X AZ5143+2X AZ5189+2X AZ5166+1X AZ5154+1X AZ5168
- AZ5572** =
1X AZ5141+1X AZ5189+2X AZ5188+2X AZ5166+1X AZ5154+1X AZ5168





BETA TRACK MAGNETIC57 SAGA SET



126

Sets for Track Magnetic





BK (1,5 M - AZ5571)

BETA TRACK MAGNETIC57 230V

1,5M / 2M SAGA 3000K BK SET LED integrated

voltage: 230V		LED 2x 27W 603lm 3000K	
IP20		installation: BETA Track Magnetic	<input type="checkbox"/>
technical specification			

COLOUR / NEW INDEX NO.


- 1,5M 3000K BLACK (BK) **AZ5571**
- 2M 3000K BLACK (BK) **AZ5573**

Set specification:

AZ5571 =
1/2X AZ5143+2X AZ5192+2X AZ5166+1X AZ5154+1X AZ5168

AZ5573 =
1X AZ5141+1X AZ5192+2X AZ5191+2X AZ5166+1X AZ5154+1X AZ5168

NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC - GAMMA




GAMMA

TRACK MAGNETIC

GAMMA


Track magnetic




- 130** ACCESORIES FOR GAMMA TRACK MAGNETIC
- 134** GAMMA KIRA TRACK MAGNETIC
- 135** GAMMA NIKO TRACK MAGNETIC
- 136** GAMMA SANGRIA MILKY TRACK MAGNETIC
- 137** GAMMA SANGRIA POINT TRACK MAGNETIC
- 138** GAMMA SANGRIA UGR TRACK MAGNETIC
- 139** GAMMA SAGA TRACK MAGNETIC
- 140** GAMMA DANKA TRACK MAGNETIC
- 141** GAMMA DANIEL TRACK MAGNETIC
- 142** REMOTE CONTROL BLUETOOTH
- 144** GAMMA KIRA TRACK MAGNETIC CCT BLUETOOTH
- 145** GAMMA NIKO TRACK MAGNETIC CCT BLUETOOTH
- 146** GAMMA SANGRIA MILKY TRACK MAGNETIC CCT BLUETOOTH
- 147** GAMMA SANGRIA POINT TRACK MAGNETIC CCT BLUETOOTH
- 148** GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH
- 149** GAMMA SAGA TRACK MAGNETIC CCT BLUETOOTH
- 150** ADAPTERS FOR GAMMA TRACK MAGNETIC

GAMMA TRACK MAGNETIC

Components for GAMMA Track Magnetic




Example of the connection between track



GAMMA TRACK MAGNETIC (1m, 2m)

- GAMMA TRACK MAGNETIC 1M (BLACK) **AZ5312**
- GAMMA TRACK MAGNETIC 2M (BLACK) **AZ5313**

DESIGN PATENTED BY AZZARDO




GAMMA TRACK MAGNETIC DRIVER CONNECTOR

- GAMMA TRACK MAGNETIC DRIVER CONNECTOR (BLACK) **AZ5328**


TRACK MAGNETIC DRIVER MEANWELL 48V 100W / 200W / 350W

THIS DRIVER IS UNIVERSAL FOR SYSTEMS: ALFA, GAMMA, NEO



- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**
- DRIVER MEANWELL (350W) **AZ4866**



SERIES



Example of the connection between track



GAMMA TRACK MAGNETIC DRIVER INSIDE 100W, 200W

- GAMMA TRACK MAGNETIC DRIVER INSIDE 100W (BLACK) **AZ5330**
- GAMMA TRACK MAGNETIC DRIVER INSIDE 200W (BLACK) **AZ5332**



GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W

- GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W (BLACK) **AZ5578**
- GAMMA TRACK MAGNETIC DRIVER ROUNDED INSIDE 100W (BLACK) **AZ5579**

GAMMA TRACK MAGNETIC

Accessories for GAMMA Track Magnetic



GAMMA TRACK MAGNETIC ADAPTER SMALL

■ GAMMA TRACK MAGNETIC ADAPTER SMALL (BLACK)AZ5310


DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC ADAPTER BIG

■ GAMMA TRACK MAGNETIC ADAPTER BIG (BLACK)AZ5311

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC T CONNECTOR

■ GAMMA TRACK MAGNETIC T CONNECTOR (BLACK)AZ5316

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC X CONNECTOR

■ GAMMA TRACK MAGNETIC X CONNECTOR (BLACK)AZ5318

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC STRAIGHT CONNECTOR

■ GAMMA TRACK MAGNETIC STRAIGHT CONNECTOR (BLACK) **AZ5320**

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC INNER CORNER90

■ GAMMA TRACK MAGNETIC INNER CORNER90 (BLACK) **AZ5322**

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC L CONNECTOR

■ GAMMA TRACK MAGNETIC L CONNECTOR (BLACK) **AZ5324**

DESIGN PATENTED BY AZZARDO



GAMMA TRACK MAGNETIC ROUND CORNER90

■ GAMMA TRACK MAGNETIC ROUND CORNER90 (BLACK) **AZ5326**

DESIGN PATENTED BY AZZARDO

GAMMA KIRA TRACK MAGNETIC

134 Track Magnetic System – GAMMA





BK

GAMMA KIRA TRACK MAGNETIC 12W 3000K/4000K LED integrated

voltage: 48 V	LED 18W 1080 lm 3000K	
IP20	LED 18W 1140 lm 4000K	
technical	installation: GAMMA Track Magnetic	
specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5290**
- 4000K BLACK (BK) **AZ5291**




BK

GAMMA KIRA TRACK MAGNETIC 24W 3000K/4000K LED integrated

voltage: 48 V	LED 24W 1440 lm 3000K	
IP20	LED 24W 1500 lm 4000K	
technical	installation: GAMMA Track Magnetic	
specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5296**
- 4000K BLACK (BK) **AZ5297**




BK

GAMMA KIRA TRACK MAGNETIC 18W 3000K/4000K LED integrated

voltage: 48 V	LED 18W 1080 lm 3000K	
IP20	LED 18W 1140 lm 4000K	
technical	installation: GAMMA Track Magnetic	
specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5293**
- 4000K BLACK (BK) **AZ5294**



GAMMA NIKO TRACK MAGNETIC





BK

GAMMA NIKO TRACK MAGNETIC 7W		LED integrated
3000K/4000K		
voltage: 48 V	LED 7W 420 lm 3000K	LED
IP20	LED 7W 480 lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5284**
- 4000K BLACK (BK) **AZ5285**





BK

GAMMA NIKO TRACK MAGNETIC 12W		LED integrated
3000K/4000K		
voltage: 48 V	LED 12W 720 lm 3000K	LED
IP20	LED 12W 780 lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5287**
- 4000K BLACK (BK) **AZ5288**



GAMMA SANGRIA MILKY TRACK MAGNETIC

136 Track Magnetic System – GAMMA




BK

GAMMA SANGRIA MILKY TRACK MAGN. 6W 3000K/4000K LED integrated

voltage: 48 V	LED 6W 360lm 3000K	LED
IP20	LED 6W 420lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5266**
- 4000K BLACK (BK) **AZ5267**




BK

GAMMA SANGRIA MILKY TRACK MAGN. 12W 3000K/4000K LED integrated

voltage: 48 V	LED 12W 720lm 3000K	LED
IP20	LED 12W 720lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5269**
- 4000K BLACK (BK) **AZ5270**



GAMMA SANGRIA POINT TRACK MAGNETIC



GAMMA SANGRIA POINT TRACK MAGN. 6W		LED integrated
3000K/4000K		
voltage: 48 V	LED 6W 360lm 3000K	LED
IP20	LED 6W 420lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.		2.6
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ5272	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ5273	



GAMMA SANGRIA POINT TRACK MAGN. 12W		LED integrated
3000K/4000K		
voltage: 48 V	LED 12W 1345lm 3000K	LED
IP20	LED 12W 1345lm 4000K	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.		2.6
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ5275	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ5276	



GAMMA SANGRIA UGR TRACK MAGNETIC

138 Track Magnetic System – GAMMA




GAMMA SANGRIA UGR TRACK MAGN.

6W 3000K/4000K LED integrated

voltage: 48 V	LED 6W 360lm 3000K	LED
IP20	LED 6W 420lm 4000K	
technical	installation: GAMMA Track Magnetic	<input type="checkbox"/>
specification	beam angle: 60°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5278**
- 4000K BLACK (BK) **AZ5279**




GAMMA SANGRIA UGR TRACK MAGN.

12W 3000K/4000K LED integrated

voltage: 48 V	LED 12W 215lm 3000K	LED
IP20	LED 12W 215lm 4000K	
technical	installation: GAMMA Track Magnetic	<input type="checkbox"/>
specification	beam angle: 60°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5281**
- 4000K BLACK (BK) **AZ5282**



GAMMA SAGA TRACK MAGNETIC

Track Magnetic System – GAMMA



BK

GAMMA SAGA TRACK MAGNETIC 10W

3000K/4000K

LED integrated

voltage: 48V

LED 10W 600lm 3000K

IP20

LED 10W 660lm 4000K

technical

installation: GAMMA Track Magnetic


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5298**
- 4000K BLACK (BK) **AZ5299**



BK

GAMMA SAGA TRACK MAGNETIC 20W

3000K/4000K

LED integrated

voltage: 48V

LED 20W 1200lm 3000K

IP20

LED 20W 1260lm 4000K

technical

installation: GAMMA Track Magnetic



specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5301**
- 4000K BLACK (BK) **AZ5302**



BK

GAMMA SAGA TRACK MAGNETIC 30W

3000K/4000K

LED integrated

voltage: 48V

LED 30W 1800lm 3000K

IP20

LED 30W 1860lm 4000K

technical

installation: GAMMA Track Magnetic


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5304**
- 4000K BLACK (BK) **AZ5305**



GAMMA DANKA TRACK MAGNETIC

140 Track Magnetic System – GAMMA



BK

GAMMA DANKA TRACK MAGNETIC 8W

3000K/4000K

LED integrated

voltage: 48V

LED 8W 630lm 3000K

IP20

LED 8W 660lm 4000K

LED

technical

installation: GAMMA Track Magnetic


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ5306**
- 4000K BLACK (BK) **AZ5307**



GAMMA DANIEL TRACK MAGNETIC



BK

GAMMA DANIEL TRACK MAGNETIC 8W

3000K/4000K

LED integrated

voltage: 48V

LED 8W 440lm 3000K

LED

IP20

LED 8W 460lm 4000K

technical

installation: GAMMA Track Magnetic


specification

beam angle: 120°



COLOUR / NEW INDEX NO.


- 3000K BLACK (BK) **AZ5308**
- 4000K BLACK (BK) **AZ5309**



REMOTE CONTROL BLUETOOTH

Remote Control 4-Group & RGB & Bluetooth
Operating Schematic


AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group
Operating Schematic


AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209




Switch Panel Remote Control 2-Group Bluetooth

SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) AZ5210

DOWNLOAD THE APP



STANDARD



GAMMA KIRA TRACK MAGNETIC CCT BLUETOOTH

144 Track Magnetic System – GAMMA



GAMMA KIRA TRACK MAGNETIC 12W CCT BLUETOOTH LED integrated

voltage: 48V	LED 12W 880 lm CCT 2700-6000K	LED
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

<input checked="" type="checkbox"/> BLACK (BK)	AZ5292	2.5
		22



GAMMA KIRA TRACK MAGNETIC 18W CCT BLUETOOTH LED integrated

voltage: 48V	LED 12W 840 lm CCT 2700-6000K	LED
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

<input checked="" type="checkbox"/> BLACK (BK)	AZ5295	2.5
		32.8

GAMMA NIKO TRACK MAGNETIC CCT BLUETOOTH





GAMMA NIKO TRACK MAGNETIC 7W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 7W 480 lm CCT 2700-6000K	LED
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5286**





GAMMA NIKO TRACK MAGNETIC 12W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 12W 780lm CCT 2700-6000K	LED
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 24°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5289**



GAMMA SANGRIA MILKY TRACK MAGN. CCT BLUETOOTH

146 Track Magnetic System – GAMMA




GAMMA SANGRIA MILKY TRACK MAGN. 6W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 6W 370 lm CCT 2700-6000K		LED
IP20	dimmable		
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 100°		<input type="checkbox"/>

COLOUR / NEW INDEX NO. 2.6

■ BLACK (BK) **AZ5268** 2.6




GAMMA SANGRIA MILKY TRACK MAGN. 12W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 12W 720lm CCT 2700-6000K		LED
IP20	dimmable		
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 100°		<input type="checkbox"/>

COLOUR / NEW INDEX NO. 2.6

■ BLACK (BK) **AZ5271** 2.6



GAMMA SANGRIA POINT TRACK MAGN. CCT BLUETOOTH



BK

GAMMA SANGRIA POINT TRACK MAGN. 6W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 6W 555 lm CCT 2700-6000K

LED

IP20



dimmable

technical

installation: GAMMA Track Magnetic



specification


beam angle: 37°



COLOUR / NEW INDEX NO.

2.6

■ BLACK (BK) **AZ5274**



BK

GAMMA SANGRIA POINT TRACK MAGN. 12W CCT BLUETOOTH

LED integrated

voltage: 48 V

LED 12W 1345lm CCT 2700-6000K

LED

IP20



dimmable

technical

installation: GAMMA Track Magnetic



specification



beam angle: 37°



COLOUR / NEW INDEX NO.

2.6

■ BLACK (BK) **AZ5277**



22.2



GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH

148 Track Magnetic System – GAMMA




GAMMA SANGRIA UGR TRACK MAGN. 6W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 6W 75 lm CCT 2700-6000K	
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 60°	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5280**




GAMMA SANGRIA UGR TRACK MAGN. 12W
CCT BLUETOOTH LED integrated

voltage: 48 V	LED 12W 215 lm CCT 2700-6000K	
IP20	dimmable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 60°	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5283**



GAMMA SAGA TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System – GAMMA




GAMMA SAGA TRACK MAGNETIC 10W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 10W 1060lm CCT 2700-6000K	LED
IP20	dimnable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


 ■ BLACK (BK) **AZ5300**


GAMMA SAGA TRACK MAGNETIC 20W CCT BLUETOOTH

LED integrated

voltage: 48 V	LED 20W 1860lm CCT 2700-6000K	LED
IP20	dimnable	
technical specification	installation: GAMMA Track Magnetic	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

 ■ BLACK (BK) **AZ5303**


GAMMA SANGRIA UGR TRACK MAGNETIC CCT BLUETOOTH

150 Track Magnetic System - GAMMA

Adaptable



TILT IS POSSIBLE ONLY WITH ADAPTER TILT 90°



ers


ADAPTER BIG

TILT IS POSSIBLE ONLY WITH ADAPTER

TILT 90°



SYSTEM COMPONENTS NAMES FOR TRACK MAGNETIC SYSTEM - NEO




NEO

TRACK MAGNETIC

NEO


track Magnetic



- 154** COMPONENTS FOR NEO TRACK MAGNETIC
- 158** REMOTE CONTROL BLUETOOTH
- 160** NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH
- 162** NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH
- 164** NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH
- 166** NEO SERIE 160 TRACK MAGNETIC CCT BLUETOOTH
- 167** NEO SERIE 180 TRACK MAGNETIC CCT BLUETOOTH
- 168** NEO SERIE 200 TRACK MAGNETIC CCT BLUETOOTH
- 169** NEO SERIE 220 TRACK MAGNETIC CCT BLUETOOTH

NEO TRACK MAGNETIC

Components for NEO Track Magnetic



NEO TRACK MAGNETIC (30, 60, 120, 200)


- TRACK MAGNETIC NEO 0,3M (BLACK) **AZ5129**
- TRACK MAGNETIC NEO 0,6M (BLACK) **AZ5130**
- TRACK MAGNETIC NEO 1,2M (BLACK) **AZ5131**
- TRACK MAGNETIC NEO 2,0M (BLACK) **AZ5132**



NEO TRACK MAGNETIC DRIVER 100W / 200W


- TRACK MAGNETIC NEO DRIVER 100W (BLACK) **AZ5137**
- TRACK MAGNETIC NEO DRIVER 200W (BLACK) **AZ5138**

Available options for installation place (surface and pendant mounted)



**TRACK MAGNETIC DRIVER MEANWELL 48V
100W / 200W / 350W**
THIS DRIVER IS UNIVERSAL FOR SYSTEMS:
ALFA, GAMMA, NEO

- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**
- DRIVER MEANWELL (350W) **AZ4866**




NEO TRACK MAGNETIC CONNECTOR FOR DRIVER

- TRACK MAGNETIC NEO CONNECTOR FOR DRIVER (BLACK) **AZ5134**


NEO TRACK MAGNETIC

Accessories for NEO Track Magnetic




NEO TRACK MAGNETIC CON 1

■ TRACK MAGNETIC NEO CON 1 (BLACK)AZ5136



NEO TRACK MAGNETIC CON 2

■ NEO TRACK MAGNETIC CON 2 (BLACK)AZ5133



NEO TRACK MAGNETIC COVER USB-C 3X

■ TRACK MAGNETIC COVER USB-C 3X (BLACK)AZ5464





NEO TRACK MAGNETIC MICRO COVER 3X

■ TRACK MAGNETIC NEO MICRO COVER 3X (BLACK)AZ5456



NEO TRACK MAGNETIC MULTICON X


■ TRACK MAGNETIC NEO MULTICON X (BLACK)AZ5135



REMOTE CONTROL BLUETOOTH

Remote Control 4-Group & RGB & Bluetooth
Operating Schematic


AZ5265



*RGB CHANGE ONLY USED FOR RGB LAMPS
THE CCT LAMP CAN'T BE USE THIS BUTTON FUNCTION

Remote Control 3 Group
Operating Schematic


AZ4857



Switch Panel Remote Control 2-Group Bluetooth Bk

Operating Schematic

AZ5209




Switch Panel Remote Control 2-Group Bluetooth

SWITCH PANEL REMOTE CONTROL 2-GROUP BLUETOOTH (WH) AZ5210

DOWNLOAD THE APP



STANDARD



AZ5210

AZ5209

AZ5265

AZ4857

NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH

160 Track Magnetic System – NEO





NEO SERIE 100 6W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 6W 384lm CCT 3000K – 6400K		LED
IP20	>90 CRI dimmable		
technical	installation: NEO Track Magnetic		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5118**




NEO SERIE 100 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 768lm CCT 3000K – 6400K		LED
IP20	>90 CRI dimmable		
technical	installation: NEO Track Magnetic		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5119**




NEO SERIE 100 21W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 21W 1344lm CCT 3000K – 6400K		LED
IP20	>90 CRI dimmable		
technical	installation: NEO Track Magnetic		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5120**



NEO SERIE 100 TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - NEO



NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH

162 Track Magnetic System - NEO



NEO SERIE 120 TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - NEO



BK

NEO SERIE 120 8W CCT BLUETOOTH

LED integrated

voltage: 48V

LED 8W 326lm CCT 3000K - 6970K

IP20

>90 CRI dimmable

LED

technical

installation: NEO Track Magnetic


specification

beam angle: 33°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5121**



NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH

164 Track Magnetic System – NEO





NEO SERIE 140 9W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 9W 367lm CCT 3000K – 6700K		LED
IP20	>90 CRI dimmable		
technical specification	installation: NEO Track Magnetic		
	beam angle: 36°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5126**





NEO SERIE 140 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 717lm CCT 3000K – 6700K		LED
IP20	>90 CRI dimmable		
technical specification	installation: NEO Track Magnetic		
	beam angle: 35°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5122**




NEO SERIE 140 18W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 18W 1313lm CCT 3000K - 6700K		LED
IP20	>90 CRI dimmable		
technical specification	installation: NEO Track Magnetic		
	beam angle: 37°		

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5123**



NEO SERIE 140 TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - NEO

165



NEO SERIE 160 TRACK MAGNETIC CCT BLUETOOTH

166 Track Magnetic System – NEO



BK


NEO SERIE 160 12W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 12W 850lm CCT 3000K - 6880K	
IP20	>90 CRI dimmable	
technical	installation: NEO Track Magnetic	<input type="checkbox"/>
specification	beam angle: 36°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5124**



NEO SERIE 180 TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - NEO




NEO SERIE 180 6W CCT BLUETOOTH

LED integrated

voltage: 48V	LED 6W 397lm CCT 3000K - 5600K	LED
IP20	>90 CRI dimmable	
technical specification	installation: NEO Track Magnetic	<input type="checkbox"/>
	beam angle: 147°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5125**



NEO SERIE 200 TRACK MAGNETIC CCT BLUETOOTH

168 Track Magnetic System – NEO



BK



NEO SERIE 200 12W CCT BLUETOOTH

LED integrated

voltage: 48V		LED 12W 850lm CCT 3000K - 6600K		
IP20		>90 CRI dimmable		
technical specification		installation: NEO Track Magnetic		<input checked="" type="checkbox"/>
		beam angle: 41°		<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5127**



NEO SERIE 220 TRACK MAGNETIC CCT BLUETOOTH

Track Magnetic System - NEO



BK

NEO SERIE 220 9W CCT BLUETOOTH

LED integrated

voltage: 48V

LED 9W 310lm CCT 3000K - 6400K

IP20

>90 CRI dimmable

LED

technical

installation: NEO Track Magnetic


specification

beam angle: 106°



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5128**



AZzardo[®]

TECHNOLINE

www.azzardolighting.com




EXPOSED DOWNLIGHTS

EXPOSED

downlights

- 243 ALEX
- 242 ALIX
- 245 ALIX 230V
- 174 ARO IP54
- 205 BILL
- 194 BORIS
- 204 BOSTON
- 184 BRANT
- 185 BRANT IP44
- 186 BRANT SQUARE
- 187 BRANT SQUARE IP44
- 178 BROSS
- 180 BROSS ARM
- 278 COLLODI 48 CCT
- 282 CORTONA
- 182 COSTA
- 183 COSTA ARM
- 195 DARIO
- 224 DIADO
- 247 ECO ALEX 230V
- 246 ECO ALIX
- 244 ECO ALIX NEW 230V
- 175 EIGER IP54
- 188 ELOY
- 216 EREBUS ANGLE
- 216 EREBUS BASE
- 216 EREBUS PENDANT
- 216 EREBUS TUBE
- 218 EXO
- 274 FALCO 12
- 220 FLAVIO
- 222 GALENA
- 288 GALILEO 1 PENDANT
- 190 HUGO
- 190 HUGO R
- 248 JERRY 12V
- 249 JERRY 230V
- 276 JUNONA
- 207 LENS
- 209 LENS 2 SQUARE
- 208 LENS SQUARE
- 223 LEON
- 290 LINNEA PENDANT CCT SWITH



- 214 LINO
- 210 MAKALU
- 258 MALTA R
- 201 MANE 10W
- 202 MANE 20W / 30W
- 252 MATEO
- 250 MAX 12V / MAX 230V
- 176 MINI BROSS
- 177 MINI ELOY
- 196 MINI ROUND
- 197 MINI SQUARE
- 253 MOMO
- 228 MONA 12W
- 229 MONA 18W
- 264 MONZA II R TOP
- 268 MONZA II S
- 270 MONZA R CCT
- 263 MONZA R PENDANT
- 262 MONZA R TOP
- 266 MONZA S
- 272 MONZA S CCT
- 200 NANO
- 198 NEOS
- 236 NIKEA
- 199 NINO
- 232 OJOS
- 238 PAOLA 230V
- 275 PIENZA DIMM
- 280 QUADRO 50 CCT LED
- 235 RAFFAEL
- 192 REMO
- 192 REMO R
- 206 ROTONDO
- 212 SANTOS
- 226 SANTOS EXPOSED
- 213 SANTOS SQUARE
- 225 SCORPIO
- 227 SIENA
- 230 SKYE
- 231 SKYE PENDANT
- 281 SONA CCT
- 286 SOVANA PENDANT CCT
- 284 SOVANA TOP CCT
- 234 TORONTO
- 215 VASKO
- 221 VISION

ARO IP54

174 Exposed downlights




ARO IP54

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	GU10 x 1xMAX 35W
IP54	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ5240**
- CHROME (CH) **AZ1360**
- WHITE (WH) **AZ2559**
- BLACK (BK) **AZ2558**






EIGER IP54

bulb not included	
voltage: 230V	GU10 x 1xMAX 50W
IP54	instalation place

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ5239**
- BLACK (BK) **AZ4260**
- BLACK / GOLD (BK/GO) **AZ4261**
- WHITE (WH) **AZ4259**



RECOMMENDED FOR DROPPED CEILING



MINI BROSS

176 Exposed downlights




MINI BROSS

		bulb not included <input checked="" type="checkbox"/>
voltage: 230V	LED connect GU10 1x Max.50W	<input type="checkbox"/>
IP20		
installation place		<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1756**
- BLACK (BK) **AZ1710**
- WHITE (WH) **AZ1711**
- CHROME (CH) **AZ1757**





WH



MINI ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W	<input type="checkbox"/>
IP20		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1754**
- BLACK (BK) **AZ1712**
- WHITE (WH) **AZ1713**
- CHROME (CH) **AZ1755**



ALU

BK

WH



CH



BROSS

178 Exposed downlights





BK / GO

BROSS 1

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0780**
- BLACK / ALUMINIUM (BK/ALU) **AZ0779**
- WHITE (WH) **AZ0858**
- WHITE / ALUMINIUM (WH / ALU) **AZ0781**
- CHROME (CH) **AZ0857**
- WHITE / BLACK (WH/BK) **AZ1436**
- BLACK / BLACK (BK/BK) **AZ2135**
- BLACK / GOLD (BK/GO) **AZ2955**





BK / ALU

BROSS 2

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 2x Max.50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0783**
- BLACK / ALUMINIUM (BK/ALU) **AZ0782**
- WHITE (WH) **AZ0859**
- WHITE / ALUMINIUM (WH / ALU) **AZ0784**
- CHROME (CH) **AZ0941**
- WHITE / BLACK (WH/BK) **AZ1753**
- BLACK / BLACK (BK/BK) **AZ2136**
- BRIGHT GREY (BGR) **AZ1787**
- BLACK / GOLD (BK/GO) **AZ2956**





BROSS ARM

180

Exposed downlights




BROSS ARM


		bulb not included <input checked="" type="checkbox"/>
voltage: 230V	LED GU10 1xMax 35W	
IP20		
installation place		<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3498**
- BLACK (BK) **AZ3499**



AZZARDO PATENT EU




BROSS ARM 2


		bulb not included <input checked="" type="checkbox"/>
voltage: 230V	LED GU10 2xMax 35W	
IP20		
installation place		<input type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3502**
- BLACK (BK) **AZ3503**



AZZARDO PATENT EU





WH

BK

WH

BK

COSTA

182 Exposed downlights



WH



COSTA 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP20	LED 12W 1100lm 4000K		
technical specification	installation place <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 24°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ2856**
- 3000K BLACK (BK) **AZ2857**
- 4000K WHITE (WH) **AZ4554**
- 4000K BLACK (BK) **AZ4553**



WH

BK



BK / BK



COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K		
IP20			
technical specification	installation place <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 24°		
			inlet opening Ø 8,9cm

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**



WH

BK





BK / BK

COSTA ARM

LED integrated

voltage: 230V

LED 12W 1020lm 3000K

LED

IP20



technical

installation place


specification

beam angle: 24°

COLOUR / NEW INDEX NO.

WHITE/WHITE (WH/WH) **AZ2703**

BLACK/BLACK (BK/BK) **AZ2702**



WH / WH



BK / BK



BRANT

184

Exposed downlights



BK / CH



BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2819**
- WHITE (WH) **AZ2818**
- BLACK / CHROME (BK / CH) **AZ2929**



BK / CH

CH

WH



BK


BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2821**
- WHITE (WH) **AZ2820**
- BLACK / CHROME (BK / CH) **AZ2930**



BK / CH

WH

BK





CH


BRANT IP44

bulb not included

voltage: 230V	connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2691**
- WHITE (WH) **AZ2690**



CH

WH



CH

WH



CH-


BRANT 2 IP44

bulb not included

voltage: 230V	connect GU10 2x Max 50W	<input checked="" type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2817**
- WHITE (WH) **AZ2816**



BRANT SQUARE

186

Exposed downlights



BK


BRANT SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2824**
- BLACK (BK) **AZ2825**



TILT 20°



WH


BRANT 2 SQUARE

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2826**
- BLACK (BK) **AZ2827**



TILT 20°





BK


BRANT SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP44		<input type="checkbox"/>
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2822**
- BLACK (BK) **AZ2878**



WH


BRANT 2 SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W	<input checked="" type="checkbox"/>
IP44		<input type="checkbox"/>
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2823**
- BLACK (BK) **AZ2879**



ELOY






ELOY

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 1x Max.50W
IP20	
installation place <input type="checkbox"/>	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0991**
- BLACK / ALUMINIUM (BK / ALU) **AZ0930**
- WHITE (WH) **AZ0929**
- WHITE / ALUMINIUM (WH / ALU) **AZ0872**
- CHROME (CH) **AZ0873**
- BLACK / BLACK (BK / BK) **AZ2137**
- WHITE / BLACK (WH / BK) **AZ1439**





ELOY 2

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 2x Max.50W
IP20	
installation place <input type="checkbox"/>	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1352**
- BLACK / ALUMINIUM (BK / ALU) **AZ1355**
- WHITE (WH) **AZ1353**
- WHITE / ALUMINIUM (WH / ALU) **AZ1354**
- BLACK / BLACK (BK / BK) **AZ2138**





HUGO

190 Exposed downlights




BK + HUGO R ALU

HUGO

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 1x Max.50W <input type="checkbox"/>
IP20	
installation place <input type="checkbox"/>	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0828**
- BLACK (BK) **AZ0826**
- WHITE (WH) **AZ0827**




HUGO R

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 1x Max.50W <input type="checkbox"/>
IP20	
installation place <input type="checkbox"/>	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0829**
- BLACK (BK) **AZ0832**
- WHITE (WH) **AZ0830**
- GOLD (GO) **AZ0831**
- CHAMPAGNE (CHA) **AZ0833**
- CHROME (CH) **AZ0856**





REMO

192 Exposed downlights



ALU + REMO R ALU


REMO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0820**
- BLACK (BK) **AZ0818**
- WHITE (WH) **AZ0819**




REMO R

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**





BORIS

194

Exposed downlights



WH



ALU

BK



WH


BORIS

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1053**
- WHITE (WH) **AZ1054**
- BLACK (BK) **AZ1110**





ALU


DARIO

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1055**
- WHITE (WH) **AZ1056**
- BLACK (BK) **AZ1111**



ALU

BK



WH



MINI ROUND

196 Exposed downlights



CH


MINI ROUND

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1706**
- BLACK (BK) **AZ1781**
- CHROME (CH) **AZ1707**



WH

BK



CH



WH



MINI SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1381**
- BLACK (BK) **AZ1382**



WH

BK



NEOS

198 Exposed downlights




NEOS 1

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 1x Max.50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0708**
- BLACK / ALUMINIUM (BK / ALU). **AZ0607**
- WHITE / CHROME (WH / CH) **AZ0707**
- WHITE / ALUMINIUM (WH / ALU) **AZ0606**




NEOS 3

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	LED connect GU10 3x Max.50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0742**





WH / CH


NINO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0736**
- BLACK / ALUMINIUM (BK / ALU). **AZ1383**
- WHITE / CHROME (WH / CH) **AZ0735**
- WHITE / ALUMINIUM (WH / ALU) **AZ0598**



WH / CH


NINO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / ALUMINIUM (BK / ALU). **AZ1385**
- WHITE / CHROME (WH / CH) **AZ0737**
- WHITE / ALUMINIUM (WH / ALU) **AZ1386**



NANO

200 Exposed downlights



BK


NANO SQUARE

LED integrated

voltage: 230V	LED 5W 420lm 3000K		
IP20			
technical specification	installation place		
	beam angle: 26°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2786**
- BLACK (BK) **AZ2787**



WH

BK

WH

BK



WH


NANO ROUND

LED integrated

voltage: 230V	LED 5W 420lm 3000K		
IP20			
technical specification	installation place		
	beam angle: 26°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2784**
- BLACK (BK) **AZ2785**





BK

MANE 10W 3000K

LED integrated

voltage: 230V

LED 10W 800lm 3000K

LED

IP20



technical


installation place

specification

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2844**
- WHITE (WH) **AZ2845**
- GOLD (GO) **AZ2846**



GO

MANE 10W 4000K

LED integrated

voltage: 230V

LED 10W 830lm 4000K

LED

IP20



technical


installation place

specification

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4322**
- WHITE (WH) **AZ4324**
- GOLD (GO) **AZ4323**



MANE 20W

202 Exposed downlights



BK


MANE 20W

LED integrated

voltage: 230V	LED 20W 1600lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4153**
- WHITE (WH) **AZ4152**
- GOLD (GO) **AZ4154**



WH


MANE 20W DIMM

LED integrated

voltage: 230V	LED 20W DIMM 1600lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 23°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4325**
- WHITE (WH) **AZ4327**
- GOLD (GO) **AZ4326**





GO



WH


MANE 30W

LED integrated

voltage: 230V	LED 30W 2400lm 3000K	
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 23°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4156**
- WHITE (WH) **AZ4155**
- GOLD (GO) **AZ4157**




MANE 30W DIMM

LED integrated


voltage: 230V	LED 30W DIMM 2400lm 3000K	
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 23°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4328**
- WHITE (WH) **AZ4330**
- GOLD (GO) **AZ4329**



BK



GO



WH


BOSTON 10W TUBE

204 Exposed downlights





BOSTON 10W TUBE

LED integrated

voltage: 230V	LED 10W 685lm 3000K	LED
IP20		installation place <input type="checkbox"/>
technical specification		beam angle: 21° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3469**
- BLACK (BK) **AZ3468**





BILL 10W


LED integrated

voltage: 230V	LED 10W 850lm 4000K	
IP20		
technical	installation place	
specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3375**
- BLACK (BK) **AZ3376**



ROTONDO

206 Exposed downlights



WH



ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4207**
- BLACK (BK) **AZ4208**
- BRONZE (BZ) **AZ4209**



BK

WH



BZ







LENS ROUND

voltage: 230V	LED GU10 1xMax 35W	bulb not included
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3516**
- BLACK / BLACK (BK/BK) **AZ3517**
- BLACK / GOLD (BK/GO). **AZ3518**



LENS SQUARE

208 Exposed downlights



WH/WH


LENS SQUARE

bulb not included


voltage: 230V	LED GU10 1xMax 35W	<input type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3513**
- BLACK / BLACK (BK/BK) **AZ3514**
- BLACK / GOLD (BK/GO) **AZ3515**



DESIGN PATENTED BY AZZARDO





BK/GO


LENS 2 SQUARE

bulb not included

voltage: 230V	LED GU10 2xMax 35W	<input type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3519**
- BLACK / BLACK (BK/BK) **AZ3520**
- BLACK / GOLD (BK/GO) **AZ3521**



DESIGN PATENTED BY AZZARDO TILT 90° ROTATION 360°



WH/WH

BK/BK

BK/GO



MAKALU

210 Exposed downlights



BK



WH



MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4210**
- WHITE (WH) **AZ4211**





MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4212**
- WHITE (WH) **AZ4213**



BK



BK

WH

BK

WH

BK

WH



MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4214**
- WHITE (WH) **AZ4215**





SANTOS

212 Exposed downlights



BK



SANTOS 3000K

LED integrated

voltage: 230V	LED 12W 1135lm 3000K	LED
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 23,5°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

-  WHITE / GOLD (WH/GO) **AZ2417**
-  BLACK / GOLD (BK/GO) **AZ2416**
-  WHITE / WHITE (WH/WH) **AZ4182**
-  BLACK / BLACK (BK/BK) **AZ4181**



BK



SANTOS GU10

bulb not included

voltage: 230V	GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

-  BLACK / BLACK (BK/BK) **AZ4201**
-  WHITE / WHITE (WH/WH) **AZ4200**





WH

SANTOS SQUARE

LED integrated

voltage: 230V

LED 12W 825lm 3000K



IP20



technical



installation place

specification

beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3522**
- BLACK (BK) **AZ3523**



BK

WH



LINO

214 Exposed downlights



CH



CH



BK-CHROME



WH-MATT


LINO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1479**
- BLACK (BK) **AZ1477**
- CHROME (CH) **AZ1478**



TILT 45°

ROTATION 350°





CH


VASKO

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1491**
- BLACK (BK) **AZ1489**
- CHROME (CH) **AZ1490**



CH














BK-CHROME



WH-MATT



EREBUS

<p>Bases BASES TYPE</p>  <p>SIMPLE BASE</p>	<p>Tubes size 14 or 21</p>  <p>TUBE 14 / TUBE 21</p>	<p>Result BASE + TUBE</p>  <p>SIMPLE BASE + TUBE 14 / 21</p>
<p>□ ALUMINIUM (ALU) AZ3389</p>	<p>□ 14 WHITE (WH) AZ3383 ■ 14 BLACK (BK) AZ3384 ■ 14 GOLD (GO) AZ3385 □ 21 WHITE (WH) AZ3386 ■ 21 BLACK (BK) AZ3387 ■ 21 GOLD (GO) AZ3388</p>	<p>SIMPLE BASE (ALU) . . . AZ3389 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388</p>
 <p>BASE PENDANT</p>	 <p>TUBE 14 / TUBE 21</p>	 <p>PENDANT BASE + TUBE</p>
<p>□ WHITE (WH) AZ3392 ■ BLACK (BK) AZ3393</p>	<p>□ 14 WHITE (WH) AZ3383 ■ 14 BLACK (BK) AZ3384 ■ 14 GOLD (GO) AZ3385 □ 21 WHITE (WH) AZ3386 ■ 21 BLACK (BK) AZ3387 ■ 21 GOLD (GO) AZ3388</p>	<p>PENDANT BASE (WH) . . AZ3392 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 ----- PENDANT BASE (BK) . . AZ3393 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388</p>
 <p>BASE ANGLE</p>	 <p>TUBE 14 / TUBE 21</p>	 <p>ANGLE BASE + TUBE</p>
<p>□ WHITE (WH) AZ3394 ■ BLACK (BK) AZ3395</p>	<p>□ 14 WHITE (WH) AZ3383 ■ 14 BLACK (BK) AZ3384 ■ 14 GOLD (GO) AZ3385 □ 21 WHITE (WH) AZ3386 ■ 21 BLACK (BK) AZ3387 ■ 21 GOLD (GO) AZ3388</p>	<p>ANGLE BASE (WH) AZ3394 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 ----- ANGLE BASE (BK) AZ3395 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388</p>
 <p>TRACK</p>	 <p>TUBE 14 / TUBE 21</p>	 <p>TRACK + TUBE</p>
<p>□ WHITE (WH) AZ3390 ■ BLACK (BK) AZ3391</p>	<p>□ 14 WHITE (WH) AZ3383 ■ 14 BLACK (BK) AZ3384 ■ 14 GOLD (GO) AZ3385 □ 21 WHITE (WH) AZ3386 ■ 21 BLACK (BK) AZ3387 ■ 21 GOLD (GO) AZ3388</p> 	<p>TRACK (WH) AZ3390 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388 ----- TRACK (BK) AZ3391 + TUBE 14 (WH) AZ3383 + TUBE 14 (BK) AZ3384 + TUBE 14 (GO) AZ3385 + TUBE 21 (WH) AZ3386 + TUBE 21 (BK) AZ3387 + TUBE 21 (GO) AZ3388</p>



EXO

218 Exposed downlights



WH


EXO 1

bulb not included

voltage: 230V	LED connect GU10 1x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3193**
- WHITE (WH) **AZ3194**



BK


EXO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3195**
- WHITE (WH) **AZ3196**







EXO 3

bulb not included

voltage: 230V	LED connect GU10 3x Max 35W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/> <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3197**
- WHITE (WH) **AZ3198**



FLAVIO

220

Exposed downlights



WH / BK


FLAVIO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0791**



TILT 90°



WH / BK


FLAVIO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ0792**



TILT 90°






VISION

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W	
IP20	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ1745**



TILT 45°



GALENA

222 Exposed downlights



WH-MATT *



WH-MATT



GALENA



LED integrated

voltage: 230V	LED 11W 3000K RA>80	LED
IP20	1000 lm	
technical	installation place	<input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 112°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

MATT WHITE (WH) **AZ1457**





WH

LEON 5



LED integrated

voltage: 230V	LED 12W 910lm 3000K	LED
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 24,5°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3488**
- BLACK (BK) **AZ3489**




WH

BK



DIADO

224 Exposed downlights



DIADO



LED integrated

voltage: 230V	LED 5W 3000K RA>80	LED
IP20	407 lm	
technical	installation place	<input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 18°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1453**





BK



CH



WH



BK

SCORPIO

LED integrated

voltage: 230V

LED 10W 3000K RA>80

LED

IP20

980 lm

technical

installation place



specification

beam angle: 45°



COLOUR / NEW INDEX NO.


- CHROME (CH) **AZ1452**
- WHITE (WH) **AZ1618**
- BLACK CHROME (BCH) **AZ2952**



SANTOS EXPOSED

226

Exposed downlights



SANTOS EXPOSED ROUND

LED integrated

voltage: 230V

LED 12W 645lm 3000K

LED

IP20



technical


installation place

specification

beam angle: 23°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3508**
- BLACK (BK) **AZ3509**



TILT 90°

ROTATION 350°






SIENA 10W 3000K/4000K		LED integrated
voltage: 230V	LED 10W 3000K RA \geq 90 840lm	LED
IP20	LED 10W 4000K RA \geq 90 880lm	
technical	installation place <input type="checkbox"/>	
specification	beam angle: 17°	

SIENA 20W 3000K/4000K		LED integrated
voltage: 230V	LED 20W 3000K RA \geq 90 1680lm	LED
IP20	LED 20W 4000K RA \geq 90 1760lm	
technical	installation place <input type="checkbox"/>	
specification	beam angle: 32°	


COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2214**
- 4000K CHROME (CH) **AZ2215**



COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2220**
- 4000K CHROME (CH) **AZ2221**



MONA 12W

228

Exposed downlights





MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000/4000K	LED
IP20		
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4538**
- 3000K BLACK (BK) **AZ4537**
- 4000K WHITE (WH) **AZ4540**
- 4000K BLACK (BK) **AZ4539**





MONA 18W 3000K

LED integrated

voltage: 230V

LED 18W 1500lm 3000K



IP20



technical



installation place

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4546**
- 3000K BLACK (BK) **AZ4545**



SKYE

230 Exposed downlights



BK



WH

BK

SKYE 3000K

LED integrated

voltage: 230V	LED 12W 950lm 3000K	LED
IP20		
technical	installation place	
specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4517**
- BLACK (BK) **AZ4518**



Ø 11

TILT 40°

ROTATION 360°





BK

SKYE PENDANT 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



LED

technical



installation place

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4522**
- BLACK (BK) **AZ4521**



WH

BK



OJOS

232 Exposed downlights





OJOS 1

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4196**
- BLACK (BK) **AZ4197**





OJOS 2

LED integrated

voltage: 230V	LED 2x9W 700lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4198**
- BLACK (BK) **AZ4199**





TORONTO

234 Exposed downlights



BK


TORONTO 1 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K	
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 21°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH)AZ4070
- BLACK (BK)AZ4064



TILT 90° ROTATION 360°



WH


TORONTO 2 3000K

LED integrated

voltage: 230V	LED 2x10W 700lm 3000K	
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 21°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH)AZ4072
- BLACK (BK)AZ4065



TILT 90° ROTATION 350°



WH



BK



WH

BK





CH


RAFFAEL

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1624**
- WHITE (WH) **AZ1623**
- GOLD (GO) **AZ1625**
- BRUSHED COPPER (BCO) **AZ1626**
- BLACK (BK) **AZ3497**



NIKEA GU10

236 Exposed downlights





NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4430**
- WHITE (WH) **AZ4431**
- BLACK (BK) **AZ4432**





NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4433**
- WHITE (WH) **AZ4434**
- BLACK (BK) **AZ4435**





WH / BK



WH

WH

BK

BK

WH / BK

WH / BK



NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4436**
- WHITE (WH) **AZ4437**
- BLACK (BK) **AZ4438**



BK / BK



NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4439**
- WHITE (WH) **AZ4440**
- BLACK (BK) **AZ4441**



PAOLA 230V

238 Exposed downlights




PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or ADAP111 + GU10 Max 50W	
IP20		
installation place		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4128**
- BLACK (BK) **AZ4130**





PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or ADAP111 + GU10 Max 50W	
IP20		
installation place		

COLOUR / NEW INDEX NO.







- WHITE (WH) **AZ4132**
- BLACK (BK) **AZ4134**















PAULO 230V BULBS GU10 SYSTEM

Exposed downlights

Paulo 230V	+	PAR-16	+	Bulb	=	Result		
LAMP BODY		ADAP111		GU10				
	+		+		=	LAMP BODY		
PAULO 1							+	
	+							PAR-16
PAULO 2								+
	+					BULB		
PAULO 3								
	+							
PAULO 4								
				Bulb GU10 7W dimmable	=	Paulo 230V GU10 7W dimmable		
				Bulb GU10 7W no dimmable	=	Paulo 230V GU10 7W no dimmable		

Paulo 230V	+	Bulb	=	Result	
LAMP BODY		ES111		LAMP BODY + BULB =	
	+				
PAULO 1			ES111 CH 12W dimmable 3000K	=	Paulo 230V ES111 12W dimmable 3000K
	+		ES111 CH 12W dimmable 4000K	=	Paulo 230V ES111 12W dimmable 4000K
PAULO 2			ES111 CH 12W no dimmable 3000K	=	Paulo 230V ES111 12W no dimmable 3000K
	+		ES111 CH 12W no dimmable 4000K	=	Paulo 230V ES111 12W no dimmable 4000K
PAULO 3			ES111 WH 15W dimmable 3000K	=	Paulo 230v ES111 15W dimmable 3000K
	+		ES111 WH 15W dimmable 4000K	=	Paulo 230V ES111 15W dimmable 4000K
PAULO 4			ES111 BK 15W dimmable 3000K	=	Paulo 230V ES111 15W dimmable 3000K
		ES111 BK 15W dimmable 4000K	=	Paulo 230V ES111 15W dimmable 4000K	

Paulo 12V	+		=	Result		
LAMP BODY				LAMP BODY + BULB =		
 <p>PAULO 1</p>	+					
 <p>PAULO 2</p>	+			<p>Bulb QR111 BK 17W no dimmable 3000K</p>	=	Paulo 12V QR111 BK 17W no dimmable 3000K
 <p>PAULO 3</p>	+			<p>Bulb QR111 BK 17W no dimmable 4000K</p>	=	Paulo 12V QR111 BK 17W no dimmable 4000K
 <p>PAULO 4</p>	+			<p>Bulb QR111 WH 17W no dimmable 3000K</p>	=	Paulo 12V QR111 WH 17W no dimmable 3000K
			<p>Bulb QR111 WH 17W no dimmable 4000K</p>	=	Paulo 12V QR111 WH 17W no dimmable 4000K	
			<p>Bulb QR111 CH 12W no dimmable 3000K</p>	=	Paulo 12V QR111 CH 17W no dimmable 3000K	
			<p>Bulb QR111 CH 12W no dimmable 4000K</p>	=	Paulo 12V QR111 CH 17W no dimmable 4000K	



ALIX

242 Exposed downlights





ALIX

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W <input checked="" type="checkbox"/>
IP20	dimer driver 12V – included
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1356**
- BLACK (BK) **AZ1357**






ALEX

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1359**
- BLACK (BK) **AZ1358**



ECO ALIX NEW 230V

244

Exposed downlights



BK


ECO ALIX NEW 230V

bulb not included

voltage: 230V	LED ES111 1x Max 35W	<input type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3492**
- BLACK (BK) **AZ3493**
- BLACK CHROME (BK) **AZ3494**
- CHROME (CH) **AZ3495**
- ANTIQUE GOLD (AG) **AZ3496**





WH



WH

BK


ALIX 230V

bulb not included

voltage: 230V	LED connect 1x ES111 MAX 50W
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3541**
- BLACK (BK) **AZ3540**



ECO ALIX

246 Exposed downlights




ECO ALIX V2.

bulb not included

voltage: 230V	ES111 1x Max. 16W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4320**
- BLACK (BK) **AZ4319**







BK


ECO ALEX V.2

bulb not included 

voltage: 230V	ES111 1 x MAX 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4318**
- BLACK (BK) **AZ4317**



WH

BK



JERRY 12V

248

Exposed downlights



CH



JERRY 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1364**
- BLACK (BK) **AZ1365**
- CHROME (CH) **AZ1752**



BK



JERRY 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1369**
- BLACK (BK) **AZ1368**
- CHROME (CH) **AZ1751**



WH

BK

CH

WH

BK

CH

WH

BK



BK



JERRY 3 12V

bulb not included

voltage: 12V	connect 3x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1723**
- BLACK (BK) **AZ1724**





WH



JERRY 1 230V

bulb not included  

voltage: 230V	connect 1x ES111 MAX 50W 
IP20	or ADAP111 + GU10 Max 40W 
	installation place  


COLOUR / NEW INDEX NO.





- WHITE (WH) **AZ1366**
- BLACK (BK) **AZ1367**



BK



JERRY 2 230V

bulb not included  

voltage: 230V	connect 2x ES111 MAX 50W 
IP20	or ADAP111 + GU10 Max 40W 
	installation place  

COLOUR / NEW INDEX NO.



- WHITE (WH) **AZ1371**
- BLACK (BK) **AZ1370**



WH



JERRY 3 230V

bulb not included  

voltage: 230V	connect 3x ES111 MAX 50W 
IP20	or ADAP111 + GU10 Max 40W 
	installation place  

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1885**
- BLACK (BK) **AZ1886**



WH

BK

WH + LED ES 111 BK

WH

BK

BK + 2 x LED ES 111 WH

WH

BK

MAX 12V / MAX 230V

250

Exposed downlights



WH/BK



WH/BK



MAX 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1372**





MAX 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1373**





MATEO

252 Exposed downlights



WH


MATEO S

LED integrated

voltage: 230V	LED 7W 3000K RA>80 520lm	
IP20		<input type="checkbox"/> installation place <input checked="" type="checkbox"/> beam angle: 110°
technical specification		

COLOUR / NEW INDEX NO.

MATT WHITE (WH) **AZ1455**



WH


MATEO M

LED integrated

voltage: 230V	LED 9W 3000K RA>80 710 lm	
IP20		<input type="checkbox"/> installation place <input checked="" type="checkbox"/> beam angle: 112°
technical specification		

COLOUR / NEW INDEX NO.

MATT WHITE (WH) **AZ1456**





BK



BK


MOMO 8 3000K

LED integrated

voltage: 230V	LED 6W 3000K RA≥90 500lm	LED
IP20		
technical specification	installation place <input type="checkbox"/>	
	beam angle: 88°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2278**
- BLACK (BK) **AZ2279**





MOMO 12 3000K

LED integrated

voltage: 230V	LED 12W 3000K RA≥90 1000lm	LED
IP20		
technical specification	installation place <input type="checkbox"/>	
	beam angle: 89°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2280**
- BLACK (BK) **AZ2281**



WH



WH

BK


MOMO 14 3000K

LED integrated

voltage: 230V	LED 18W 3000K RA≥90 1500lm	LED
IP20		
technical specification	installation place <input type="checkbox"/>	
	beam angle: 90°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2282**
- BLACK (BK) **AZ2283**



PANKA CCT SWITCH SENSOR

254

Exposed downlights



PANKA 18 CCT SWITCH SENSOR

LED integrated

voltage: 230V	LED 12W 780lm		LED
IP40	2800K/4000K/6000K		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5353**
- BLACK (BK) **AZ5354**

2,4



PANKA 23 CCT SWITCH SENSOR


LED integrated

voltage: 230V	LED 18W 1170lm		LED
IP40	2800K/4000K/6000K		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5355**
- BLACK (BK) **AZ5356**

2,4



PANKA 30 CCT SWITCH SENSOR


LED integrated

voltage: 230V	LED 24W 1560lm		LED
IP40	2800K/4000K/6000K		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5357**
- BLACK (BK) **AZ5358**

2,4






PANKA SQ 23 CCT SWITCH SENSOR

voltage: 230V	LED 18W 1170lm	LED integrated
IP40	2800K/4000K/6000K	LED
technical	Installation place:	<input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/> <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5359**
- BLACK (BK) **AZ5360**




PANKA SQ 30 CCT SWITCH SENSOR


voltage: 230V	LED 24W 1560lm	LED integrated
IP40	2800K/4000K/6000K	LED
technical	Installation place:	<input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/> <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5361**
- BLACK (BK) **AZ5362**



MINIATURE MICROWAVE MOTION SENSOR



The default operating distance of the sensor is up to 5m. Lighting time up to 60sec

PANKA CCT SWITCH DIMM

256 Exposed downlights



WH

PANKA 23 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 18W 1170lm		LED
IP40	2800K/4000K/6000K dimm		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5363**
- BLACK (BK) **AZ5364**



23



WH


PANKA 30 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 24W 1560lm		LED
IP40	2800K/4000K/6000K dimm		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5365**
- BLACK (BK) **AZ5366**



30



BK

PANKA 40 CCT SWITCH DIMM

LED integrated


voltage: 230V	LED 32W 2080lm		LED
IP40	2800K/4000K/6000K dimm		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5367**
- BLACK (BK) **AZ5368**



40



BK

PANKA 60 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 45W 2925lm		LED
IP40	2800K/4000K/6000K dimm		
technical	Installation place:	<input type="checkbox"/>	<input type="checkbox"/>
specification	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5369**
- BLACK (BK) **AZ5370**



60



PANKA SQ CCT SWITCH DIMM

Exposed downlights





PANKA SQ 30 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 24W 1560lm		2800K/4000K/6000K dimm	
IP40				
technical	Installation place:	<input type="checkbox"/> <input type="checkbox"/>		
specification	beam angle: 120°	<input type="checkbox"/> <input type="checkbox"/>		



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5371**
- BLACK (BK) **AZ5372**




PANKA SQ 45 CCT SWITCH DIMM

LED integrated

voltage: 230V	LED 45W 2925lm		2800K/4000K/6000K dimm	
IP40				
technical	Installation place:	<input type="checkbox"/> <input type="checkbox"/>		
specification	beam angle: 120°	<input type="checkbox"/> <input type="checkbox"/>		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5373**
- BLACK (BK) **AZ5374**



MALTA R

258

Exposed downlights




MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K		
IP20	LED 12W 1150lm 4000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4233**
- 3000K BLACK (BK) **AZ4235**
- 4000K WHITE (WH) **AZ4234**
- 4000K BLACK (BK) **AZ4236**



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V	LED 18W 1600lm 3000K		
IP20	LED 18W 1650lm 4000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4237**
- 3000K BLACK (BK) **AZ4239**
- 4000K WHITE (WH) **AZ4238**
- 4000K BLACK (BK) **AZ4240**





MALTA R 30 3000K / 4000K

LED integrated

voltage: 230V	LED 24W 2200lm 3000K		
IP20	LED 24W 2200lm 4000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4241**
- 3000K BLACK (BK) **AZ4243**
- 4000K WHITE (WH) **AZ4242**
- 4000K BLACK (BK) **AZ4244**





MALTA R

260 Exposed downlights




MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V	LED 32W 2700lm 3000K		
IP20	LED 32W 2750lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4245**
- 3000K BLACK (BK) **AZ4247**
- 4000K WHITE (WH) **AZ4246**
- 4000K BLACK (BK) **AZ4248**





MALTA R 50 3000K / 4000K

LED integrated

voltage: 230V	LED 42W 3200lm 3000K		
IP20	LED 42W 3400lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4249**
- 3000K BLACK (BK) **AZ4251**
- 4000K WHITE (WH) **AZ4250**
- 4000K BLACK (BK) **AZ4252**




MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V	LED 48W 4100lm 3000K		
IP20	LED 48W 4400lm 4000K		
technical specification	installation place		
	beam angle: 115°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4253**
- 3000K BLACK (BK) **AZ4255**
- 4000K WHITE (WH) **AZ4254**
- 4000K BLACK (BK) **AZ4256**





MONZA R TOP

262 Exposed downlights



MONZA R 8 3000K/ 4000K LED integrated

voltage: 230V	LED 5W 3000K RA≥90 420lm	
IP20	LED 5W 4000K RA≥90 590lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

<input type="checkbox"/> 3000K WHITE (WH)	AZ2253	
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ2255	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2252	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ2254	

5,5 | $\varnothing 8$



MONZA R 12 3000K/ 4000K LED integrated

voltage: 230V	LED 10W 3000K RA≥90 840lm	
IP20	LED 10W 4000K RA≥90 1020lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

<input type="checkbox"/> 3000K WHITE (WH)	AZ2257	
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ2259	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2256	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ2258	

5,5 | $\varnothing 11,5$



MONZA R 22 3000K/ 4000K LED integrated

voltage: 230V	LED 20W 3000K RA≥90 1680lm	
IP20	LED 20W 4000K RA≥90 1760lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

<input type="checkbox"/> 3000K WHITE (WH)	AZ2261	
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ2263	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2260	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ2262	

5,5 | $\varnothing 22$



MONZA R 40 3000K/ 4000K LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm	
IP20	LED 50W 4000K RA≥90 4400lm	
technical	installation place	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

<input type="checkbox"/> 3000K WHITE (WH)	AZ2265	
<input checked="" type="checkbox"/> 3000K BLACK (BK)	AZ2267	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2264	
<input checked="" type="checkbox"/> 4000K BLACK (BK)	AZ2266	

5,5 | $\varnothing 40$



MONZA R PENDANT 40

LED integrated

voltage: 230V

LED 50W 3000K RA≥90 4200lm

IP20



LED 50W 4000K RA≥90 4400lm

LED

technical


installation place

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ2277**
- 4000K WHITE (WH) **AZ2570**
- 4000K BLACK (BK) **AZ2496**



MONZA II R

264

Exposed downlights



BK


MONZA II R 17 3000K/ 4000K

LED integrated

voltage: 230V	LED 18W 1890lm 3000K		
IP20	LED 18W 1890lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ3790**
- 4000K WHITE (WH) **AZ3793**
- 4000K BLACK (BK) **AZ3792**



BK


MONZA II R 30 3000K/ 4000K

LED integrated

voltage: 230V	LED 36W 3500lm 3000K		
IP20	LED 36W 3500lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3795**
- 3000K BLACK (BK) **AZ3794**
- 4000K BLACK (BK) **AZ3796**



BK


MONZA II R 50 3000K/ 4000K

LED integrated

voltage: 230V	LED 74W 6120lm 3000K		
IP20	LED 74W 6120lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3675**
- 4000K WHITE (WH) **AZ3677**
- 4000K BLACK (BK) **AZ3676**





MONZA II R 60 3000K/ 4000K

LED integrated

voltage: 230V

LED 90W 7520lm 3000K

IP20

LED 90W 7520lm 4000K



technical

installation place


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3679**
- 3000K BLACK (BK) **AZ3678**
- 4000K WHITE (WH) **AZ3681**
- 4000K BLACK (BK) **AZ3680**



MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3453**
- BLACK (BK) **AZ3454**




** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



MONZA SQUARE

266 Exposed downlights



MONZA S 22 3000K/ 4000K LED integrated

voltage: 230V	LED 20W 3000K RA \geq 90 1680lm	
IP20	LED 20W 4000K RA \geq 90 1760lm	
technical specification	installation place <input type="checkbox"/>	
	beam angle: 120°	

MONZA S 40 V3000K/ 4000K LED integrated


voltage: 230V	LED 50W 3000K RA \geq 90 4200lm	
IP20	LED 50W 4000K RA \geq 90 4400lm	
technical specification	installation place <input type="checkbox"/>	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

<input type="checkbox"/> 3000K WHITE (WH)	AZ2269	
<input type="checkbox"/> 3000K BLACK (BK)	AZ2271	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2268	
<input type="checkbox"/> 4000K BLACK (BK)	AZ2270	

COLOUR / NEW INDEX NO.


<input type="checkbox"/> 3000K WHITE (WH)	AZ2273	
<input type="checkbox"/> 3000K BLACK (BK)	AZ2275	
<input type="checkbox"/> 4000K WHITE (WH)	AZ2272	
<input type="checkbox"/> 4000K BLACK (BK)	AZ2274	





MONZA II SQUARE

268 Exposed downlights




MONZA II S 17 3000K/ 4000K

LED integrated

voltage: 230V	LED 18W 1890lm 3000K		
IP20	LED 18W 1940lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ3682**
- 4000K WHITE (WH) **AZ3685**
- 4000K BLACK (BK) **AZ3684**




MONZA II S 30 3000K/ 4000K

LED integrated

voltage: 230V	LED 36W 3500lm 3000K		
IP20	LED 36W 3550lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3687**
- 3000K BLACK (BK) **AZ3686**




MONZA II S 40 3000K/ 4000K


LED integrated

voltage: 230V	LED 46W 4508lm 3000K		
IP20	LED 46W 4508lm 4000K		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3691**
- 3000K BLACK (BK) **AZ3690**





MONZA II S 50 3000K/ 4000K


LED integrated

voltage: 230V	LED 74W 6120lm 3000K	
IP20	LED 74W 6120lm 4000K	
technical	installation place	
specification	beam angle: 120°	



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ3695**
- 4000K WHITE (WH) **AZ3698**



MONZA R CCT + REMOTE CONTROLE

270 Exposed downlights



MONZA R 22 CCT + REMOTE CONTROL DIMM

LED integrated ⓘ

voltage: 230V	LED 20W 1400lm CCT DIMM	LED
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4758**
- WHITE (WH) **AZ4757**
- CHAMPAIGNE (CHA) **AZ4756**




MONZA R 30 CCT + REMOTE CONTROL DIMM

LED integrated ⓘ

voltage: 230V	LED 30W 2100lm CCT DIMM	LED
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4761**
- WHITE (WH) **AZ4760**
- CHAMPAIGNE (CHA) **AZ4759**




MONZA R 40 CCT + REMOTE CONTROL DIMM

LED integrated ⓘ

voltage: 230V	LED 50W 3500lm CCT DIMM	LED
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4764**
- WHITE (WH) **AZ4763**
- CHAMPAIGNE (CHA) **AZ4762**




MONZA R 50 CCT + REMOTE CONTROL DIMM

LED integrated ⓘ

voltage: 230V	LED 80W 5500lm CCT DIMM	LED
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4767**
- WHITE (WH) **AZ4766**
- CHAMPAIGNE (CHA) **AZ4765**





MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3453**
- BLACK (BK) **AZ3454**
- CHAMPAIGNE (CHA) **AZ4830**



Time of confirmation of settings from the remote control is 10s

** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM

MONZA S CCT + REMOTE CONTROLE

272 Exposed downlights




MONZA S 22 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 20W 1400lm CCT DIMM	LED
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4770**
- WHITE (WH) **AZ4769**
- CHAMPAIGNE (CHA) **AZ4768**




MONZA S 30 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 30W 2100lm CCT DIMM	LED
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4773**
- WHITE (WH) **AZ4772**
- CHAMPAIGNE (CHA) **AZ4771**





MONZA S 40 CCT + REMOTE CONTROL DIMM

LED integrated

voltage: 230V	LED 50W 3500lm CCT DIMM	LED
IP20		
technical specification	installation place	<input type="checkbox"/>
	beam angle: 110°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4776**
- WHITE (WH) **AZ4775**
- CHAMPAIGNE (CHA) **AZ4774**



Time of confirmation of settings from the remote control is 10s





FALCO 12 3000K/4000K

274 Exposed downlights



WH


FALCO 12 3000K

LED integrated

voltage: 230V	LED 12W 1020lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2780**
- BLACK (BK) **AZ2782**



BK


FALCO 12 4000K

LED integrated

voltage: 230V	LED 12W 1020lm 4000K	
IP20		
technical	installation place	
specification	beam angle: 114°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2781**
- BLACK (BK) **AZ2783**





WH


PIENZA DIMM 3000K

LED integrated

voltage: 230V	LED 24W 1800lm 3000K dimm	
IP20		
technical specification	installation place	
	beam angle: 107°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2719**
- GREY (GR) **AZ2721**



GR


PIENZA DIMM 4000K

LED integrated

voltage: 230V	LED 24W 1900lm 4000K dimm	
IP20		
technical specification	installation place	
	beam angle: 107°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2718**
- GREY (GR) **AZ2720**
- BLACK (BK) **AZ2722**



WH

GR

BK



JUNONA 3000K/4000K

276 Exposed downlights



CH


JUNONA 28 3000K/4000K

LED integrated

voltage: 230V	LED 10W 800lm 3000/4000K	
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 115°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) **AZ2746**
- CHROME (CH-3000K) **AZ2747**



CH


JUNONA 33 3000K/4000K

LED integrated

voltage: 230V	LED 18W 1250lm 3000/4000K	
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 115°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) **AZ2748**
- CHROME (CH-3000K) **AZ2749**



CH


JUNONA 38 3000K/4000K


LED integrated

voltage: 230V	LED 24W 1660lm 3000/4000K	
IP20		
technical	installation place	<input type="checkbox"/>
specification	beam angle: 115°	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- CHROME (CH-4000K) **AZ2750**
- CHROME (CH-3000K) **AZ2751**





COLLODI 48 CCT + REMOTE CONTROLE

278 Exposed downlights



GR



BE

GR


COLLODI 48 CCT + REMOTE CONTROLE

LED integrated

voltage: 230V	CCT LED 50W 3400lm	
IP20	2700 ÷ 6500K	
technical specification	installation place	<input checked="" type="checkbox"/>
	beam angle: 120°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BEIGE (BE) **AZ2716**
- GREY (GR) **AZ2717**





QUADRO 50 CCT + REMOTE CONTROLE

280 Exposed downlights



GO


QUADRO 50 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 60W 5600lm		LED
IP20	2700K-6500K dimm		
technical	installation place		
specification	beam angle: 111°		

COLOUR / NEW INDEX NO.

- SILVER (SL) **AZ2758**
- BLACK (BK) **AZ2759**
- GOLD (GO) **AZ2760**



SL

BK

GO





WH

SONA 47 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

LED 45W 3600lm

IP20

2700 ÷ 6500K dimm

LED

technical

installation place

specification

beam angle: 123°



COLOUR / NEW INDEX NO.

WHITE (WH). **AZ2761**



47



WH

SONA 55 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V

LED 45W 3600lm

IP20

2700 ÷ 6500K dimm

LED

technical

installation place


specification

beam angle: 120°





COLOUR / NEW INDEX NO.

WHITE (WH). **AZ2763**



55



CORTONA 3000K/4000K

282

Exposed downlights



BK


CORTONA 41 3000K

LED integrated

voltage: 230V	LED 24W 1840lm 3000K		
IP20	installation place		
technical	beam angle: 116°		
specification			

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2732**
- GREY (GR) **AZ2735**
- BLACK (BK) **AZ2737**



WH


CORTONA 41 4000K

LED integrated

voltage: 230V	LED 24W 1860lm 4000K		
IP20	installation place		
technical	beam angle: 116°		
specification			

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2730**
- GREY (GR) **AZ2733**
- BLACK (BK) **AZ2736**



GR


CORTONA 55 3000K

LED integrated

voltage: 230V	LED 50 3600lm 3000K		
IP20	installation place		
technical	beam angle: 114°		
specification			

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2741**
- GREY (GR) **AZ2743**
- BLACK (BK) **AZ2745**



BK


CORTONA 55 4000K

LED integrated

voltage: 230V	LED 50W 3620lm 4000K		
IP20	installation place		
technical	beam angle: 114°		
specification			

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2739**
- GREY (GR) **AZ2742**
- BLACK (BK) **AZ2744**





SOVANA TOP CCT + REMOTE CONTROLE

284 Exposed downlights



GR


SOVANA TOP 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm		LED
IP20	2700 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3433**
- GREY (GR) **AZ3435**
- BLACK (BK) **AZ3434**



WH


SOVANA TOP 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm		LED
IP20	3000 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2724**
- GREY (GR) **AZ2725**
- BLACK (BK) **AZ2726**



BK


SOVANA TOP 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm		LED
IP20	2700 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 130°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3445**
- GREY (GR) **AZ3447**
- BLACK (BK) **AZ3446**



WH

GR

BK





SOVANA PENDANT CCT + REMOTE CONTROLE

286 Exposed downlights



GR


SOVANA PENDANT 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm		LED
IP20	2700 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3436**
- GREY (GR) **AZ3438**
- BLACK (BK) **AZ3437**



BK


SOVANA PENDANT 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm		LED
IP20	2700 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2727**
- GREY (GR) **AZ2729**
- BLACK (BK) **AZ2728**



BK


SOVANA PENDANT 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm		LED
IP20	2700 ÷ 6500K dimm		
technical	installation place		
specification	beam angle: 130°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3448**
- GREY (GR) **AZ3450**
- BLACK (BK) **AZ3449**



WH

GR

BK



SOVANA PENDANT CCT + REMOTE CONTROLE

Exposed downlights

287



GALILEO 1 PENDANT

288 Exposed downlights




GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V	LED 15W 750lm 3000K	LED
IP20	technical specification	
technical specification	installation place	<input checked="" type="checkbox"/>
	adjustable beam angle: 12° ÷ 35°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4068**
- BLACK (BK) **AZ4069**



12° 35°
 ADJUSTABLE BEAM ANGLE





LINNEA PENDANT CCT SWITCH

290 Exposed downlights




LINNEA 112 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 48W 2700lm		LED
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4570**
- BLACK (BK) **AZ4569**





LINNEA 140 PENDANT CCT SWITCH

LED integrated

voltage: 230V	LED 54W 3100lm		LED
IP20	3000K/4000K/5500K		
technical specification	installation place		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4572**
- BLACK (BK) **AZ4571**



LINNEA PENDANT CCT SWITCH

Exposed downlights





EXCLUSIVE
DOWNLIGHTS

EXCLUSIVE

downlights



- 304 ADAMO DIAMOND
- 302 ADAMO MIDST
- 303 ADAMO RING
- 307 BIAGIO
- 301 CLETO
- 297 CLOE
- 310 ESTER ROUND
- 312 ESTER SQUARE
- 298 EVA
- 308 LORENZA
- 309 LORENZO
- 306 LUCIANO
- 316 MARIKA
- 296 MIRA
- 300 PIRAMIDE
- 294 SIMON
- 314 VEKTOR ROUND
- 315 VEKTOR SQUARE

SIMON

294 Exclusive downlights



WH-MATT


SIMON ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1473**
- CHROME (CH) **AZ1614**
- BLACK CHROME (BCH) **AZ1613**




WH-MATT

WH-MATT

BK-CHROME

BK-CHROME

CH



WH-MATT


SIMON SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletet opening Ø 6cm

COLOUR / NEW INDEX NO.


- WHITE MATT (WH) **AZ1474**
- BLACK CHROME (BCH) **AZ1615**





MIRA

296 Exclusive downlights



GO



CH


MIRA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>
	inletetet opening <input type="checkbox"/> Ø 7cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1464**
- CHROME (CH). **AZ1619**





CH


CLOE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inletetet opening	<input type="checkbox"/> Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1466**



EVA

298 Exclusive downlights




EVA ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1459**
- CHROME (CH) **AZ1458**




EVA SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1460**





PIRAMIDE

300 Exclusive downlights



CH


PIRAMIDE L

bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>
	inletetet opening <input type="checkbox"/> Ø 7,0 cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1463**



CH


PIRAMIDE XL


bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>
	inletetet opening <input type="checkbox"/> Ø 7,0 cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1612**






CLETO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input type="checkbox"/>
	inlettet opening	Ø 7,0 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1621**
- GOLD (GO) **AZ1622**



ADAMO MIDST

302 Exclusive downlights




ADAMO MIDST

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place <input type="checkbox"/>
	inlettet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1483**
- CHROME (CH) **AZ1481**
- BLACK CHROME (BCH) **AZ1480**
- BLACK MATT (BK) **AZ2562**
- GOLD (GO) **AZ1482**





BK-CHROME / BK-MATT / CH / GO / WH-MATT




ADAMO RING

	accessory for Adamo Midst and Adamo Diamond
IP20	
aluminium	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1487**
- CHROME (CH). **AZ1485**
- BLACK CHROME (BCH) **AZ1484**
- BLACK MATT (BK). **AZ2567**
- GOLD (GO) **AZ1486**



ADAMO DIAMOND

304 Exclusive downlights



CH


ADAMO MIDST DIAMOND CH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 7,5 cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2734**



BCH


ADAMO MIDST DIAMOND BCH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 7,5 cm

COLOUR / NEW INDEX NO.

BLACK CHROME (BCH) **AZ2731**



WH


ADAMO MIDST DIAMOND WH

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2738**



GO


ADAMO MIDST DIAMOND GO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 7,5cm

COLOUR / NEW INDEX NO.


GOLD (GO) **AZ2740**





LUCIANO

306 Exclusive downlights




LUCIANO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1471**
- WHITE (WH) **AZ1472**




LUCIANO ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inletetet opening Ø 7 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1470**
- WHITE (WH) **AZ1549**





CH


BIAGIO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place <input checked="" type="checkbox"/>
	inlettet opening  Ø 6,5cm

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ1493**
- CHROME (CH). **AZ1492**



GO



LORENZA

308 Exclusive downlights





LORENZA

voltage: 230V	connect GU10 1x Max 50W	bulb not includ <input checked="" type="checkbox"/>
IP20	installation place <input type="checkbox"/>	
	inletet opening <input checked="" type="checkbox"/>	Ø 7 cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1476**
- CHROME (CH) **AZ1475**
- BLACK (BK) **AZ4174**





BK

CH



WH



BK


LORENZO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 7 cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1496**
- CHROME (CH) **AZ1617**
- BLACK (BK) **AZ4173**



ESTER ROUND

310

Exclusive downlights



BK


ESTER ROUND 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1449**
- GOLD (GO) **AZ1450**
- BLACK (BK) **AZ4175**



CH

CH

GO

GO

BK

BK



BK


ESTER ROUND 2

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlettet opening Ø 6,5 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1451**
- GOLD (GO) **AZ2467**
- BLACK (BK) **AZ4176**





ESTER SQUARE

312 Exclusive downlights




ESTER SQUARE 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4410**
- GOLD (GO) **AZ4412**
- BLACK (BK) **AZ4411**




ESTER SQUARE 2

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8 cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4413**
- GOLD (GO) **AZ4415**
- BLACK (BK) **AZ4414**





VEKTOR ROUND

314 Exclusive downlights



CLEAR GLASS


VEKTOR ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlettetet opening	<input type="checkbox"/> Ø 6,5 cm

COLOUR / NEW INDEX NO.


CLEAR GLASS **AZ1494**






CLEAR GLASS



VEKTOR SQUARE

bulb not includ 

voltage: 230V	connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	 Ø 6,5 cm

COLOUR / NEW INDEX NO.

CLEAR GLASS **AZ1495**



MARIKA

316 Exclusive downlights



RG


MARIKA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	
IP20	installation place	<input checked="" type="checkbox"/>
	inlet opening	Ø 8 cm

COLOUR / NEW INDEX NO.

ROSE GOLD (RG) **AZ2208**








DOWNLIGHTS

DOWNlights




- 320** AIDA ROUND
- 321** AIDA SQUARE
- 339** BOSTON 10W ROUND
- 356** CARLO
- 362** CARO ROUND
- 363** CARO SQUARE
- 352** CESAR
- 340** COSTA SPOT
- 357** EDITTA
- 348** EMILIO IP54
- 373** ERIKA
- 349** EZIO IP54
- 332** FILL ROUND
- 333** FILL SQUARE
- 336** FRIDA
- 322** GALATA IP44
- 371** GELO
- 383** HERA GIPS ROUND
- 382** HERA GIPS SQUARE
- 355** HUGO 2 DOWNLIGHT
- 354** HUGO DOWNLIGHT
- 364** IBIZA
- 351** IKA IP65
- 369** ITAKA
- 358** IVO
- 359** IVO SQUARE
- 323** KASTORIA IP44
- 325** LAMIR 17 DIMM
- 324** LAMIR R IP44
- 341** LINA
- 330** LINDA
- 344** LINZ
- 343** LUNA 7W

- 342** LUNA 15W
- 368** MILET
- 366** MINORKA
- 334** MONA SPOT 12W
- 335** MONA SPOT 18W
- 372** NEMO
- 380** NOVA
- 381** NOVA GIPS
- 331** OKA
- 346** OSCAR IP44
- 350** PABLO IP54
- 360** PACO
- 361** PIO

- 365** REMI
- 353** REMO 1 DOWNLIGHT
- 370** SAVIO
- 374** SIRO
- 375** SISTO
- 328** SLIM ROUND
- 326** SLIM SQUARE
- 376** STAN
- 347** TITO IP54
- 338** TORONTO 15W SPOT
- 377** TORRES
- 345** UNA
- 378** VERDI

AIDA ROUND

320 Downlights



BK


AIDA ROUND 10W 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K	
IP20		
technical specification	installation place <input type="checkbox"/> inlet opening 9,2cm	
	beam angle: 100°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4218**
- BLACK (BK) **AZ4220**



WH



AIDA ROUND 16W 3000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K	
IP20		
technical specification	installation place <input type="checkbox"/> inlet opening 13cm	
	beam angle: 100°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4222**
- BLACK (BK) **AZ4224**





AIDA SQUARE 10W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K




IP20



technical specification




instalation place inlet opening 9,2x9,2cm

beam angle: 100°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4226**
- BLACK (BK) **AZ4227**



AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K



IP20





technical specification

instalation place inlet opening 13x13cm

beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4228**
- BLACK (BK) **AZ4229**



GALATA IP44

322 Downlights



GALATA R IP44 3000K / 4000K


LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP44	LED 9W 700lm 4000K	
technical	installation place <input type="checkbox"/>	inlet opening 6,3cm
specification	beam angle: 120°	



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4380**
- 3000K BLACK (BK) **AZ4379**
- 4000K WHITE (WH) **AZ4382**
- 4000K BLACK (BK) **AZ4381**





CH



CH



BK



GO

KASTORIA IP44

LED integrated

voltage: 230V

LED 7W 550lm 3000K

LED

IP44




technical specification

installation place inlet opening 4,5cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4391**
- BLACK (BK) **AZ4389**
- GOLD (GO) **AZ4390**



LAMIR R IP44

324 Downlights



LAMIR R 9 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K		LED
IP44	LED 9W 700lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening 6,8cm		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4384**
- 4000K WHITE (WH) **AZ4383**




LAMIR R 12 DIMM IP44 3000K / 4000K

LED integrated


voltage: 230V	LED 16W 1300lm 3000K		LED
IP44	LED 16W 1300lm 4000K		
technical specification	installation place <input type="checkbox"/> adjust. inlet: 7,5÷9,6cm		
	beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4385**
- 4000K WHITE (WH) **AZ4386**



Adjusting the position of the wings in relation to the diameter of the hole, the range of the size of the hole from (inlet opening)



Lamir R9 – no adjustable wings

Lamir R12 (adjustable the position of the wings) – 7,5÷9,6cm

Lamir R17 and S17 (adjustable the position of the wings) – 7,4÷15,1cm



LAMIR 17 DIMM IP44 + REMOTE CONTROL

Downlights **325**



WH

LAMIR S 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V

LED 22W DIMM 1800lm 3000K DIMM



IP44

LED 22W DIMM 1800lm 4000K DIMM


technical specification



installation place adjust.inlet: 7,4÷15,1cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4388**
- 4000K WHITE (WH) **AZ4393**



WH

LAMIR R 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V

LED 22W DIMM 1800lm 3000K



IP44

LED 22W DIMM 1800lm 4000K


technical specification




installation place adjust.inlet: 7,4÷15,1cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4387**
- 4000K WHITE (WH) **AZ4392**



Key function



SLIM SQUARE IP44

326 Downlights



WH



WH

BK


SLIM 9 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90	
IP44	installation place <input type="checkbox"/> inlet opening \varnothing 7,7cm beam angle: 120°	
technical specification		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2830**
- BLACK (BK) **AZ2833**



BK



WH

BK


SLIM 15 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90	
IP44	installation place <input type="checkbox"/> inlet opening \varnothing 12,5cm beam angle: 120°	
technical specification		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2837**
- BLACK (BK) **AZ2836**





SLIM ROUND IP44



328 Downlights



CH



BK



WH



CH



BK



WH





BK

SLIM 9 ROUND IP44 3000K

LED integrated

voltage: 230V

LED 6W 500lm 3000K RA>90



IP44



technical

installation place inlet opening Ø 7,4cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2861**
- BLACK (BK) **AZ2834**
- WHITE (WH) **AZ2831**



WH

SLIM 9 ROUND IP44 4000K

LED integrated

voltage: 230V

LED 6W 500lm 4000K RA>90



IP44



technical


installation place inlet opening Ø 7,4cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2862**
- BLACK (BK) **AZ2835**
- WHITE (WH) **AZ2832**



BK

SLIM 15 ROUND IP44 3000K

LED integrated

voltage: 230V

LED 12W 1000lm 3000K RA>90



IP44



technical


installation place inlet opening Ø 12,5cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2838**
- BLACK (BK) **AZ2840**
- WHITE (WH) **AZ2839**



CH

SLIM 15 ROUND IP44 4000K

LED integrated

voltage: 230V

LED 12W 1000lm 4000K RA>90



IP44



technical


installation place inlet opening Ø 12,5cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ2841**
- BLACK (BK) **AZ2843**
- WHITE (WH) **AZ2842**



LINDA

330 Downlights



CH*


LINDA 23 3000K

LED integrated

voltage: 230V	LED 18W 3000K RA>90 1500lm	
IP20	technical specification	
installation place <input type="checkbox"/> inlet opening	$\varnothing 21\text{cm}$	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2246**



CH*


LINDA 30 3000K/4000K

LED integrated

voltage: 230V	LED 24W 3000K RA>90 2010lm	
IP20	LED 24W 4000K RA>90 2100lm	
technical specification	technical specification	
installation place <input type="checkbox"/> inlet opening	$\varnothing 28\text{cm}$	
beam angle: 120°		

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) **AZ2250**
- 4000K CHROME (CH) **AZ2251**





WH

OKA AL 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical specification

LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


LED

installation place inlet opening Ø 3,5cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) **AZ2232**
- WHITE 4000K (WH) **AZ2233**
- BLACK 3000K (BK) **AZ4171**
- BLACK 4000K (BK) **AZ4172**



AC

OKA AC 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical specification

LED 3W 3000K RA>90 250lm

LED 3W 4000K RA>90 260lm


LED

installation place inlet opening Ø 3,6cm

beam angle: 66°

COLOUR / NEW INDEX NO.

- ACRYLIC 3000K (AC) **AZ2234**
- ACRYLIC 4000K (AC) **AZ2235**



ACR

BK



FILL ROUND

332 Downlights



BK

FILL R 5W 3000K / 4000K


LED integrated

voltage: 230V	LED 5W 425lm 3000K	LED
IP20	LED 5W 425lm 4000K	
technical specification	installation place inlet opening Ø 4cm	
	beam angle: 60°	

usb charger including


COLOUR / NEW INDEX NO.

- BLACK 3000K (BK) **AZ3381**
- BLACK 4000K (BK) **AZ3382**





BK



WH

BK

FILL S 5W 3000K / 4000K

LED integrated

voltage: 230V

LED 5W 425lm 3000K



IP20

LED 5W 425lm 4000K

technical

installation place inlet opening Ø 4cm


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) **AZ3377**
- BLACK 3000K (BK) **AZ3379**
- WHITE 4000K (WH) **AZ3378**
- BLACK 4000K (BK) **AZ3380**



MONA SPOT 12W

334 Downlights





MONA SPOT 12W 3000K / 4000K

voltage: 230V	LED 12W 800lm 3000K
IP20	LED 12W 1000lm 4000K
technical specification	installation place <input type="checkbox"/> inlet opening  Ø 7,5cm
	beam angle: 120° 



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4532**
- 3000K BLACK (BK) **AZ4531**
- 4000K WHITE (WH) **AZ4534**
- 4000K BLACK (BK) **AZ4533**






MONA SPOT 18W 3000K

voltage: 230V	LED 18W 1300lm 3000K
IP20	installation place <input type="checkbox"/> inlet opening Ø 9,5cm beam angle: 120°
technical specification	



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4536**
- 3000K BLACK (BK) **AZ4535**



FRIDA

336 Downlights



BK

FRIDA 7W 3000K / 4000K

LED integrated


voltage: 230V	LED 7W 500lm 3000K		
IP54	LED 7W 550lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening Ø 7-8cm	beam angle: 24°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4525**
- 3000K BLACK (BK) **AZ4523**
- 4000K WHITE (WH) **AZ4526**
- 4000K BLACK (BK) **AZ4524**



Ø 8,5



WH

FRIDA 12W 3000K / 4000K

LED integrated


voltage: 230V	LED 12W 1100lm 3000K		
IP54	LED 12W 1100lm 4000K		
technical specification	installation place <input type="checkbox"/> inlet opening Ø 7-8cm	beam angle: 24°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4529**
- 3000K BLACK (BK) **AZ4527**
- 4000K WHITE (WH) **AZ4530**
- 4000K BLACK (BK) **AZ4528**



Ø 10



BK

BK

WH

WH



TORONTO 15W SPOT

338 Downlights



TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

LED 15W 1020lm 3000K

LED

IP20



technical


installation place inlet opening Ø 16,2cm

specification

beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4071**
- BLACK (BK) **AZ4063**





WH

BOSTON 10W ROUND

LED integrated

voltage: 230V

LED 10W 685lm 3000K

LED

IP20



technical



installat. place sufit inlet opening Ø9,6cm

specification

beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3471**
- BLACK (BK) **AZ3470**



COSTA SPOT

340 Downlights



BK / BK



WH

BK

COSTA SPOT



LED integrated

voltage: 230V	LED 12W 1020lm 3000K	LED
IP20	installation place <input type="checkbox"/> inlet opening Ø 9cm	
technical specification	beam angle: 24°	



COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**





BK

LINA

LED integrated

voltage: 230V

LED 2W 170lm 3000K

IP20





LED

technical specification

installation place inlet opening Ø 4,6cm
beam angle: 19°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ2708**



LUNA 15W

342 Downlights



BK

LUNA 15W DIM



LED integrated

voltage: 230V	LED 15W 1270lm	
IP20	3000K RA>90 dimm	
technical specification	installation place <input type="checkbox"/> inlet opening Ø 8,5cm	
	beam angle: 22°	



COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ2828**
- BLACK / BLACK (BK / BK). **AZ2829**





WH / BK

LUNA 7W

LED integrated

voltage: 230V

LED 7W 595lm 3000K



IP20





technical specification

installation place inlet opening Ø 7cm
beam angle: 28°

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ3396**
- BLACK / BLACK (BK / BK) **AZ3397**



WH / BK

BK / BK



LINZ IP44

344 Downlights



ACR

LINZ IP44


LED integrated


voltage: 230V	LED 5W 420lm 3000/4000K	LED
IP44	installation place <input type="checkbox"/> inlet opening <input checked="" type="checkbox"/> \varnothing 5,8cm beam angle: 180°	
technical specification		



COLOUR / NEW INDEX NO.

- ACRYL (ACR) (3000K) **AZ2774**
- ACRYL (ACR) (4000K) **AZ2775**





CH

UNA IP44

LED integrated

voltage: 230V

LED 7W 590lm 3000/4000K

LED

IP44



technical


installation place inlet opening Ø 6,2cm

specification

beam angle: 180°

COLOUR / NEW INDEX NO.

- CHROME (CH) (3000K) **AZ2772**
- CHROME (CH) (4000K) **AZ2773**



OSCAR IP44

346 Downlights



BK



OSCAR IP44

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED <input type="checkbox"/>
IP44	installation place <input type="checkbox"/>
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1714**
- CHROME (CH) **AZ1715**
- BLACK (BK) **AZ2692**
- GOLD (GO) **AZ2800**






BK



WH






ALU



BK


TITO

bulb not includ 

voltage: 230V	connect GU10 1x 7W only LED 
IP54	installation place <input type="checkbox"/>
	inlet opening  Ø6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0814**
- WHITE (WH) **AZ0815**
- BLACK (BK) **AZ4139**



EMILIO IP54

348 Downlights



CH



EMILIO

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0810**
- BLACK (BK) **AZ0809**
- WHITE (WH) **AZ0871**
- CHROME (CH) **AZ0808**



BK

WH

ALU

CH






WH

EZIO

bulb not includ

voltage: 230V	connect GU10 1x 7W only LED <input type="checkbox"/>
IP54	
	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 5,7cm



ALU


BK

CH

WH

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0811**
- BLACK (BK) **AZ0812**
- WHITE (WH) **AZ0813**
- CHROME (CH) **AZ1051**




PABLO IP54

350 Downlights



ALU



WH



BK



ALU



PABLO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1015**
- WHITE (WH) **AZ0817**
- BLACK 4000K (BK) **AZ4140**






IKA SQUARE IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 50W <input checked="" type="checkbox"/>
IP65	installation place <input checked="" type="checkbox"/>
	inlet opening <input checked="" type="checkbox"/> Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2864**
- BLACK (BK) **AZ4230**
- DARK GREY (DGR) **AZ4231**




IKA ROUND IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 50W <input checked="" type="checkbox"/>
IP65	installation place <input checked="" type="checkbox"/>
	inlet opening <input checked="" type="checkbox"/> Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2865**
- BLACK (BK) **AZ3017**
- DARK GREY (DGR) **AZ4232**



CESAR

352 Downlights



CH



CH



CH


CESAR


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening 9x9cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ1152**






REMO 1 DOWNLIGHT

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect GU10 1x Max.50W <input checked="" type="checkbox"/>
IP20	installation place <input checked="" type="checkbox"/>
	inlet opening <input checked="" type="checkbox"/> Ø 10cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1729**
- BLACK (BK) **AZ1732**
- WHITE (WH) **AZ1731**
- CHROME (CH) **AZ1730**




REMO R

bulb not includ <input checked="" type="checkbox"/>	
voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight
IP20	installation place <input checked="" type="checkbox"/>
Aluminium	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



HUGO 1 DOWNLIGHT

354 Downlights



WH / BK


HUGO 1 DOWNLIGHT

bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input type="checkbox"/>
IP20	
	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> Ø 10,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1733**
- BLACK (BK) **AZ1736**
- WHITE (WH) **AZ1735**
- CHROME (CH) **AZ1734**




REMO R

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1 Downlight and Hugo 2 Downlight
IP20	
Aluminium	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**





WH / BK


HUGO 2 DOWNLIGHT

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	installation place
	inlet opening 10,5x22,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1737**
- BLACK (BK) **AZ1740**
- WHITE (WH) **AZ1739**
- CHROME (CH) **AZ1738**



CARLO

356 Downlights



BK


CARLO

bulb not includ

voltage: 230V	GU10 1x Max 50W
IP20	installation place <input checked="" type="checkbox"/>
	inlet opening Ø8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0804**
- WHITE (WH) **AZ0805**
- BLACK (BK) **AZ4141**



WH

ALU




BK







BK


EDITTA

bulb not includ 

voltage: 230V	GU10 1x Max 50W	
IP20	installation place <input type="checkbox"/>	
	inlet opening  Ø8cm	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0806**
- WHITE (WH) **AZ0807**
- BLACK (BK) **AZ4144**



WH

ALU



BK



IVO

358 Downlights



ALU


IVO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place <input type="checkbox"/>
	inlet opening Ø 6,4cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0758**
- BLACK (BK) **AZ1716**
- WHITE (WH) **AZ0759**
- CHROME (CH) **AZ1717**



WH

ALU

BK

CH





CH


IVO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 6,4cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1788**
- WHITE (WH) **AZ1825**



CH

WH



CH

WH



CH


IVO 2 SQUARE

bulb not includ

voltage: 230V	connect GU10 2x Max 50W	<input checked="" type="checkbox"/>
IP20		
	installation place	<input checked="" type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> 6,5x14,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1789**
- WHITE (WH) **AZ1826**



PACO

360 Downlights



BK


PACO 1

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 8x8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0795**
- BLACK (BK) **AZ0797**
- WHITE (WH) **AZ0796**



WH


PACO 2

bulb not includ

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0798**
- BLACK (BK) **AZ0800**
- WHITE (WH) **AZ0799**



ALU



PACO 3

bulb not includ

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x24cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0801**
- BLACK (BK) **AZ0803**
- WHITE (WH) **AZ0802**






PIO

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening 6,3x6,3cm	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0760**
- BLACK (BK) **AZ1278**
- CHROME (CH) **AZ1718**




PIO 2

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect GU10 2x Max 50W
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening 7x14,6cm	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1719**
- BLACK (BK) **AZ1720**
- CHROME (CH) **AZ1749**



CARO ROUND

362 Downlights




CARO R

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	GU10 x 1x MAX 50W
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening Ø7,8cm	

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ5424**
- ALUMINIUM (ALU) **AZ2432**
- BLACK (BK) **AZ2431**
- WHITE (WH) **AZ2430**



TILT 45°






CARO S

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	GU10 x 1x MAX 50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening Ø8cm	

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ5425**
- ALUMINIUM (ALU) **AZ2435**
- BLACK (BK) **AZ2434**
- WHITE (WH) **AZ2433**




CARO 2S

bulb not included <input checked="" type="checkbox"/>	
voltage: 230V	GU10 x 2x MAX 50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening 8x15,8cm	

COLOUR / NEW INDEX NO.

- GOLD (GO) **AZ5426**
- ALUMINIUM (ALU) **AZ2438**
- BLACK (BK) **AZ2437**
- WHITE (WH) **AZ2436**




CARO 3S

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect GU10 3x Max 50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening 8x23,5cm	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ2441**
- BLACK (BK) **AZ2440**
- WHITE (WH) **AZ2439**




CARO 4S

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect GU10 4x Max 50W <input checked="" type="checkbox"/>
IP20	
installation place <input checked="" type="checkbox"/>	
inlet opening 16x16cm	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2442**



IBIZA

364 Downlights



WH / BK



IBIZA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W
IP20	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1361**
- BLACK / GOLD (BK / GO) **AZ2804**
- WHITE / WHITE (WH / WH) **AZ2803**
- BLACK / BLACK (BK / BK) **AZ3532**



WH / BK

BK / GO

WH / WH

BK / BK





WH


REMI

bulb not includ

voltage: 230V	GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/> Ø 8,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1363**
- BLACK (BK) **AZ4143**



BK

WH




MINORKA

366 Downlights



BK / BK



WH / BK

BK / GO

WH / WH

BK / BK



MINORKA

bulb not includ

voltage: 230V	GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/> 9,5x9,5cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**



connecting element included





MILET

368 Downlights





MILET

bulb not includ

voltage: 230V	GU10 1x Max 50W	<input checked="" type="checkbox"/>
IP20		<input type="checkbox"/>
	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/> 7,2 x 7,2cm

- COLOUR / NEW INDEX NO.
- WHITE (WH) **AZ4075**
 - BLACK (BK) **AZ4076**





BK

ITAKA

bulb not includ

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	
	inlet opening	Ø 7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4073**
- BLACK (BK) **AZ4074**



BK

WH



SAVIO

370 Downlights



ACR


SAVIO ROUND

bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening Ø 5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2779**



ACR


SAVIO SQUARE

bulb not includ

voltage: 230V	connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening Ø 5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2778**







WH


GELO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W 
IP20	installation place <input type="checkbox"/>
	inlet opening  Ø 6,6cm

COLOUR / NEW INDEX NO.

WHITE FROST (WH) **AZ3539**



NEMO

372 Downlights



BK



WH

BK

CH

GO



NEMO

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	Ø 6,8cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3398**
- BLACK (BK) **AZ3399**
- CHROME (CH) **AZ3400**
- GOLD (GO) **AZ3401**





CH


ERIKA

bulb not includ

voltage: 230V	connect GU10 1x Max 50W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
	inlet opening	<input type="checkbox"/> Ø 5,4cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2777**



SIRO

374 Downlights



BK / BK




SIRO 1

bulb not includ

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0767**
- BLACK / ALUMINIUM (BK / ALU) **AZ0769**
- WHITE (WH) **AZ0768**
- BLACK / BLACK (BK / BK) **AZ2805**



BK / BK



SIRO 2

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 31x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0770**
- BLACK / ALUMINIUM (BK / ALU) **AZ0772**
- WHITE (WH) **AZ0771**
- BLACK / BLACK (BK / BK) **AZ2806**



ALU



SIRO 3

bulb not includ

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 48x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0773**







BK / ALU

SISTO 1

bulb not includ	
voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
installation place	
inlet opening 16X16cm	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0793**
- WHITE / BLACK (WH/BK) **AZ1446**
- BLACK / BLACK (BK/BK) **AZ2810**



WH / BK

WH / BK

ALU

ALU

BK / BK

BK / BK





BK / BK

SISTO 2

bulb not includ	
voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
installation place	
inlet opening 30,5x16cm	

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0794**
- WHITE / BLACK (WH/BK) **AZ1447**
- BLACK/BLACK (BK/BK) **AZ2809**



STAN

376 Downlights



ALU /ALU



STAN

bulb not includ

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening Ø 14,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0860**
- WHITE (WH) **AZ0861**
- BLACK / BLACK (BK / BK) **AZ2811**
- CHROME (CH) **AZ2957**






BK

TORRES GU10

voltage: 230V	connect GU10 1x Max 40W	
IP20		
	installation place	
	inlet opening	Ø 8,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2682**
- BLACK (BK) **AZ2683**





WH

TORRES ES111

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20		
	installation place	
	inlet opening	Ø 14,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2684**
- BLACK (BK) **AZ2685**



VERDI

378 Downlights



WH


VERDI

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 17x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3526**
- BLACK (BK) **AZ3527**



BK


VERDI 3

bulb not includ

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 45x17cm

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3531**



WH

BK



BK



NOVA

380 Downlights



BK / BK


NOVA 1

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2869**
- WHITE / WHITE (WH /WH) **AZ2870**
- WHITE / BLACK (WH /BK) **AZ2871**



BK / BK


NOVA 2

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30,5x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2875**
- WHITE / WHITE (WH /WH) **AZ2876**
- WHITE / BLACK (WH /BK) **AZ2877**



BK/BK

BK/BK

WH/WH

WH/WH

WH/BK

WH/BK



WH / WH



NOVA GIPS

bulb not includ

voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15,2x15,2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ2872**
- WHITE / WHITE (WH/WH) **AZ2873**



BK / BK


NOVA 2 GIPS

bulb not includ

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30.5x15.2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ2935**
- WHITE / WHITE (WH/WH) **AZ2934**



BK/BK

WH/WH

BK/BK

WH/WH



HERA GIPS SQUARE

382 Downlights



WH



HERA GIPS SQUARE S WH

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	instaion place
	inlet opening 10x10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3466**



WH


HERA GIPS SQUARE M WH

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 12x12cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3467**



glass diffuser only included with AZ3467



Recommended plasterboard profile: 12mm





WH


HERA GIPS ROUND M

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening 13cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3465**



WH


HERA GIPS ROUND S

bulb not includ

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3464**






INDOOR WALL LAMPS

INDOOR



wall lamps

- 408 ANCONA
- 415 ANGUS
- 412 ARCHO
- 402 AVON
- 392 BLAS
- 403 CLOVER
- 419 FARO
- 394 FELIX
- 398 GAMBINO
- 414 GINNO
- 393 LAMBDA
- 405 LATONA
- 399 LETICIA
- 400 LETICIA 2
- 401 LETICIA 2 LED
- 420 LUMI
- 421 LUMI FLEX
- 396 MARS
- 423 NOGAT
- 387 OZ
- 389 RAGGIO
- 416 RAMONA
- 406 RAUL
- 388 SANE
- 386 TAZ
- 410 TORCH
- 411 VEGA
- 390 VELIA ROUND
- 391 VELIA SQUARE
- 397 VENUS
- 418 VERA
- 422 VERONICA
- 407 VIDAL
- 404 VIGO



TAZ

386 Indoor wall lamps




TAZ

LED integrated

voltage: 230V	LED 1W 85lm 4000K	
IP20	installation place <input type="checkbox"/> inlet opening Ø 4,8cm	
technical specification	beam angle: 360°	



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3369**
- WHITE (WH) **AZ3370**
- SATIN NICKEL (SN) **AZ3371**



MOUNTING BOX INCLUDED





OZ

LED integrated

voltage: 230V

LED 1W 85lm 4000K



IP20




technical specification

installation place inlet opening Ø 4,8cm
beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3372**
- WHITE (WH) **AZ3373**
- SATIN NICKEL (SN) **AZ3374**



MOUNTING BOX INCLUDED

SANE

388 Indoor wall lamps




SANE Ø 40

LED integrated

voltage: 230V	LED 1W 85lm 3000K		
IP20	Transformer 230V – included		
technical specification	installation place <input type="checkbox"/> inlet opening Ø4,8cm		
	beam angle: 180°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2765**
- WHITE (WH) **AZ2766**
- NICKEL (NI) **AZ2767**



MOUNTING BOX INCLUDED




SANE Ø 60

LED integrated

voltage: 230V	LED 2W 170lm 3000K		
IP20	Transformer 230V – included		
technical specification	installation place <input type="checkbox"/> inlet opening Ø5cm		
	beam angle: 180°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2768**
- WHITE (WH) **AZ2769**
- ANTIQUE BRUSH (ANB) **AZ2770**
- NICKEL (NI) **AZ2771**



MOUNTING BOX INCLUDED





WH



WH



BK



SN

RAGGIO

LED integrated

voltage: 230V

LED 3W 240lm 3000K

IP54

Transformer 230V – included



technical

installation place inlet opening 8.8x4cm



specification

beam angle: 15°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2963**
- BLACK (BK) **AZ2964**
- SATIN NICKEL (SN) **AZ2965**



VELIA ROUND

390 Indoor wall lamps




VELIA ROUND 2


bulb not includ

voltage: 230V	GU10 2x Max 50W	<input checked="" type="checkbox"/>
IP20		<input type="checkbox"/>
	instalation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4398**
- BLACK (BK) **AZ4399**
- BRASS (BS) **AZ4397**






VELIA SQUARE 2

bulb not includ

voltage: 230V	GU10 2x Max 50W <input checked="" type="checkbox"/>
IP20	installation place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4403**
- BLACK (BK) **AZ4401**
- BRASS (BS) **AZ4402**



BLAS

392 Indoor wall lamps




BLAS

bulb not includ

voltage: 230V	connect G9 1x Max 40W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ3069**





LAMBDA

LED integrated

voltage: 230V

LED 10W 850lm 3000K

LED

IP20



technical

installation place




specification

beam angle: 90°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3346**
- WHITE (WH) **AZ3345**



FELIX LED

394 Indoor wall lamps






FELIX S

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x90°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2456**
- GOLD (GO) **AZ2425**




FELIX M

LED integrated

voltage: 230V	LED 6W 500lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x110°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2426**




FELIX L

LED integrated

voltage: 230V	LED 12W 1008lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 2x110°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2427**




MARS

396 Indoor wall lamps



BK / BK



ALU

WH

WH / GO

BK / GO

BK / BK


MARS

bulb not includ

voltage: 230V	connect G9 1x Max.40W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0895**
- WHITE (WH) **AZ0896**
- WHITE / GOLD (WH/GO) **AZ1090**
- BLACK / GOLD (BK/GO) **AZ1052**
- BLACK / BLACK (BK / BK) **AZ2931**






VENUS

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	connect G9 1x Max.40W <input checked="" type="checkbox"/>
IP20	instalaion place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0893**
- WHITE (WH) **AZ0894**




GAMBINO LED IP54

398 Indoor wall lamps




FOUR ADJUSTABLE LIGHT ANGLE



BGR


GAMBINO

LED integrated


voltage: 230V	LED 2x3W 480 lm 3000K	<input type="checkbox"/>
IP54		LED
technical specification	installation place	<input type="checkbox"/>
	beam angle: adjustable max 90°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0950**
- BRIGHT GREY (BGR) **AZ0958**
- DARK GREY (DGR) **AZ0957**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°




WH

BGR



DGR





BK / GO



WH

AGO

BK / GO

BK / BK


LETICIA

bulb not includ

voltage: 230V	connect G9 1x Max.40W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0951**
- ANODISED GOLD (AGO) **AZ0952**
- BLACK / GOLD (BK / GO) **AZ2814**
- BLACK / BLACK (BK / BK) **AZ2932**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA 2

400 Indoor wall lamps




LETICIA 2

bulb not includ

voltage: 230V	connect G9 1x Max.40W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1059**
- WHITE (WH) **AZ1058**
- BLACK / GOLD (BK / GO) **AZ2815**
- BLACK / BLACK (BK / BK) **AZ2933**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°





DGR



BK

DGR

WH

LETICIA 2 LED

LED integrated

voltage: 230V

LED 2x3W 3000K 420lm



IP54



technical


installation place

specification


beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

- DARK GRAY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**
- BLACK (BK) **AZ4469**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°



AVON LED

402 Indoor wall lamps



WH



BK

WH



GO

AVON


LED integrated

voltage: 230V	LED 5W 3000K 385lm	LED
IP20		
technical specification	installation place <input type="checkbox"/> <input type="checkbox"/>	
	beam angle: 90°	<input checked="" type="checkbox"/>



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2196**
- WHITE (WH) **AZ2195**
- GOLD (GO) **AZ2197**





BK


CLOVER SQUARE *

LED integrated

voltage: 230V	LED 12W 3000K 840lm	<input checked="" type="checkbox"/>
IP20		LED
technical specification	installation place	<input type="checkbox"/>
	beam angle: 360°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2198**
- WHITE (WH) **AZ2199**



WH


CLOVER OVAL

LED integrated

voltage: 230V	LED 12W 3000K 840lm	<input checked="" type="checkbox"/>
IP20		LED
technical specification	installation place	<input type="checkbox"/>
	beam angle: 360°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2997**
- WHITE (WH) **AZ2998**



** - OFFERED ONLY OUTSIDE OF THE EUROPEAN UNION

VIGO LED IP54

404 Indoor wall lamps



VIGO

LED integrated

voltage: 230V

LED 2x3W 420lm 3000K

IP54



LED

technical



installation place

specification

beam angle: 2x90°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ2203**





BK



BK

WH

LATONA

LED integrated

voltage: 230V

LED 10W 800lm 3000K

LED

IP20



technical



installation place

specification

beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2204**
- WHITE (WH) **AZ2205**



RAUL

406 Indoor wall lamps



CH


RAUL

bulb not includ

voltage: 230V	connect G9 2x Max.40W <input checked="" type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0892**
- WHITE (WH) **AZ0891**
- CHROME (CH) **AZ0868**



ALU



WH





VIDAL

bulb not includ

voltage: 230V	connect G9 1x Max.40W <input type="checkbox"/>
IP20	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0862**
- WHITE (WH) **AZ0863**



ANCONA LED IP54

408 Indoor wall lamps




ANCONA S IP54

LED integrated

voltage: 230V	LED 6W 445lm 3000K	LED
IP54		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2192**
- BLACK (BK) **AZ2191**




ANCONA M IP54

LED integrated

voltage: 230V	LED 9W 890lm 3000K	LED
IP54		
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2193**
- BLACK (BK) **AZ2194**





BK

ANCONA L IP54

LED integrated

voltage: 230V

LED 24W 1680lm 3000K

LED

IP54



technical


installation place

specification

beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2852**
- WHITE (WH) **AZ2853**



TORCH LED IP54

410 Indoor wall lamps




TORCH

LED integrated

voltage: 230V	LED 6W 420lm 3000K	LED
IP54		
technical specification	installation place	
	beam angle: 45°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2206**
- WHITE (WH) **AZ2207**





WH


VEGA

bulb not includ

voltage: 230V	connect G9 1x Max. 40W	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) **AZ1709**
- WHITE (WH) **AZ1708**
- CHROME (CH) **AZ1758**
- ANODISED GOLD (AGO) **AZ1746**



BK / GO

WH



CH

AGO



ARCHO

412 Indoor wall lamps




ARCHO A

bulb included	
voltage: 230V	connect G24-D2 1x Max.18W
IP20	
installation place	

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0199**




ARCHO 2A

bulb included	
voltage: 230V	connect G24-D2 1x Max.18W
IP20	
installation place	

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0326**





ARCHO 2B

bulb included	
voltage: 230V	connect PL-L 1x Max.36W
IP20	
installation place	

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0327**





ALU



ARCHO C

bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0201**



CH


ARCHO 2C

bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0328**



GINNO LED

414 Indoor wall lamps



ALU


GINNO 1

LED integrated

voltage: 230V	LED 2x 1W 160 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 2x45°	

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0764**



WH / ALU

GINNO 2


LED integrated

voltage: 230V	LED 4x 1W 320 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 4x45°	

COLOUR / NEW INDEX NO.

WHITE / ALUMINIUM (WH / ALU) . . . **AZ0762**

ALUMINIUM (ALU) **AZ0765**



WH / ALU


GINNO 3

LED integrated

voltage: 230V	LED 6x 1W 440 lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 6x45°	

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0766**




ALU

ALU



ALU





ANGUS LED SWITCH

LED integrated

voltage: 230V	LED 3W 250lm 3000K	
IP20		
technical	installation place	
specification	beam angle: 15°	


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2446**
- CHROME (CH) **AZ2445**



RAMONA LED SWITCH

416 Indoor wall lamps






RAMONA 1 LED SWITCH

LED integrated

voltage: 230V	LED 6W 3000K 500lm	
IP20		
technical	installation place	
specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) **AZ2566**
- SAND BLACK (BK) **AZ2565**





RAMONA 2 LED SWITCH

LED integrated

voltage: 230V	LED 2X 6W 3000K 500lm	
IP20		
technical	installation place	
specification	beam angle: 2x60°	

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) **AZ2564**





VERA LED SWITCH

418 Indoor wall lamps






VERA LED SWITCH


LED integrated

voltage: 230V	LED 6W+3W 510lm+255lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 110° + 10°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4417**
- BLACK (BK) **AZ3201**







FARO LED SWITCH

LED integrated

voltage: 230V	LED 6W 420lm	LED
IP20	+ LED 3W 250lm 3000K	
technical	installation place	<input type="checkbox"/>
specification	beam angle: 360°+10°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- SATIN NICKEL (NI) **AZ2552**
- CHROME (CH) **AZ2424**
- BLACK (BK) **AZ3204**




LUMI LED

420 Indoor wall lamps






LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K	LED
IP20		installation place <input type="checkbox"/> <input type="checkbox"/>
technical specification		adjustable beam angle: 19°÷70° <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4556**
- BLACK FINISH SHINING (BK) **AZ4555**





LUMI FLEX

LED integrated

voltage: 230V

LED 5W 500lm 3000K



IP20



technical

installation place

specification

adjustable beam angle: 19°-70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4562**
- BLACK FINISH SHINING (BK) **AZ4561**



39

19° 70°



ADJUSTABLE BEAM ANGLE

FLEXIBLE TILT

FLEXIBLE ROTATION



VERONICA LED SWITCH IP44

422 Indoor wall lamps




VERONICA LED IP44 SWITCH

LED integrated

voltage: 230V	LED 1x 3W 150 lm 3000K	LED
IP44	installation place	<input checked="" type="checkbox"/>
technical specification	beam angle: 15°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1547**
- BLACK (BK) **AZ1548**
- CHROME (CH) **AZ1546**





NOGAT LED SWITCH

LED integrated

voltage: 230V

LED 3W 250lm 3000K

LED

IP20



technical


installation place

specification

beam angle: 10°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2943**
- WHITE (WH) **AZ2944**



AZzardo[®]

OUTDOORLINE

www.azzardolighting.com




OUTDOOR LAMPS

OUTDOOR

lamps

- 482 AFI IP54
- 500 AGAPE IP54
- 484 ALF IP65
- 440 ALIX IP65
- 437 APULIA IP54
- 464 ARBAX IP54
- 465 ARIDA IP54
- 508 BOOMBOX IP44
- 462 CASOLA IP54
- 480 CASORIA IP54
- 435 CASPER SQUARE IP54
- 436 CASPER ROUND IP54
- 472 CIVITA IP54
- 463 COSEL IP54
- 468 CREMONA IP54
- 473 DURANTE IP54
- 502 EDVARD IP65
- 502 EDVIN IP65
- 478 ENOK IP54
- 432 FANO IP54
- 434 FANO SMART IP54
- 503 FLOKI IP54
- 504 FRAME IP54
- 492 FREDO IP54
- 476 GAGARIN IP44
- 466 GAMBINO IP54
- 505 GILBERTO IP54
- 474 GINNA IP54
- 457 GORAN
- 493 GUIDO IP54
- 506 HAVANA IP44
- 430 HYDE IP54
- 431 IKA IP65
- 455 JAKE WALL 2 IP54
- 445 JASON SQUARE WALL IP65
- 444 JASON WALL IP65
- 442 JOE IP54
- 470 LARS IP54
- 467 LETICIA 2 LED IP54
- 475 LIVIO 2 IP54
- 501 MATERA IP54
- 488 MIKKEL IP54
- 486 NIKLAS IP44
- 498 NILS IP44
- 491 OSVALD IP44
- 483 OVE WALL IP54
- 438 PAPIKO IP65
- 456 PEDER IP54
- 490 RASMUS IP65
- 450 REZIA IP54
- 454 RIMINI IP54
- 452 RIMINI SQUARE IP54
- 447 ROLAND SQ WALL IP65
- 446 ROLAND WALL IP65
- 494 ROLF IP44
- 477 SARONA IP54
- 496 SORANO IP44
- 439 TONIO IP54
- 458 ULF IP44
- 461 VENETO IP54
- 460 VENTA IP54
- 448 ZARIA IP 65 CCT SWITCH
- 471 ZITA XL IP54



ROMOLO R IP65

428 Outdoor lamps



WH


ROMOLO R IP65

bulb not included

voltage: 230V	GU10 x MAX 50W	<input checked="" type="checkbox"/>
IP65	installation place:	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5390**
- WHITE (WH) **AZ5389**



BK





WH





ROMOLO S IP65

bulb not included 

voltage: 230V	GU10 x MAX 50W 
IP65	installation place: 

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5392**
- WHITE (WH) **AZ5391**



HYDE IP54

430 Outdoor lamps



CH


HYDE OVAL

bulb not includ

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ3325**



CH


HYDE SQUARE

bulb not includ

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ3326**






IKA SQUARE IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W	<input checked="" type="checkbox"/>
IP65	installation place	<input type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 6,4cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2864**
- BLACK (BK) **AZ4230**
- DARK GREY (DGR) **AZ4231**




IKA ROUND IP65

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W	<input checked="" type="checkbox"/>
IP65	installation place	<input type="checkbox"/>
	inlet opening	<input checked="" type="checkbox"/> Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2865**
- BLACK (BK) **AZ3017**
- DARK GREY (DGR) **AZ4232**



FANO IP54

432 Outdoor lamps




FANO S 30

bulb not includ

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4372**
- DARK GREY (DGR) **AZ4370**
- WHITE (WH) **AZ4374**




FANO R 30

bulb not includ

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4371**
- DARK GREY (DGR) **AZ4369**
- WHITE (WH) **AZ4373**



BK

DGR



WH



BK

DGR



WH



DGR

FANO SQUARE

LED integrated

voltage: 230V

LED 9W 582lm 3000K




IP54



installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



22



DGR

FANO R

LED integrated

voltage: 230V

LED 9W 421lm 3000K





IP54



installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



Ø22



FANO SMART IP54

434 Outdoor lamps




FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL




FANO R 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL



BK

DGR



WH



BK

DGR




WH





WH



BK

DGR



WH

CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

LED 15W 1300lm 3000K

IP54

LED 15W 1300lm 4000K



technical

installation place


specification

beam angle: 110°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4496**
- 3000K DARK GREY (DGR) **AZ4498**
- 3000K WHITE (WH) **AZ4500**
- 4000K BLACK (BK) **AZ4497**
- 4000K DARK GREY (DGR) **AZ4499**
- 4000K WHITE (WH) **AZ4501**



CASPER ROUND IP54

436 Outdoor lamps



CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

LED 15W 1300lm 3000K

IP54

LED 15W 1300lm 4000K



technical

installation place

specification

beam angle: 110°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**



20





APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54		<input type="checkbox"/>
technical specification	installation place	<input type="checkbox"/>
	beam angle: 130°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
- DARK GREY (DGR) **AZ4335**
- WHITE (WH) **AZ4334**




APULIA S

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54		<input type="checkbox"/>
technical specification	installation place	<input type="checkbox"/>
	beam angle: 130°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
- DARK GREY (DGR) **AZ4338**
- WHITE (WH) **AZ4337**



PAPIKO IP65

438 Outdoor lamps




PAPIKO IP65

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP65	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4216**
- WHITE (WH) **AZ4217**





WH


TONIO

bulb not includ 

voltage: 230V	connect GU10 1x Max.35W	<input checked="" type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ0870**



ALIX IP65

440 Outdoor lamps




WH

ALIX IP65

voltage: 230V	GU10 1x Max 35W	
IP65	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4056**
- GREY (GR) **AZ4057**
- WHITE (WH) **AZ4055**




WH

BK



GR





JOE IP54

442 Outdoor lamps



DGR


JOE TUBE

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3313**
- BLACK (BK) **AZ3314**
- WHITE (WH) **AZ3315**
- BRIGHT GREY (BGR) **AZ3316**



WH


JOE WALL 1

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3317**
- BLACK (BK) **AZ3318**
- WHITE (WH) **AZ4315**







JOE WALL 2

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	GU10 2x MAX 35W <input type="checkbox"/>
IP54	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3319**
- BLACK (BK) **AZ3320**
- WHITE (WH) **AZ4316**




JOE SQUARE

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	GU10 1x MAX 35W <input type="checkbox"/>
IP54	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3323**
- WHITE (WH) **AZ3324**
- BLACK (BK) **AZ4270**



JASON WALL IP65

444 Outdoor lamps



JASON WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 4000K		LED
IP65	installation:		
technical	beam angle: 60°		
specification			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5217**
- DARK GREY (DGR) **AZ5218**




JASON 2 WALL IP65

LED integrated

voltage: 230V	LED 2x 9W 1600lm 4000K		LED
IP65	installation:		
technical	beam angle: 2 x 60°		
specification			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5219**
- DARK GREY (DGR) **AZ5220**






JASON SQUARE WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 4000K	
IP65	installation: <input type="checkbox"/>	
technical specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5221**
- DARK GREY (DGR) **AZ5222**




JASON 2 SQUARE WALL IP65

LED integrated

voltage: 230V	LED 2x 9W 1600lm 4000K	
IP65	installation: <input type="checkbox"/>	
technical specification	beam angle: 2 x 60°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5223**
- DARK GREY (DGR) **AZ5224**




ROLAND WALL IP65

446 Outdoor lamps




ROLAND WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 3000K	LED
IP65		
technical	installation:	<input type="checkbox"/>
specification	beam angle: 85°	<input checked="" type="checkbox"/>


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5226**
- DARK GREY (DGR) **AZ5225**




ROLAND 2 WALL IP65

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	LED
IP65		
technical	installation:	<input type="checkbox"/>
specification	beam angle: 2 x 85°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5228**
- DARK GREY (DGR) **AZ5227**





WH


ROLAND SQ WALL IP65

LED integrated

voltage: 230V	LED 9W 800lm 3000K		LED
IP65	technical		
specification	installation:		
	beam angle: 85°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5230**
- DARK GREY (DGR) **AZ5229**



DGR


ROLAND 2 SQ WALL IP65

LED integrated

voltage: 230V	LED 18W 1600lm 3000K		LED
IP65	technical		
specification	installation:		
	beam angle: 2 x 85		


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ5232**
- DARK GREY (DGR) **AZ5231**



ZARIA IP 65 CCT SWITCH

448 Outdoor lamps



ZARIA A IP65 CCT SWITCH

LED integrated	
voltage: 230V	LED 5W 500 lm 3000K/4000K/6000K
IP65	CCT Switch LED
technical	installation: <input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 360° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ5233**



ZARIA B IP65 CCT SWITCH

LED integrated	
voltage: 230V	8W 800 lm 3000K/4000K/6000K
IP65	CCT Switch LED
technical	installation: <input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 360° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ5234**



ZARIA C IP65 CCT SWITCH

LED integrated	
voltage: 230V	LED 15W 1500 lm
IP65	3000K/4000K/6000K CCT Switch LED
technical	installation: <input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 360° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ5235**




ZARIA D IP65 CCT SWITCH

LED integrated	
voltage: 230V	LED 20W 2000 lm
IP65	3000K/4000K/6000K CCT Switch LED
technical	installation: <input type="checkbox"/> <input type="checkbox"/>
specification	beam angle: 360° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ5236**



REZIA IP54

450 Outdoor lamps





REZIA 1

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4343**
- DARK GRAY (DGR) **AZ4344**




REZIA 2

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4345**
- DARK GRAY (DGR) **AZ4346**





RIMINI SQUARE IP54

452 Outdoor lamps





RIMINI 1 SQUARE

bulb not includ

voltage: 230V	GU10 1x MAX 35W
IP54	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4311**
- WHITE (WH) **AZ4313**
- BLACK (BK) **AZ4267**




RIMINI 2 SQUARE

bulb not includ

voltage: 230V	GU10 2x MAX 35W
IP54	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4312**
- WHITE (WH) **AZ4314**
- BLACK (BK) **AZ4268**





RIMINI IP54

454 Outdoor lamps



RIMINI 1

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54		
installation place		<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2176**
- WHITE (WH) **AZ2175**
- BLACK (BK) **AZ4265**





RIMINI 2

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54		
installation place		<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2178**
- WHITE (WH) **AZ2177**
- BLACK (BK) **AZ4266**






JAKE WALL 2 IP54

bulb not includ

voltage: 230V	GU10 2x MAX 35W <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3321**
- WHITE (WH) **AZ3322**
- BLACK (BK) **AZ4269**



PEDER IP54

456 Outdoor lamps




PEDER

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4514**
- DARK GREY (DGR) **AZ4515**






GORAN SENSOR

bulb not includ	
voltage: 230V	GU10 1x MAX 35W
IP54	installation place


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4695**
- DARK GRAY (DGR) **AZ4696**
- WHITE (WH) **AZ4697**



TILT 90°

MASTER SLAVE SYSTEM




One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

MOTION SENSOR RANGE: 90°/170° +/- 5M



TIME - LIGHTING TIME ADJUSTMENT
LUX - DUSK SENSITIVITY ADJUSTMENT



ULF IP44

458 Outdoor lamps



DGR



BK




ULF 1 WALL SENSOR

bulb not includ	
voltage: 230V	GU10 1x MAX 35W
IP44	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4454**
- DARK GREY (DGR) **AZ4455**





ULF 2 WALL


bulb not includ	
voltage: 230V	GU10 2x MAX 35W
IP44	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4473**
- DARK GREY (DGR) **AZ4474**




MASTER SLAVE SYSTEM





VENTA IP54

460 Outdoor lamps




VENTA

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4350**
-  DARK GREY (DGR) **AZ4351**







VENETO

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	<input type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4348**
- DARK GREY (DGR) **AZ4349**



CASOLA IP54

462 Outdoor lamps



CASOLA


LED integrated


voltage: 230V	LED 12W 950lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 110°	



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4355**
- DARK GREY (DGR) **AZ4356**






COSEL

LED integrated

voltage: 230V	LED 2x8W 1300lm 3000K
IP54	LED
technical specification	installation place <input type="checkbox"/>
	beam angle: 2x 110° <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4353**
- DARK GREY (DGR) **AZ4354**



ARBAX IP54

464 Outdoor lamps




ARBAX 1

LED integrated

voltage: 230V	LED 6W 500lm 3000K		
IP54			
technical	installation place		
specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4341**




ARBAX 2

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP54			
technical	installation place		
specification	beam angle: 2x 60°		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4342**






ARIDA

bulb not includ

voltage: 230V	E27 1x Max 40W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4347**





** NUMBERS IS NOT INCLUDED

**



GAMBINO IP54

466 Outdoor lamps




GAMBINO 1 3000K / 4000K

LED integrated

voltage: 230V	LED 2x3W 500lm 3000K	
IP54	LED 2x3W 500lm 4000K	
technical	installation place	
specification	adjustable beam angle Max 90°	




FOUR ADJUSTABLE LIGHT ANGLE



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ0950**
- 3000K BRIGHT GREY (BGR) **AZ0958**
- 3000K DARK GREY (DGR) **AZ0957**
- 3000K BLACK (BK) **AZ4148**
- 4000K BLACK (BK) **AZ4470**
- 4000K DARK GREY (DGR) **AZ4471**
- 4000K WHITE (WH) **AZ4472**




EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°





BK



FOUR ADJUSTABLE LIGHT ANGLE

LETICIA 2 LED

LED integrated

voltage: 230V

LED 2x3W 400lm 3000K



IP54



technical


installation place

specification

adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4469**
- DARK GREY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**



WH

BGR


BK

TILT 90°



CREMONA IP54

468 Outdoor lamps





CREMONA S

LED integrated

voltage: 230V

LED 2x3W 350lm 3000K

LED

IP54

installation place


technical

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2180**
- WHITE (WH) **AZ2179**
- BLACK (BK) **AZ4339**



CREMONA M

LED integrated

voltage: 230V

LED 2x5W 500lm 3000K

LED

IP54

installation place


technical

specification

beam angle: 2x 60°


COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2182**
- WHITE (WH) **AZ2181**
- BLACK (BK) **AZ4340**



LARS IP54

470 Outdoor lamps





LARS ROUND WALL 3000K / 4000K LED integrated

voltage: 230V	LED 13W 1000lm 3000K		LED
IP54	LED 13W 1000lm 4000K		
technical	installation place		
specification	beam angle: 2x 180°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4504**
- 4000K BLACK (BK) **AZ4505**




LARS SQUARE 3000K / 4000K LED integrated

voltage: 230V	LED 13W 1000lm 3000K		LED
IP54	LED 13W 1000lm 4000K		
technical	installation place		
specification	beam angle: 2x 180°		

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4506**
- 4000K BLACK (BK) **AZ4507**





BK

ZITA XL

LED integrated

voltage: 230V

LED 6W 450lm 3000K



IP54



technical



installation place

specification

beam angle: 35°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2200**
- BRIGHT GREY (BGR) **AZ2201**
- BLACK (BK) **AZ4150**
- WHITE (WH) **AZ4151**



DGR

BGR

BK

WH



CIVITA IP54

472 Outdoor lamps



DGR


CIVITA

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 180°	

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4361**



DGR


CIVITA SENSOR

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 180°	

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4360**



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT




TIME

LUX




MASTER SLAVE SYSTEM (OPTION)

Master Lamp (with PIR sensor) Slave Lamp (No.1) Slave Lamp (No.2) Slave Lamp (No.3)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).
MOTION SENSOR RANGE: 90°/170° +/- 5M.




DURANTE IP54 SENSOR 4000K

LED integrated

voltage: 230V	LED 21W 1365lm 4000K	LED
IP54		
technical	installation:	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5340**



TILT 350°



GINNA IP54

474 Outdoor lamps




GINNA 3

LED integrated

voltage: 230V	LED 6x1W 500lm 3000K	
IP54		
technical specification		
	installation place	
	beam angle: 60°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3484**
- GOLD (GO) **AZ3485**
- DARK GREY (DGR) **AZ4194**
- WHITE (WH) **AZ4195**





BGR


LIVIO 2

bulb not includ

voltage: 230V	connect GU10 2x Max.35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

BRIGHT GREY (BGR) **AZ0888**



GAGARIN IP44

476 Outdoor lamps




GAGARIN IP44

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4352**





SARONA LED IP54

LED integrated

voltage: 230V

LED 3W 250lm 3000K



IP54



technical

installation place



inlet opening Ø 7,2cm

specification

beam angle: 10°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2183**



ENOK IP54



478 Outdoor lamps





DGR

ENOK ROUND WALL 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K



IP54



technical


installation place

specification

beam angle: 360°

COLOUR / NEW INDEX NO.

■ 3000K DARK GREY (DGR) **AZ4460**



BK

ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K



IP54



technical

installation place


specification

beam angle: 360°

COLOUR / NEW INDEX NO.


■ 3000K BLACK (BK) **AZ4461**

■ 4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.



CASORIA IP54

480 Outdoor lamps




CASORIA ROUND

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4365**
- BLACK (BK) **AZ4366**



BK



DGR




CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 60°	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4368**




CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K	
IP54		
technical	installation place	
specification	beam angle: 60°	

COLOUR / NEW INDEX NO.


- DARK GREY (DGR) **AZ4367**





AFI IP54

482 Outdoor lamps




AFI 3000K / 4000K

LED integrated

voltage: 230V	LED 2W 150lm 3000K	
IP54	LED 2W 150lm 4000K	
technical specification	installation place	<input type="checkbox"/>
	beam angle: 60°	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4510**
- 3000K BLACK (BK) **AZ4512**
- 4000K DARK GREY (DGR) **AZ4511**
- 4000K BLACK (BK) **AZ4513**





DGR

OVE WALL 3000K / 4000K


LED integrated

voltage: 230V	LED 2W 150lm 3000K	
IP54	LED 2W 150lm 4000K	
technical	installation place	
specification	beam angle: 60°	



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4508**
- 4000K DARK GREY (DGR) **AZ4509**



ALF IP65

484 Outdoor lamps



ALF ROUND 3000K


LED integrated

voltage: 230V	LED 3W 250lm 3000K	LED
IP65	installation place inlet opening Ø 4,5cm beam angle: 180°	
technical specification		



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4463**
- DARK GREY (DGR) **AZ4464**



ALF SQUARE 3000K

LED integrated



voltage: 230V	LED 3W 250lm 3000K	LED
IP65	installation place inlet opening 4,5x4,5cm beam angle: 180°	
technical specification		



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4465**
- DARK GREY (DGR) **AZ4466**






NIKLAS IP44

486 Outdoor lamps



MASTER SLAVE SYSTEM (OPTION)



MOTION SENSOR RANGE: 90°/170° +/- 5M




NIKLAS WALL SENSOR

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	



COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4487**




TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT






NIKLAS WALL


bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	E27 1x MAX 40W 
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4486**




NIKLAS 2 WALL

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	E27 2x MAX 40W 
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4488**



MIKKEL IP54

488 Outdoor lamps




MIKKEL WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4484**




MIKKEL

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4485**





RASMUS IP65

490 Outdoor lamps



BK


RASMUS WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP65		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4482**



BK


RASMUS

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP65		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4483**






OSVALD WALL

		bulb not includ <input checked="" type="checkbox"/>
voltage: 230V	E27 1x MAX 40W	
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4489**







FREDO IP54

492 Outdoor lamps




FREDO 58 IP54 4000K





voltage: 230V	LED 6W 390lm 4000K	LED integrated
IP54		
technical specification	installation: 	
	beam angle: 120° 	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5337**





FREDO 98 IP54 4000K

voltage: 230V	LED 12W 780lm 4000K	LED integrated
IP54		
technical specification	installation: 	
	beam angle: 120° 	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5338**





GUIDO WALL IP54 3000K

LED integrated

voltage: 230V

LED 12W 780lm 3000K

IP54



technical



installation:

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ5339**



ROLF IP44

494 Outdoor lamps





ROLF 1 WALL

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	GU10 1x MAX 35W <input checked="" type="checkbox"/>
IP44	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4475**
- DARK GREY (DGR) **AZ4476**
- WHITE (WH) **AZ4477**





ROLF 2 500

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	LED GU10 2x MAX 35W <input checked="" type="checkbox"/>
IP44	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4456**
- DARK GREY (DGR) **AZ4457**





ROLF 2 900

bulb not includ <input checked="" type="checkbox"/>	
voltage: 230V	LED GU10 2x MAX 35W <input checked="" type="checkbox"/>
IP44	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4458**
- DARK GREY (DGR) **AZ4459**





SORANO IP54

496 Outdoor lamps




SORANO 500

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4444**
- DARK GREY (DGR) **AZ4358**




SORANO 700

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4445**
- DARK GREY (DGR) **AZ4359**







SORANO WALL

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4446**
- DARK GREY (DGR) **AZ4357**




NILS IP44

498 Outdoor lamps



TIME – LIGHTING TIME ADJUSTMENT
LUX – DUSK SENSITIVITY ADJUSTMENT




NILS WALL SENSOR

bulb not includ

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4479**




NILS WALL

bulb not includ


voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4478**



MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).





TIME - LIGHTING TIME ADJUSTMENT
LUX - LUX SENSITIVITY ADJUSTMENT




NILS 500

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP44		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4480**




NILS 800

bulb not includ

voltage: 230V	E27 1x MAX 40W	<input checked="" type="checkbox"/>
IP44		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4481**



AGAPE IP54

500 Outdoor lamps




AGAPE 60

LED integrated

voltage: 230V	LED 6W 480lm 3000K	
IP54		
technical specification		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3482**




AGAPE 80

LED integrated

voltage: 230V	LED 6W 480lm 3000K	
IP54		
technical specification		

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ3483**






MATERA 600

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W	<input checked="" type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2185**




MATERA WALL

bulb not includ

voltage: 230V	connect GU10 1x Max. 35W	<input checked="" type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2184**



EDVIN / EDVARD IP65

502 Outdoor lamps




EDVIN

bulb not includ <input type="checkbox"/>	
voltage: 230V	GU10 1x MAX 35W <input type="checkbox"/>
IP65	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4502**




EDVARD

bulb not includ <input type="checkbox"/>	
voltage: 230V	GU10 1x MAX 35W <input type="checkbox"/>
IP65	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) **AZ4503**





FLOKI 3000K / 4000K

LED integrated

voltage: 230V

LED 6W 500lm 3000K

IP65

LED 6W 500lm 4000K

LED

technical

installation place


specification

beam angle: 30°

COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4468**

4000K BLACK (BK) **AZ4467**



TILT 180°



FRAME IP54

504 Outdoor lamps





FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 90°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4308**
- DARK GREY (DGR) **AZ2132**





FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 90°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4307**
- DARK GREY (DGR) **AZ2128**




FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K	
IP54		
technical specification	installation place	
	beam angle: 90°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4305**
- DARK GREY (DGR) **AZ2130**





WH / BK / CORT


GILBERTO TABLE IP54

LED integrated

voltage: 230V	LED 2W 130lm 3000K dimm	LED
IP54	installation:	
technical specification	beam angle: 110°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ5335**
- WHITE (WH) **AZ5334**
- CORTEN (CORT) **AZ5336**



BATTERY FOR GILBERTO TABLE IP54

How long does it take to fully charge:	6~8hours
What charger parameters are recommended:	Output 5V 1A
What is the capacity of accumulator: It is lithium battery capacity	18650*2 4400mA 3.7V
How many charging cycles it lasts:	500cycles
After 300 cycles of use and charging, the battery can still reach 80% capacity	
Is the accu replaceable:	Yes
Others, like brightness memory function:	Yes



HAVANA IP44

506 Outdoor lamps





HAVANA

voltage: 230V	E27 1x MAX 40W	
IP44	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4662**
- WHITE (WH) **AZ4663**





waterproof switch button

BOOMBOX IP44

508 Outdoor lamps

HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere

due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions:..... 22x22x32cm
 Power: 10W speaker
 Battery: 2000mAh
 Color:..... RGBW
 Accessories: remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions:..... 32x56cm
 Power: 5W speaker
 Battery: 2000mAh
 Color:..... RGBW
 Accessories: remote control included





WH

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 10W 800lm RGBW DIMM USB	
IP44	3000K	
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4664**



WH


BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 5W 400lm RGBW DIMM USB	
IP44	3000K	
technical specification	installation place	
	beam angle: 360°	

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4665**






LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes

LED Grill &
Hermetic
lamps



ACCESSORIES

512

LED tubes, LED grill & hermetic lamps

LED TUBE 600mm 4300K / **AZ1153**

200°

830lm
9W

4300 K

NO DIMM

50 000 h

26 mm
1000 mm

RA
≥ 80

180-240V
50/60Hz

INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x

G A+ G

LED TUBE 600mm 6400K / **AZ1154**

200°

850lm
9W

6400 K

NO DIMM

50 000 h

26 mm
1000 mm

RA
≥ 80

180-240V
50/60Hz

INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x

G A+ G

LED TUBE 1200mm 4300K / **AZ1155**

200°

1600lm
18W

4300 K

NO DIMM

50 000 h

26 mm
1800 mm

RA
≥ 80

180-240V
50/60Hz

INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x

G A+ G

LED TUBE 1200mm 6400K / **AZ1156**

200°

1650lm
18W

6400 K

NO DIMM

50 000 h

26 mm
1800 mm

RA
≥ 80

180-240V
50/60Hz

INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x

G A+ G

LED TUBE 1500mm 4300K / **AZ1157**

200°

2200lm
24W

4300 K

NO DIMM

50 000 h

26 mm
1800 mm

RA
≥ 80

180-240V
50/60Hz

INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x

G A+ G

LED TUBE 1500mm 6400K / **AZ1158**

200°

2250lm
24W

6400 K

NO DIMM

50 000 h

26 mm
1800 mm

RA
≥ 80

180-240V
50/60Hz


INTERIOR

ON < 0,2s

ON
OFF
≥ 25 000x









G A+ G


Outdoor lamps



LED Grill Lamp Surface 1200mm / **AZ1190**









LED Lamp


 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 1200 mm 300 mm 80 mm		
---	---	---	---	--	--	---	---



LED Grill Lamp Concealed 1200mm / **AZ1191**









LED Lamp


 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 1200 mm 300 mm 80 mm		
---	---	---	---	--	--	---	---



LED Grill Lamp Concealed 600mm / **AZ1189**










LED Lamp


 4x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 INTERIOR	 600 mm 300 mm 80 mm		
---	---	---	---	--	---	---	---



LED HERMETIC LAMP Surface 1200mm / **AZ1192**

LED Lamp

 IP65	 2x T8	 G13	 230V 50/60Hz	 NO LIQUIDS	 EXTERIOR	 1200 mm 300 mm 80 mm		
--	---	---	---	---	--	--	---	---



LED BULBS


LED

bulbs



LED BULBS

516 Azzardo products




GU10 LED BULB GU10 BLUETOOTH 4,9W CCT DIMM WH AZ5421



120°

GU10	415 lm 4,9W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	50mm 54mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	AG
-------------	----------------	-----------------------	----------	------------------------------------	--------------	------------	---------------------	----------	-----------	---------------------	-----------

E14 LED BULB E14 BLUETOOTH 4,9W CCT DIMM WH AZ5422



360°


E14	415 lm 4,9W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	40 mm 50mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	AG
------------	----------------	-----------------------	----------	------------------------------------	---------------	------------	---------------------	----------	-----------	---------------------	-----------

E27 LED BULB E27 BLUETOOTH 9W CCT DIMM WH AZ5423



360°

E27	810 lm 9W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	60 mm 108 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	AG
------------	--------------	-----------------------	----------	------------------------------------	-----------------	------------	---------------------	----------	-----------	---------------------	-----------



E27 AZZARDO BULB LED E27 8W BALL WH / AZ4019
DIMMABLE / **FULL GLASS**

360°


E27	806lm 8W	2700 K	NO DIMM	25 000 h = 25 Years 2.7h/day	125 mm 125 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G
-----	-------------	--------	---------	------------------------------------	------------------	------------	---------------------	----------	-----------	---------------------	---------



E27 AZZARDO BULB LED E27 8,5W BALL WH / AZ4020
DIMMABLE / **FULL GLASS**

360°

E27	1050lm 8,5W	2700 K	NO DIMM	25 000 h = 25 Years 2.7h/day	125 mm 125 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G
-----	----------------	--------	---------	------------------------------------	------------------	------------	---------------------	----------	-----------	---------------------	---------



E27 AZZARDO BULB LED E27 8W BALL AM / AZ4021
DIMMABLE / **FULL GLASS**

360°

E27	720lm 8W	4000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	125 mm 125 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G
-----	-------------	--------	---------	------------------------------------	------------------	------------	---------------------	----------	-----------	---------------------	---------



E27 AZZARDO BULB LED E27 8W BALL WH / AZ4022
DIMMABLE / **FULL GLASS**

360°

E27	806lm 8W	4000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	125 mm 125 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G
-----	-------------	--------	---------	------------------------------------	------------------	------------	---------------------	----------	-----------	---------------------	---------



E27 10W LL127101 / AZ1639
FULL GLASS

360°

E27	830lm 10w	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	60 mm 105 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G	
-----	--------------	--------	---------	------------------------------------	-----------------	------------	---------------------	----------	-----------	---------------------	---------	---




E27 12W LL127121 / AZ1640
FULL GLASS

360°

E27	990lm 12W	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	60 mm 105 mm	RA ≥ 80	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥ 15 000x	G A t G
-----	--------------	--------	---------	------------------------------------	-----------------	------------	---------------------	----------	-----------	---------------------	---------

LED BULBS

518 Azzardo products



E27 15W LL127151 / AZ1081

180°

1200lm
15W

3000 K

NO DIMM

25 000 h =
2.7h/day
25 Years

95 mm
135 mm

RA ≥80


220-240V
50/60Hz

INTERIOR

ON < 0,2s

ON OFF
≥15 000x

G A+ G



E14 AZZARDO BULB LED E14 5W CANDLE WH / AZ4016

DIMMABLE / FULL GLASS

360°

E14

450lm
5W

2700 K

DIMMABLE

25 000 h =
2.7h/day
25 Years

24 mm
75 mm

RA ≥80

220-240V
50/60Hz

INTERIOR

ON < 0,2s

ON OFF
≥15 000x

G A+ G

DEDICATED AZZARDO LED BULB
15W
E27 GLOBE



E14 AZZARDO BULB LED E14 5W BALL WH / AZ4017

DIMMABLE / FULL GLASS

360°

E14

450lm
5W

2700 K

DIMMABLE

25 000 h =
2.7h/day
25 Years

24 mm
75 mm

RA ≥80

220-240V
50/60Hz

INTERIOR

ON < 0,2s

ON OFF
≥15 000x

G A+ G

DEDICATED AZZARDO LED BULB
12W
E14



E14 AZZARDO BULB LED E14 5W BALL WH / AZ4018

DIMMABLE / FULL GLASS

360°

E14

450lm
5W

4000 K

DIMMABLE

25 000 h =
2.7h/day
25 Years

24 mm
75 mm

RA ≥80

220-240V
50/60Hz

INTERIOR

ON < 0,2s

ON OFF
≥15 000x

G A+ G

DEDICATED AZZARDO LED BULB
12W
E14



GU10 AZZARDO BULB LED GU10 7W / AZ4023

DIMMABLE / FULL GLASS

38°

GU10

530lm
7W

3000 K

NO DIMM

25 000 h =
2.7h/day
25 Years

50 mm
55 mm

RA ≥80

220-240V
50/60Hz

INTERIOR

ON < 0,2s

ON OFF
≥15 000x

G A+ G

DEDICATED AZZARDO LED BULB
12W
E14



GU10 7W LL210071 RA>90 DIMMABLE 4000K AZ2165

FULL GLASS

38°

GU10

520lm
7W

4000 K

DIMMABLE

25 000 h =
2.7h/day
25 Years

50 mm
55 mm

RA ≥90

220-240V
50/60Hz

INTERIOR

ON < 0,2s



ON OFF
≥15 000x

G A+ G

DEDICATED AZZARDO LED BULB
4W or 7W
GU10



LED BULBS

520 Azzardo products





QR111 NEW chrome 12W 12V LL110123 / **AZ1182**
no DIMM - 3000K



G53	480 lm 12W	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	111mm 111mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥15 000x	G A+
------------	----------------------	---------------	----------------	---	----------------	---------------	----------------------------	----------	-----------	--------------------	-------------


ES111 NEW chrome 12W 230V LL110122 / **AZ2364**
DIMMABLE - 3000K





GU10	480 lm 12W	3000 K	DIMMABLE	25 000 h = 25 Years 2.7h/day	111mm 111mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥15 000x	G A+
-------------	----------------------	---------------	-----------------	---	----------------	---------------	----------------------------	----------	-----------	--------------------	-------------


ES111 NEW chrome 12W 230V LL210122 / **AZ2365**
DIMMABLE - 4000K





GU10	560 lm 12W	4000 K	DIMMABLE	25 000 h = 25 Years 2.7h/day	111mm 111mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥15 000x	G A+
-------------	----------------------	---------------	-----------------	---	----------------	---------------	----------------------------	----------	-----------	--------------------	-------------


ES111 NEW chrome 12W 230V LL110121 / **AZ2362**
no DIMM - 3000K



GU10	480 lm 12W	3000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	111mm 111mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥15 000x	G A+
-------------	----------------------	---------------	----------------	---	----------------	---------------	----------------------------	----------	-----------	--------------------	-------------

ES111 NEW chrome 12W 230V LL210121 / **AZ2363**
no DIMM - 4000K










GU10	560 lm 12W	4000 K	NO DIMM	25 000 h = 25 Years 2.7h/day	111mm 111mm	RA ≥90	220-240V 50/60Hz	INTERIOR	ON < 0,2s	ON OFF ≥15 000x	G A+
-------------	----------------------	---------------	----------------	---	----------------	---------------	----------------------------	----------	-----------	--------------------	-------------

LED bulbs



ENERGY efficiency

- Group energy label **A** 
- Group energy label **B** 
- Group energy label **C** 
- Group energy label **D** 
- Group energy label **E** 
- Group energy label **F** 
- Group energy label **G** 

RESERVATIONS



We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.
Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

TECHNOLOGICAL

CHANGES and limitations



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.



Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
NajlepšÍ index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
NejlepšÍ index podání barev Ra(CRI)=100